

WERTH SANITARY SUPPLY CO INC -- FORMULA 99,100216 -- 6840-01-441-2184

===== Product Identification =====

Product ID:FORMULA 99,100216

MSDS Date:01/24/1996

FSC:6840

NIIN:01-441-2184

MSDS Number: CJFMD

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020

Country:US

Info Phone Num:800-535-5053

Emergency Phone Num:800-535-5053

CA

GE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

Contract Num:SP0450-00-M-D075

CAGE:5T372

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

Contract Num:SP0450-99-M-C933

CAGE:5T372

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:

City:EL CAJON  
State:CA  
ZIP:92020-1637  
Country:US  
Phone:800-535-5053/619-440-2000  
Contract Num:SP0450-99-M-NB30  
CAGE:5T372  
Company Name:WERTH SANITARY SUPPLY CO INC  
Address:1561 PIONEER WAY  
Box:City:EL CAJON  
State:CA  
ZIP:92020-1637  
Country:US  
Phone:800-535-5053/619-440-2000  
Contract Num:SP0450-99-M-ND81  
CAGE:5T372  
Company Name:WERTH SANITARY SUPPLY CO INC  
Address:1561 PIONEER WAY  
Box:City:EL CAJON  
State:CA  
ZIP:92020-1637  
Country:US  
Phone:800-535-5053/619-440-2000  
Contract Num:SP0450-99-M-NF51  
CAG  
E:5T372  
Company Name:WERTH SANITARY SUPPLY CO INC  
Address:1561 PIONEER WAY  
Box:City:EL CAJON  
State:CA  
ZIP:92020-1637  
Country:US  
Phone:800-535-5053/619-440-2000  
Contract Num:SP0450-99-M-NF54  
CAGE:5T372  
Company Name:WERTH SANITARY SUPPLY CO INC  
Address:1561 PIONEER WAY  
Box:City:EL CAJON  
State:CA  
ZIP:92020-1637  
Country:US  
Phone:800-535-5053/619-440-2000  
Contract Num:SPO450-00-M-ND26  
CAGE:5T372

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPANOL (SARA 313)

CAS:67-63-0  
RTECS #:NT8050000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:400 PPM  
OSHA STEL:500 PPM  
ACGIH TLV:400 PPM  
ACGIH STEL:500 PPM

Ingred Name:PETROLEUM DISTILLATE  
CAS:64741-65-7  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM

Ingred Name:OCTYLPHENOXY POLYETHOXY ETHANOL  
CAS:9036-19-5  
RTECS #:MD0907600  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL METHYL ETHER  
CAS:20324-32-7  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:150 PPM

Ingred Name:AMYL ACETATE (CERCLA)  
CAS:123-92-2  
RTECS #:NS9800000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM; 9596  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) =15.2 G/KG  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:CHRONIC: LOW ORDER OF TOXICITY,  
FREQUENT OR PROLONGED CONTA

CT MAY IRRITATE SKIN.

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH LARGE AMOUNT OF WATER. MAY CAUSE CORNEAL DAMAGE ON PROLONGED CONTACT. SEEK MEDICAL ATTENTION. INGESTION: DO NOT GIVE ANYTING BY MOUTH TO AN UNCONSCIOUS PERSON. SEEK MEDICAL ATT N. INHALATION: REMOVE PERSON TO FRESH AIR. SEEK MEDICAL ATTENTION.

=====  
===== Fire F  
ighting Measures =====

Flash Point:N/D

Extinguishing Media:CARBON DIOXIDE, DRY FOAM, WATER SPRAY.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT ABSORBENT MATERIAL. WASH UNRECOVERABLE MATERIAL DOWN THE DRAIN WITH WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT OR OPEN FLAME.

Other Precautions:NONE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:MECHANICAL(GENERAL): ADEQUATE. LOCAL EXHAUST: ADEQUATE.

Protective Gloves:RUBBER OR PLASTIC FOR PROLONGED CONTACT.

Eye Protection:SAFETY GOGGLES FOR SPLASH PROTECTION.

Other Protective Equipment:EYE WASH/SHOWER FACILITY NEARBY.

Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES. AVOID SKIN AND EYE CONTACT.

Supplemental Safety and Healt

h

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:ND

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:0.98

Spec Gravity:0.99

pH:NP

Viscosity:NP

Evaporation Rate & Reference: