

BTR VALVE SEALANTS INC -- NORDSTROM 950 SEALANT (BULK GRADE)

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-257-5360
MSDS Date: 12/01/1992
MSDS Num: CJKMX
Product ID: NORDSTROM 950 SEALANT (BULK GRADE)
MFN: 01
Responsible Party
Cage: 80318
Name: BTR VALVE SEALANTS INC
Address: 140 THOMAS RD
City: SULPHUR S
PRINGS TX 75482
Info Phone Number: 903-439-6465
Emergency Phone Number: 903-439-6465
Resp. Party Other MSDS No.: 041

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,PLUG VALVE
Specification Number: MIL-G-6032
Type/Grade/Class: TY 1
Unit of Issue: CN
Quantitative Expression: 20000000175LB
UI Container Qty: L
Type of Container: CAN

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: INHALATION-NONE EXPECTED. INGESTION-MAY BE MILDLY
ITITATING TO THE GASTROINTESTINAL TRAC

T. SKIN-PROLONGED OR REPEATED SKIN

CONTACT MAY PRODUCE MILD IRRITATION. EYES-MATERIAL CONTACTING THE EYES MAY PRODUCE IRRITATION.

First Aid: EYES-FLUSH EYES FOR 15 MIN WITH CLEAR WATER. CONTACT PHYSICIAN.

SKIN-WASH THOROUGHLY WITH SOAP AND WATER. INHALATION-VAPOR PRESSURE IS VERY LOW. VAPOR INHALATION IS NOT CONSIDERED A PROBLEM UNDER NORMAL USAGE CONDITIONS. INGESTION-IF SWALLOWED, CONSULT PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: RECOVER FREE MATERIAL, ADD SUITABLE ABSORBENT TO SPILL AREA. CLEAN SPILL AREA WITH DETERGENT SOLUTION.

Waste Disposal Methods: INCINERATE IN FURNACE OR OTHERWISE DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REQUIREMENTS AND REGULATIONS.

Handling And Storage Precautions: STORE IN SEALED CONTAINERS TO AVOID CONTAMINATION WITH FOREIGN PARTICLES.

Other Precautions: THE ORGANOPHILIC CLAY IN THIS FORMULATION IS ENCAPSULATED AND CANNOT BECOME AIRBORNE UNDER NORMAL CONDITIONS OF USE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point: >204.4C, 400.F

Lower Limits: NA

Upper Limits: NA

Extinguishing Media: DRY CHEMICAL POWDER, CARBON DIOXIDE, CHEMICAL FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. WHEN FIGHTING FIRE IN CONFINED AREAS. TREAT AS BURNING OIL.

Unusual Fire/Explosion Hazard: NONE KNOWN

=====
Control Measures
=====

Respiratory Protection: NOT NEEDED UNDER NORMAL USAGE CONDITIONS.

Ventilation: ADEQUATE VENTILATION IN ACCORDANCE WITH GOOD ENGINEERING PRACTICE IS SUFFICIENT.

Protective Gloves: USE RESISTANT GLOVES, AS NEEDED, TO MINIMIZE SKIN CONTACT.

Eye Protection: SAFETY GLASSES ADVISED AS STANDARD SAFE

TY PRECAUTION.

Other Protective Equipment: NONE NORMALLY NEEDED.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: (@14.7 PSI): N.A.

Vapor Pres: NIL

Vapor Density: N.A.

Spec Gravity: 1.10 @ 75 F

Evaporation Rate & Reference: NIL

Solubility in Water: NEGLIGIBLE

Appearance and Odor: TAN GREASE-LIKE MATERIAL. SLIGHT FATTY ODOR.

Percent Volatiles by Volume: NIL
=====

=====
Reactivity Data
=====

Stability Indicator: YES

Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZERS.

Hazardous Decomposition Products: INCOMPLETE COMBUSTION MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE AND ASPHYXIANTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE
=====

Toxicological Information
=====

=====
Toxicological Information: ORGANOPHILIC CLAY (CONTAINING 0-4% TOTAL CRYSTALLINE SILICA).
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: NOT REGULATED.
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 80318

Trans ID NO: 147279

Product ID: NORDSTROM 950 SEALANT (BULK GRADE)

MSDS Prepared Date: 12/01/1992

Review Date: 08/15/1999

MFN: 1

Net U

nit Weight: 1.75 LB
Multiple KIT Number: 0
Unit Of Issue: CN
Container QTY: L
Type Of Container: CAN

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping
Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTA
TION
=====

=====
HAZCOM Label
=====

Product ID: NORDSTROM 950 SEALANT (BULK GRADE)
Cage: 80318
Company Name: BTR VALVE SEALANTS INC
Street: 140 THOMAS RD
City: SULPHUR SPRINGS TX
Zipcode: 75482
Health Emergency Phone: 903-439-6465
Label Required IND: Y
Date Of Label Review: 08/15/1999
Status Code: A
Year Procured: 1999
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CA

UTION
Respiratory Protection IND: NO
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None
Hazard And Precautions: INHALATION-NONE EXPECTED. INGESTION-MAY BE MILDLY
ITTITATING TO THE GASTROINTESTINAL TRACT. SKIN-PROLONGED OR REPEATED SKIN
CONTACT MAY PRODUCE MILD IRRITATION. EYES-MATERIAL CONTACTING THE EYES MAY P
RODUCE IRRITATION.

=====
Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction wh
o is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.