

AEROSOL SERVICES CO INC -- HOMSA05.06 HOME SAFEGUARD, SMOKE DETECTOR TESTER --
6850-01-372-3076

===== Product Identification =====

Product ID:HOMSA05.06 HOME SAFEGUARD, SMOKE DETECTOR TESTER

MSDS Date:07/21/1997

FSC:6850

NIIN:01-372-3076

Status Code:A

MSDS Number: CJKPX

=== Responsible Party ===

Company Name:AEROSOL SERVICES CO INC

Address:425 S NINTH AVE

Box:2428

City:CITY OF INDUSTRY

State:CA

Z

IP:91746

Country:US

Info Phone Num:(626) 968-3924

Emergency Phone Num:800-255-3924 INFO 626-968-8531

Preparer's Name:J. SATEN, TECHNICAL SPEC

CAGE:7K472

=== Contractor Identification ===

Company Name:AEROSOL SERVICES CO INC

Address:425 S NINTH AVE

Box:2428

City:CITY OF INDUSTRY(LA PUENTE)

State:CA

ZIP:91746

Country:US

Phone:(626) 968-8531

CAGE:7K472

Company Name:HOME SAFEGUARD INDUSTRIES INC

Address:29706 BADEN PLACE

Box:6030

City:MALIBU

State:CA

ZIP:90265

Country:US

Phone:310-457-5813; FAX#4862

CAGE:61908
Company Name:KOEBERT TOOL SALES INC
Address:121 HOLLY DR
Box:339
City:HATBORO
State:PA
ZIP:19040
Country:US
Phone:215-674-9622
CAGE:0RB59

=====
Composition/Information on Ingredients
=====

Ingred Name:MIXTURE OF PROPANE/ISOBUTANE
CAS:68476-86-8
Fraction by Wt: 98%

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:SKIN CONTACT: NONE KNOWN; EYE CONTACT: DIRECT CONTACT OF PRODUCT WITH EYES MAY CAUSE IRRITATION, AND MAY RESULT IN IRREVERSABLE DAMAGE; INHALATION: NONE KNOWN; INGESTION: IF INGESTED MAY CAUSE NAUSEA AND VOMITING. IF IN AEROSOL FORM INGESTION IS NOT LIKELY.
Effects of Overexposure:IF INGESTED MAY CAUSE NAUSEA AND VOMITING. DIRECT CONTACT WITH EYES MAY CAUSE IRRITATION. CHRONIC EFFECT OF OVEREXPOSURE IS NOT KNOWN.
Medical Cond Aggravated by Exposure:NONE SPECIFIED.

=====
First Aid Measures
=====

First Aid:SKIN: WASH EXCESS MATERIAL FROM SKIN WITH SOAP AND WATER.
EYES: FLUSH EYES WITH GENEROUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IF IRRITATION OCCURS OR WORSENS.
INGESTION: PRODUCT IS NOT LIKELY TO BE INGESTED. IF THIS OCCURS, TREAT SYMPTOMATICALLY. NEVER GIVE FLUIDS OR INDUCE VOMITING IF THE VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS. INHALATION: MOVE TO FRESH AIR. AID IN BREATHING IF NECESSARY AND GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:TOC
Flash Point:=-94.4C, -138.F
Autoignition Temp:=468.3C, 875.F
Lower Limits:1.8%
Upper Limits:9.5%

Extinguishing Media:DRY CHEMICAL, WATER, CARBON DIOXIDE.
Fire Fighting Procedures:KEEP TEMPERATURE OF CONTAINER BELOW 120 F BY
SPRAING WITH WATER UNTIL FIRE HAS BEEN EXTINGUISHED.
Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE AND RELEASE
FLAMMABLE GAS IF EXPOSED TO HEAT OR FIRE.

===== Accidental Release Measures =====
=====

Spill Release Procedures:LEAKING CONTAINERS SHOULD BE PLACED OUTDOORS,
IN AN OPEN CONATINER AWAY FROM SOURCE OF IGNITION.
Neutralizing Agent:NONE SPECIFIED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA - APPROVED ORGANIC VAPOR RESPIRATOR
WHEN VAPORS ARE GENERATED ABOVE THE PERMISSABLE LIMIT.
Ventilation:LOCAL EXHAUST TO CONTROL TO RECOMMENDED P.E.L.
Protective Gloves:GLOVES, COVERALLS, APRONS, BOOTS AS NECESSARY TO

PREVENT SKIN CONTACT.

Eye Protection:CHEMICALS GOGGLES

Other Protective Equipment:AVOID EXCESSIVE INHALTION. READ AND FOLLOW
ALL LABEL DIRECTIONS AND CAUTIONS. EYEWASH FOUNTAINS SHOULD BE
EASILY ACCESSIBLE.

Work Hygienic Practices:WASH HANDS BEFORE EATING, DRINKING OR USING
BATH ROOM.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V1
Boiling Pt:=-42.2C, -44.F
Melt/Freeze Pt:M.P/F.P Text:@760 MM HG
Vapor Pres:70-80 PSIG@70F CA

N PRESS

Vapor Density:1.764@60F

Spec Gravity:-0.537 & 60F

Solubility in Water:0.008% BY WEIGHT @ 70F

Appearance and Odor:FINE MIST AEROSOL SPRAY, ESSENTIALLY ODORLESS.

Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS OXYGEN OR FLUORINE.

Stability Condition to Avoid:DO NOT EXPOSE TO HEAT OR FLAME.

Hazardous Decomposition Products:NORMAL PRODUCTS OF COMBUSTION.

=====

===== Disposal Considerations =====

Waste Disposal Methods:BURN OR INCINRTATE IN APPROVED DISPOSAL FACILITIES AND IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.