

GLOBAL MARKET DEVELOPMENT INC, ACCUSONIC PRODUCTS DIV -- LS-445/U LOUDSPEAKER  
PERMANENT MAGNET -- 5965-00-892-3665

===== Product Identification =====

Product ID:LS-445/U LOUDSPEAKER PERMANENT MAGNET

MSDS Date:09/10/1999

FSC:5965

NIIN:00-892-3665

Status Code:A

MSDS Number: CJLTB

=== Responsible Party ===

Company Name:GLOBAL MARKET DEVELOPMENT INC, ACCUSONIC PRODUCTS DIV

Address:2101 JERICHO TURNPI

KE

City:NEW HYDE PARK

State:NY

ZIP:11042

Country:US

Info Phone Num:516-437-6000

Emergency Phone Num:516-437-6000

Preparer's Name:ANTHONEY W. MAZZEO

CAGE:4Y759

=== Contractor Identification ===

Company Name:GLOBAL MARKET DEVELOPMENT INC, DBA ACCUSONIC PRODUCTS

Address:2101 JERICHO TURNPIKE

Box:City:NEW HYDE PARK

State:NY

ZIP:11042

Country:US

Phone:516-437-6000

CAGE:4Y759

Company Name:RADALAB,INC.( COMPANY IS OUT OF BUSINESS)

Address:375-FAIRFIELD AVENUE

City:STAMFORD,

State:CT

ZIP:06902-7220

Cou

ntry:US

Phone:203-359-4870

Contract Num:DLA900-92-M-NH65

CAGE:15788

===== Composition/Information on Ingredients =====

Ingred Name:LS-445/U LOUDSPEAKER PERMANENT MAGNET

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Expo

sure:NONE

=====  
First Aid Measures  
=====

First Aid:NONE

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:USE PROCEDURES APPROPRIATE FOR SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:NONE

Neutralizing Agent:NONE

=====  
Exposure Control  
s/Personal Protection  
=====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

PER LETTER, APRIL 5, 1994, FROM ANTHONY W. MAZZEO, PRESIDENT OF GMD ACCUSONIC PRODUCTS, NO MSDS IS NEEDED FOR LOUDSPEAKER, PART NUMBER GO3A01-PFD/ TYPE-LS-445/U, ASMAGNET'S FIELD STRENGTH IS LESS THAN 0.002 GAUSS AT 7 FEET. BASED ON THIS FIELD STRENGTH, THIS MAGNET IS NOT CLASSIFIED OR REGULATED AS MAGNETIZED MATERIAL.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Appearance and Odor:PERMANENT MAGNET,4 IN. LONG, BY 4 IN. WIDE, BY 2.375 IN. DEEP.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:NONE.

=====  
Disposal Considerations  
=====

Waste Disposal M

ethods:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.