

JOHNSON S C AND SON INC -- DEEP WOODS OFF! (R) AEROSOL INSECT REPELLENT --
6840-01-309-3890

===== Product Identification =====

Product ID:DEEP WOODS OFF! (R) AEROSOL INSECT REPELLENT

MSDS Date:10/13/1998

FSC:6840

NIIN:01-309-3890

Status Code:A

MSDS Number: CJMHW

=== Responsible Party ===

Company Name:JOHNSON S C AND SON INC

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2237

Country:US

Info

Phone Num:800-725-6737

Emergency Phone Num:888-779-7920

Resp. Party Other MSDS Num.:111840015

CAGE:32204

=== Contractor Identification ===

Company Name:INDUSTRIAL SOAP CO

Address:2930 MARKET ST

Box:City:SAINT LOUIS

State:MO

ZIP:63103-2525

Country:US

Phone:314-241-6363

Contract Num:SP0450-99-M-NG90

CAGE:9C171

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

Company Name:SIGMA TECH ENTERPRISES INC

Address:90 G

LEN WAY SUITE 16
Box:City:SAN CARLOS
State:CA
ZIP:94070
Country:US
Phone:415-591-2510
Contract Num:SP0450-00-M-D137
CAGE:04KF9

=====
Composition/Information on Ingredients
=====

Ingred Name:N,N-DIETHYLTOLUAMIDE
CAS:134-62-3
RTECS #:XS3675000
Minumum % Wt:15.
Maxumum % Wt:40.

Ingred Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
Minumum % Wt:30.
Maxumum % Wt:60.
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TI4300000
Minumum
% Wt:1.
Maxumum % Wt:5.

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Minumum % Wt:1.
Maxumum % Wt:5.
OSHA PEL:1800 MG/M3;1000 PPM

Ingred Name:BUTANE
CAS:106-97-8
RTECS #:EJ4200000
Minumum % Wt:1.
Maxumum % Wt:5.
ACGIH TLV:1900 MG/M3;800 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ROUTE OF ENTRY: EYE CONTACT. EYES:
M

AY CAUSE MILD IRRITATION. INGESTION: MAY CAUSE ABDOMINAL DISCOMFORT.

Explanation of Carcinogenicity:NOT PROVIDED BY MANUFACTURER. HOWEVER, THE INGREDIENTS WERE NOT FOUND ON THE NTP, IARC, OR OSHA LISTS OF CARCINOGENS.

Effects of Overexposure:EYES: MILD IRRITATION. INGESTION: ABDONIMAL DISCOMFORT.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15

TO 20 MIN. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS AFFECTED, GET MEDICAL ATTENTION . INGESTION: IMMEDITELY DRINK 1-2 GLASSES OF WATER OR MILK. SEEK IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point: