

MINNESOTA MINING & MFG INDUSTR -- FC-206CF LIGHT WATER AFFF6%

=====  
MSDS Safety Information  
=====

FSC: 4210  
NIIN: 01-056-0883  
MSDS Date: 12/17/1999  
MSDS Num: CJMTN  
Product ID: FC-206CF LIGHT WATER AFFF6%  
MFN: 08  
Responsible Party  
Cage: 28112  
Name: MINNESOTA MINING & MFG CO INDUSTRIAL CHEM PRODUCTS  
Address: 3M CT  
R  
City: ST PAUL MN 55144  
Info Phone Number: 612-733-5454  
Emergency Phone Number: 612-733-5454  
Resp. Party Other MSDS No.: 10-4323-1  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 28112  
Name: MINNESOTA MINING AND MFG CO PERFORMANCE CHEM AND FLUIDS DIV  
Address: 3M CTR  
City: SAINT PAUL MN 55144-1000  
Phone: 800-364-3577/651-737-6501

=====  
Item Description Information  
=====

Item Manager: S9I  
Item Name: FOAM LIQUID,FIRE EXTINGUISHING  
Specification Number: MIL-F-24385  
Type/Grade/Class: TYPE 6  
Unit of Issue: DR  
Quantitative Expression: 00000000055GL  
UI Container Qty: 1  
Type of Container: DRUM

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
===

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MODERATE EYE IRRITATION. MILD SKIN IRRITATION. SKIN MAY ABSORB HARMFUL AMOUNTS. SINGLE OVEREXPOSURE MAY CAUSE CENTRAL NERVOUS SYSTEM

DEPRESSION & IRRITATION (UPPER RESPIRATORY), PROLONGED

G/REP OVEREXPOSURE MAY

CAUSE BLOOD DISORDERS, BONE MARROW DEPRESSION, KIDNEY EFFECTS, LIVER EFFECTS, PULMONARY EDEMA. INGESTION IS NOT A LIKELY ROUTE EXPOSURE.

Explanation Of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. NOT KNOWN TO CONTAIN ANY SUBSTANCES REGULATED UNDER CA PROP 65.

Signs And Symptoms Of Overexposure: EYE: REDNESS, SWELLING, PAIN, TEARING & HAZY VISION. SKIN: REDNESS, SWELLING, &

& ITCHING. INHALATION: HEADACHE,

DIZZINESS, DROWSINESS, INCOORDINATION, SLOWED REACTION TIME, SLURRED SPEECH, GIDDINESS & UNCONSCIOUSNESS. SORENESS OF THE NOSE & THROAT, COUGHING AND SNEEZING. PROLONGED WEAKNESS, FTG; REDUCED URINE VOL, BLOOD IN URINE, BACK PAIN; YELLOW SKIN (JAUNDICE), TENDERNESS OF UPPER ABD; COUGH, CONGESTION, DIFF BREATH-RESULT IN RESP FAILURE, DEATH.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: IMMEDIATELY FLUSH W/LG AMTS OF H2O FOR

AT LEAST 15 MINS. GET MEDICAL

ATTENTION. SKIN: FLUSH SKIN WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET IMMEDIATE MEDICAL ATTENTION. INHALATION: REMOVE PERSON TO FRESH AIR. IF SYMPTOMS CONTINUE, CALL A PHYSICIAN. INGESTION: DRINK TWO GLASSES OF WATER. CALL A PHYSICIAN IMMEDIATELY.

=====  
Handling and Disposal  
=====

Spill Release Procedures: OBSERVE PRECAUTIONS FROM OTHER SECTIONS. VENTILATE

AREA. CONTAIN SPILL. COVER W/ ABSORBENT MATERIAL. COLLECT SPILLED MATERIAL. CLEANUP RESIDUE W/ H2O. PLACE IN APPROVED METAL CONTAINER. SEAL CONTAINER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISCHARGE SPENT SOLUTIONS TO WASTEWATER TREATMENT SYSTEM. RED DISCHARGE RATE IF FOAM OCCURS. LG QUANT MAY ADVERSELY AFFECT BIO WASTEWATER TREATMENT SYSTEM. INCINERATE IN INDUSTRIAL/COMMERCIAL FACILITY IN PRESENCE OF COMBUSTIBLE MATERIAL. COMBUSTION PRODUCTS WILL INCLUDE HF. SINCE REGS VARY CONSULT APPLICABLE REGS/AUTHOR BEFORE DISPOSAL. IN EVENT OF

F UNCNTRL RELEASE O F MATL,USER SHOULD DETERMINE(SEE OTHER INFO)  
Handling And Storage Precautions: STORE IN A COOL PLACE. STORE AWAY FROM HEAT.  
STORE OUT OF DIRECT SUNLIGHT. KEEP CONTAINER DRY. KEEP CONTAINER IN WELL-  
VENTILATED AREA.  
Other Precautions: KEEP CONTAINER TIGHTLY CLOSED.NONFLAMMABLE.NO  
SMOKING:SMOKING WHILE USING PROD CAN RESULT IN CONTAM OF TOBACCO & /OR  
SMOKE & ; LEAD TO FORMATION OF HAZ DECOMPO PRODUCTS MENTIONED IN MSDS.

=====  
=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: SCC  
Flash Point Text: NONE  
Extinguishing Media: PRODUCT IS A FIRE EXTINGUISHING AGENT.  
Unusual Fire/Explosion Hazard: SEE HAZARDOUS DECOMPOSITION PRODUCTS SECTION FOR  
PRODUCTS OF COMBUSTION.

=====  
Control Measures  
=====

Respiratory Protection: AVOID BREATHING OF VAPORS,  
MISTS OR SPRAY. SELECT ONE  
OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATION  
OF CONTAMINANTS & ; I/A/W OSHA REGULATIONS: HALF MASK ORGANIC VAPOR RESP  
IRATOR WITH DUST/MIST PREFILTER.  
Ventilation: USE WITH ADEQUATE DILUTION VENTILATION.  
Protective Gloves: BUTYL RUBBER GLOVES RECOMMENDED.  
Eye Protection: WEAR VENTED GOGGLES.  
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices: DONT EAT/DRINK/SMOKE WHEN USING THIS PROD.WASH EXPO  
AR  
EAS WELL W/SOAP/H2O.WAH HANDS AFT HNDLG/BEF EATING.AVOID EYE CONTACT  
W/VAP/SRPAY/MIST.AVODI SKIN CONTACT.WEAR APPROP GLOVES WHEN HDNLG THIS MATL.

=====  
Physical/Chemical Properties  
=====

HCC: N1  
NRC/State LIC No: NONE  
Boiling Point: =100.C, 212.F  
Decomp Text: UNKNOWN  
Vapor Pres: 17.8  
Vapor Density: 0.69  
Spec Gravity: 1.03  
PH: 8.50  
VOC Grams/Liter: 103  
Solubility in Water: MISCIBLE  
Appearance an

d Odor: CLEAR, AMBER COLORED LIQUID

Percent Volatiles by Volume: 90

Corrosion Rate: UNKNOWN

Reactivity Data

Stability Indicator: YES

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, OXIDES OF SULFUR, HYDROGEN CYANIDE, HYDROGEN FLUORIDE, AMMONIA. THERMAL DECOMPOSITION OF USAGE CONCENTRATIONS DOES NOT PRESENT A HAZARD.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information

Ecological Information

Ecological: A PRODUCT ENVIRONMENTAL DATA SHEET (PED) IS AVAILABLE.

MSDS Transport Information

Regulatory Information

Sara Title III Information: PRODUCT CONTAINS FOLLOWING TOXIC CHEM/CHEMS SUBJ TO REPORTING REQMTS OF SEC 313 OF TITLE III OF EPRA OF 1986 & 40CFR PART 372:DIETHYLENE GLYCOL BUTYL ETHER.

Federal Regulatory Information: VOC IAW SOUTH COAST AIR QUALITY MGMT DIST

METHOD CALC. @20C.VOC LESS H2O & EXEMPT SOLVTS:N/D.

State Regulatory Information: THIS PRODUCT IS NOT KNOWN TO CONTAIN ANY SUBSTANCES REGULATED UNDER CAL PROP 65.

Other Information

Other Information: CONTD DISPO:IF RELEASE QUALIFIES AS REPORTABLE QUANTITY.US EPA HAZ WASTE#:NONE(NO US EPA HAZ).

Transportation Informatio

n

=====  
Responsible Party Cage: 28112  
Trans ID NO: 148687  
Product ID: FC-206CF LIGHT WATER AFFF6%  
MSDS Prepared Date: 12/17/1999  
Review Date: 09/25/1999  
MFN: 8  
Net Unit Weight: 56.65LBS  
Multiple KIT Number: 0  
Unit Of Issue: DR  
Container QTY: 1  
Type Of Container: DRUM  
=====

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: N  
OT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
==  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: FC-206CF LIGHT WATER AFFF6%  
Cage: 28112  
Company Name: MINNESOTA MINING AND MFG CO PERFORMANCE CHEM AND FLUIDS DIV  
Street: 3M CTR  
City: SAINT

PAUL MN

Zipcode: 55144-1000

Health Emergency Phone: 612-733-5454

Label Required IND: Y

Date Of Label Review: 09/25/1999

Status Code: A

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: MODERATE EYE IRRITATION. MILD SKIN IRRITATION. SKIN MAY ABSORB HARMFUL AMOUNTS. SINGLE OVEREXPOSURE MAY CAUSE CENTRAL NERVOUS SYSTEM

DEPRESSION & IRRITATION (UPPER RESPIRATORY), PROLONG/REP OVEREXPOSURE MAY CAUSE BLOOD DISORDERS, BONE MARROW DEPRESSION, KIDNEY EFFECTS, LIVER EFFECTS, PULMONARY EDEMA. INGESTION IS NOT A LIKELY ROUTE EXPOSURE.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify a

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.