View NSN Online: https://aerobasegroup.com/nsn/6850-01-075-0324

THE FLEX-HESIVE CO -- 11831301, 2.0 POUR (COMPONENT B) -- 6850-01-075-0324
========== Product Identification ==========

Product ID:11831301, 2.0 POUR (COMPONENT B)
MSDS Date:05/01/1997
FSC:6850
NIIN:01-075-0324
Status Code:A
MSDS Number: CJMYG
=== Responsible Party ===
Company Name:THE FLEX-HESIVE CO
Address:5301 N. SECOND ST.
City:PHILADELPHIA
State:PA
ZIP:19120
Country:US
Info Phone Num:215-457-4110
Emer
gency Phone Num:815-741-6800 EXT 56
Preparer's Name:DEVER KORSYN/ M. HEROSY
CAGE:0KZX0
=== Contractor Identification ===
Company Name:FLEXIBLE PRODUCTS
Address:2050 NORTH BRADWAY
Box:City:JOLIET
State:IL
ZIP:60435
Country:US
Phone:815-741-6800
CAGE:TO318
Company Name:THE FLEX-HESIVE CO
Address:5301 N. SECOND ST.
Box:City:PHILADELPHIA
State:PA
ZIP:19120
Country:US
Phone:215-457-4110
Contract Num:SP0450-99-M-NE52
CAGE:0KZX0

========== Composition/Information on Ingredients ==========

Ing

red Name:POLYOL BLEND
Minumum % Wt:60.
Maxumum % Wt:100.

Ingred Name:AMINE CATALYSTS
Minumum % Wt:1.
Maxumum % Wt:5.

Ingred Name:SILICONE SURFACTANT
Minumum % Wt:1.
Maxumum % Wt:5.

Ingred Name:BENZYL BUTYL PHTHALATE
CAS:85-68-7
RTECS #:TH9990000
Minumum % Wt:5.
Maxumum % Wt:10.
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:FLAME RETARDENT
Minumum % Wt:10.
Maxumum % Wt:30.

========== Hazards Identification ==========

LD50 LC50 Mixture:LD50(ORAL, RAT) FOR BBP =
20,400 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORAGANS: EYES, SKIN AND MUCOUS MEMBRANES. ACUTE- EYES, SKIN AND RESPIRATORY TRACT IRRITATION. CHRONIC:SENSITIZATION OF SKIN AND LUNGS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:NHALATION: COUGHING, WHEEZING, SHORTNESS OF BREATH. SKIN: IRRITAION. EYES: REDNESS, IRRITATION, TEARING.

==========
First Aid Measures ==========

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: GIVE LARGE AMOUNTS OF LIQUIDS. DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

========== Fire Fighting Measures ==========

Flash Point Method:CC
Flash Point:>93.3C, 200.F
>200F
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPA

RATUS.
Unusual Fire/Explosion Hazard:TOXIC FUMES OF OXIDES OF CARBON, NITROGEN, AMMONIA AND TRACES OF HYDROGEN CYANIDE WILL BE RELEASED DUE TO COMBUSTION OF PRODUCT.

========== Accidental Release Measures ==========

Spill Release Procedures:VENTILATE AREA. WEAR SUITABLE PROTECTIVE CLOTHING & EQUIPMENT. CONTAIN SPILL & COLLECT USING ABSORBANT MATERIAL (SAWDUST, VERMICULITE)

========== Handling and Storage ==========

Handling and Stora
ge Precautions:PROTECT CONTAINERS FROM PHYSICAL ABUSE. AVOID DIRECT SUNLIGHT. STORE BETWEEN 60F-90F.
Other Precautions:RELIEVE PRESSURE