View NSN Online: https://aerobasegroup.com/nsn/9150-00-985-7231

IMPERIAL OIL CO., INC. -- IMPERIAL 2075TH (QUAL #634D346)

MSDS Safety Information

\_\_\_\_\_ FSC: 9150 NIIN: 00-985-7231 MSDS Date: 09/12/1998 MSDS Num: CJNTL Product ID: IMPERIAL 2075TH (QUAL #634D346) MFN: 02 **Responsible Party** Cage: 58563 Name: IMPERIAL OIL CO., INC. Address: ORCHARD PLACE Box: 279 City: MORG ANVILLE NJ 07751 Info Phone Number: 908-591-9400/FAX -8825 Emergency Phone Number: 908-591-9400 \_\_\_\_\_ Item Description Information \_\_\_\_\_ Item Manager: S9G Item Name: HYDRAULIC FLUID, PETROLEUM BASE Specification Number: MIL-L-17672 Type/Grade/Class: NONE Unit of Issue: QT UI Container Qty: G Type of Container: CAN \_\_\_\_\_ Ingredients \_\_\_\_\_ \_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\*

-----

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

Effects of Exposure: EYES: IRRITATION. THIS PRODUCT MAY IRRITATE SKIN FROM PROLONGED SKIN CONTACT. THERE IS NO EVIDENCE THAT IT IS IRRITANT, TOXIC OR CORROSIVE. IT HAS A LOW ORDER OF DERMAL AND ORAL TOXICITY. INHALATION O F MIST MAY CAUSE PULMONARY INJURY. Explan ation Of Carcinogenicity: NO DATA AVAILABLE. Signs And Symptions Of Overexposure: IRRITATION. LOW TOXICITY & amp; LOW HAZARD TO HEALTH. First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: MOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WIPE OFF EXCESS. WASH SKIN WITH SOAP & amp; WA TER. ORAL: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. \_\_\_\_\_\_ Handling and Disposal ==== \_\_\_\_\_\_\_ Spill Release Procedures: DIKE & amp; CONTAIN SPILL W/INERT MATERIAL(SAND, EARTH, FULLERS EARTH ETC.) TRANSFER LIQ TO DRUMS OR OTHER CONTAINERS FOR RECOVERY/DISPOSAL. AREA MAY BE SLIPPERY CARE SHOULD BE TAKEN TO AVOID FALLS. PREVENT MATERIAL FROM GETTING INTO SEWERS/OPEN BODIES OF WATER. Waste Disposal Methods: INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL, STATE & amp; FEDERAL REGUL ATIONS. Handling And Storage Precautions: LOW TEMPERATURE STORAGE INCREASES THE VISCOSITY OF THESE OILS. THESE OILS WILL STOP POURING AT -18C TO -30C. Other Precautions: USE THIS MATERIAL WITH CAUTION AROUND OPEN FLAMES, HEAT, SPARK, PILOT LIGHTS AND STATIC ELECTRICITY. \_\_\_\_\_ Fire and Explosion Hazard Information \_\_\_\_\_ Flash Point Method: COC Flash Point: =210.C. 410.F Flash Point Text: 410F T O 440F Extinguishing Media: CO\*2, DRY CHEMICAL OR WATER FOG OR FOAM. Fire Fighting Procedures: USE MESA/NIOSH APPROVEDSELF CONTAINED BREATHING APPARATUS. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: NONE \_\_\_\_\_ Control Measures

\_\_\_\_\_

Respiratory Protection: USE SUPPLIED-AIR RESPIRATOR PROTECTION IN CONFINED OR ENCLOSED SPACES IF NEEDED.

Protective Gloves: IMP

ERVIOUS Eye Protection: SPLASH GOGGLES Other Protective Equipment: EYEWASH FACILITY Work Hygienic Practices: MINIMIZE BREATHING VAPOR, MIST, FUMES. REMOVE CONTAMINATED CLOTHING & LAUNDER OR DRY CLEAN BEFORE RE-USE. OIL SOAKED SHOES SHOULD BE DISCARDED. Supplemental Safety and Health: MPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE TO HEAT, SPARKS, FLAMES, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. =========
Physical/Chemical Properties
HCC: V6 Boiling Point: =290.6C, 555.F Melt/Freeze Pt: <-30.C, -22.F Vapor Pres: 0.01 Vapor Density: >5 Spec Gravity: 0.876 Solubility in Water: NEGLIGIBLE Appearance and Odor: STRAW TO AMBER COLOR; NO ODOR
Reactivity Data
Stability Indicator: YES M aterials To Avoid: STRONG OXIDIZERS Hazardous Decomposition Products: SULFUR AND NITROGEN COMPOUNDS,CARBON MONOXIDE,CARBON DIOXIDE DUE TO BURNING Hazardous Polymerization Indicator: NO
Toxicological Information
======================================
e=====================================
======================================
======================================

======= Responsible Party Cage: 58563 Trans ID NO: 148977 Product ID: IMPERIAL 2075TH (QUAL #634D346) MSDS Prepared Date: 09/12/1998 Review Date: 10/04/1999 MFN: 2 Net Unit Weight: 1.82 LB/QT Multiple KIT Number: 0 Unit Of Issue: QT Container QTY: G Type Of Container: CAN \_\_\_\_\_ Detail DOT Information \_\_\_\_\_ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_ Detail IMO Information \_\_\_\_\_ IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION \_\_\_\_\_ **Detail IATA Information** \_\_\_\_\_ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_ \_\_\_\_\_ **Detail AFI Information** \_\_\_\_\_ AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION \_\_\_\_\_ HAZCOM Label \_\_\_\_\_ Product ID: IMPERIAL 2075TH (QUAL #634D346) Cage: 58563 Company Name: IMPERIAL OIL CO INC Street: FOOT OF ORCHARD PL PO Box: 279 City: MORGANVILLE NJ Zipcode: 07751 Health Emergency Phone: 908-591

-9400 Label Required IND: Y Date Of Label Review: 10/04/1999 Status Code: A Year Procured: 1999 Origination Code: F Signal Word: CAUTION Health Hazard: None Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None Hazard And Precautions: EYES: IRRITATION. THIS PRODUCT MAY IRRITATE SKIN FROM PROLONGED SKIN CONTACT. THERE IS NO EVIDENCE THAT IT IS IRRITANT, TOXIC OR CORROSIVE. IT HAS A LOW ORDER OF DERMAL AND ORAL TOXICITY. INHALATION O F MIST MAY CAUSE PULMONARY INJURY. FIRSTAID-G ET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: MOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKI N: WIPE OFF EXCESS. WASH SKIN WITH SOAP & amp; WATER. ORAL: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent profess ional advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.