

HOLT INTL LLC -- E-Z GRIP FRICTION DROPS -- 6850-01-418-8759

===== Product Identification =====

Product ID:E-Z GRIP FRICTION DROPS

MSDS Date:01/01/1999

FSC:6850

NIIN:01-418-8759

Status Code:A

MSDS Number: CJPGH

=== Responsible Party ===

Company Name:HOLT INTL LLC

Address:1060 YAPLE RD

City:KINGSTON

State:OH

ZIP:45644

Country:US

Info Phone Num:800-650-6456

Emergency Phone Num:800-650-6456

CAGE:1EK

S2

=== Contractor Identification ===

Company Name:ALL-SAFE INC

Address:4767 LANGTON RD

Box:116

City:HILLIARD

State:OH

ZIP:43026

Country:US

Phone:614-876-4041

Contract Num:SP0450-99-M-ND43

CAGE:2X264

Company Name:DISPATCH TECHNOLOGY INC

Address:2533 N CARSON ST SUITE 2791

Box:City:CARSON CITY

State:NV

ZIP:89706

Country:US

Phone:561-697-4818

Contract Num:SP0450-99-M-ND87

CAGE:1JAE1

Company Name:HOLT INTL LLC

Address:1060 YAPLE RD

Box:City:KINGSTON

State:OH

ZIP:45644

Country:US

Phone:800-650-6456

C

AGE:1EKS2

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPYLENE GLYCOL (FOOD GRADE)
CAS:57-55-6
RTECS #:TY2000000
< Wt:40.

Ingred Name:ABRASIVE PARTICLES
< Wt:60.

Ingred Name:ORGANIC THICKENERS
< Wt:5.

Ingred Name:HYDROGEN OXIDE (MOISTURE)
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: BALANCE

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Health Hazards Acute and Chronic:TARGET ORGANS: N/P. EFFECTS OF
OVEREXPOSURE: INGESTION: UPSET STOMACH. EYE CONTACT: IRRITANT. SKIN
CONTACT: NONE. INHALATION: N.A.
Effects of Overexposure:INGESTION: UPSET STOMACH. EYE CONTACT:
IRRITANT. SKIN CONTACT: NONE. INHALATION: N.A.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNT OF WATER. INHALATION: N.A.
SKIN: FLUSH WITH LARGE AMOUNT OF WATER. INGESTION: INDUCE
VOMITING. DRINK CITRUS JUICE AND WATER.
R. OBTAIN MEDICAL ATTENTION.
NOTE TO PHYSICIAN : SAME AS FIRST AID PROCEDURES.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:N.A.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE SELF-CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY
TO COOL FIRE EXPOSED CONTAINERS. MATERIAL IS NON-FLAMMABLE.

=====
Accidental Release Measures
=====

Spill Release Procedures:BULK SPIL

LS SHOULD BE CONTAINED, COLLECTED AND
DISPOSED OF.

=====
Handling and Storage
=====

Handling and Storage Precautions:BULK QUANTITY: AVOID OUTDOOR STORAGE,
EXPOSURE TO HEAT AND DIRECT SUNLIGHT. STORE IN CLOSED CONTAINERS.
PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:EMPTY BULK CONTAINERS SHOULD BE WATER FLUSHED AND
CLEANED PRIOR TO DISCARD PROCEDURES. PLASTIC BOTTLE MAY BE DISPOSED
OF AS IS.

=====
Exposure Controls/P
ersonal Protection
=====

Respiratory Protection:NO SPECIAL EQUIPMENT IS REQUIRED FOR USE.

Ventilation:N.A.

Protective Gloves:NONE REQUIRED.

Eye Protection:USE SAFETY GOGGLES IF SPRAYING MATERIAL

Other Protective Equipment:NONE REQUIRED.

Supplemental Safety and Health

NONE

=====
Physical/Chemical Properties
=====

HCC:N1

Boiling Pt:>100.C, 212.F

Vapor Pres:N.A.

Spec Gravity:>1

Evaporation Rate & Reference:NA

Solubility in Water:COMPLETE

Appearance and Od

or:LIQUID, BLACKISH FLUID

Percent Volatiles by Volume:25

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Hazardous Decomposition Products:CARBON MONOXIDE

=====
Disposal Considerations
=====

Waste Disposal Methods:BULK QUANTITIES MUST BE DISPOSED OF IN
ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. (THIS DOES
NOT APPLY TO CONSUMER SIZES.)

=====

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.