

NW TECHNOLOGIES INC -- NATURE'S WAY MC MARINE CLEAN -- 6850-01-449-5990

=====  
Product Identification  
=====

Product ID:NATURE'S WAY MC MARINE CLEAN

MSDS Date:09/13/1996

FSC:6850

NIIN:01-449-5990

MSDS Number: CJQJJ

=== Responsible Party ===

Company Name:NW TECHNOLOGIES INC

Address:5817 CENTRALCREST ST

City:HOUSTON

State:TX

ZIP:77092-7005

Country:US

Info Phone Num:713-680-1234

Emergency Phone Num:71

3-680-1234

Resp. Party Other MSDS Num.:P/N: MC030PMM

CAGE:1BAW8

=== Contractor Identification ===

Company Name:INTEGRA ENVIRONMENTAL LTD (NW TECHNOLOGIES INC)

Address:5817 CENTRALCREST ST

Box:City:HOUSTON

State:TX

ZIP:77092-7005

Country:US

Phone:713-680-1234

Contract Num:SP0450-00-M-SB28

CAGE:1BAW8

Company Name:INTEGRA ENVIRONMENTAL LTD (NW TECHNOLOGIES INC)

Address:5817 CENTRALCREST ST

Box:City:HOUSTON

State:TX

ZIP:77092-7005

Country:US

Phone:713-680-1234

Contract Num:SP0450-99-M-NE02

CAGE:1BAW

=====  
 ===== Composition/Information on Ingredients =====  
 =====

Ingred Name:NO HAZARDOUS COMPONENTS (OSHA-29 CFR-1910.1200) ALL  
 INGREDIENTS ARE ORGANIC AND COMPLETELY BIODEGRADABLE.  
 = Wt:100.

=====  
 ===== Hazards Identification =====  
 =====

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY  
 Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES  
 Health Hazards Acute and Chronic:SKIN: FLUSH CONTAMINATED SKIN WITH  
 PLENTY OF WATER. CONSULT A PHYSICIA  
 N IF IRRITATION DEVELOP. ACUTE:  
 PRODUCT IS CONSIDERED NON-TOXIC ORALLY ACCORDING TO 16CFR1500  
 3(CODE OF FEDERAL REGULATIONS 16. FE DERAL HAZARDOUS SUBSTANCES ACT  
 REGUALTIONS PART 1500 3) HOWEVER, NO PRODUCT SHOULD BE  
 INTENTIONALLY INGESTED. INGESTION OF AN EXCESSIVE AMOUNT OF THE  
 PRODUCT MAY CAUSE COMPLICATIONS. THERE ARE NO KNOW N EFFECTS FROM  
 ACUTE OVEREXPOSURE. HOWEVER, EXPOSURE TO ANY CHEMICAL SHOULD BE  
 KEPT TO A MINIMUM. CHRONIC EFFECTS OF OVEREXPOSURE: THERE AR  
 E NO  
 KNOWN EFFECTS FROM CHRONIC EXPOSURE TO THIS PRODUCT.  
 Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PARTY  
 Effects of Overexposure:ACUTE EFFECTS: THERE ARE NO KNOW EFFECTS FROM  
 ACUTE OVER EXPOSURE TO THIS PRODUCT. CHRONIC: THERE ARE NO KNOW  
 EFFECTS FROM CHRONIC OVER EXPOSURE TO THIS PRODUCT.  
 Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE  
 PARTY

=====  
 ===== First Aid Measures =====  
 =====

First Aid:INHALATION: MOVE  
 EXPOSED PERSON TO FRESH AIR. SKIN CONTACT:  
 FLUSH CONTAMINATED SKIN WITH PLENTY OF WATER FOR AT LEAST 15  
 MINUTES. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN. EYE CONTACT:  
 IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15  
 MINUTES. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

=====  
 ===== Fire Fighting Measures =====  
 =====

Extinguishing Media:N/A.  
 Fire Fighting Procedures:NONE.  
 Unusual Fire/Explosion Hazard:NONE.

=====  
 ===== Accidental Re

Release Measures =====

Spill Release Procedures:FLOOR MAY BE SLIPPERY; USE CARE TO AVOID FALLING. WASH AFFECTED AREA WITH WATER.

Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINER IN A DRY AREA AT TEMPERATURES BETWEEN 40 AND 120 DEGREES F. KEEP MATERIAL OUT OF EYES.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL PRECAUTIONS ARE REQUIRED.

Ventilation:NO SPECIAL PRECAUTIONS ARE REQUIRED.

Protective Gloves:RECOMMENDED FOR EXTENDED OR PROLONGED CONTACT. (EG. IMMERSING HANDS)

Eye Protection:TIGHT FITTING SAFETY GLASSES FOR CONCENTRATED FORM, IF CONTACTS ARE WORN.

Work Hygienic Practices:NORMAL CARE & CLEANLINESS WILL PREVENT ADVERSE HEALTH EFFECTS.

Supplemental Safety and Health

P/N: MC030PMM. SPECIAL NOTE: MSDS DATA PERTAINS TO THE PRODUCT AS

DISPENSED FROM THE CONTAINER. ADVERSE HEALTH EFFECTS WOULD NOT BE EXPECTED UNDER RECOMMENDED CONDITIONS OF USE (DILUTED) SO LONG AS PRESCRIBED SAFETY PRECAUTIONS ARE PRACTICED. ABBREVIATIONS: N/A=NOT APPLICABLE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=100.C, 212.F

Vapor Pres:17.5 MM HG @ 80F

Vapor Density:0.624

Spec Gravity:0.98-1.04

Evaporation Rate & Reference: