## 

Product ID: ENVIROSOLVE CRX MSDS Date:10/19/1998 FSC:6850 NIIN:01-344-4060 Status Code:A MSDS Number: CJTSY === Responsible Party === Company Name: FINE ORGANICS CORP Address:420 KULLER RD Box:2277 City:CLIFTON State:NJ ZIP:07015 Country:US Info Phone Num:973-478 1000 Emergency Phone Num:973-478-1000/800-526 -7480 Resp. Party Other MSDS Num.:440-130-2 Preparer's Name: MSDS COORDINATOR Chemtrec Ind/Phone:(800)424-9300 CAGE:05867 === Contractor Identification === Company Name: FINE ORGANICS CORP Address:420 KULLER RD Box:2277 City:CLIFTON State:NJ ZIP:07015 Country:US Phone:973-478 1000 Contract Num:SP0450-99-M-C269 CAGE:05867

Ingred Name:D-LIMONENE CAS:5989-27-5 RTECS #:GW6360000 = Wt:30. Other REC Limits:NONE RECOMMENDED

Ingred Na

me:DIETHYLENE GLYCOL MONOBUTYL ETHER CAS:112-34-5 RTECS #:KJ9100000 = Wt:10. Other REC Limits:NONE RECOMMENDED

Ingred Name:MONOETHANOLAMINE CAS:141-43-5 RTECS #:KJ5775000 &It; Wt:10. Other REC Limits:NONE RECOMMENDED OSHA PEL:3 PPM OSHA STEL:6 PPM ACGIH TLV:3 PPM ACGIH STEL:6 PPM

LD50 LC50 Mixture:NOT PROVIDED. Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:POTENTIAL HEALTH EFFECTS: INH ILATION:

HIGH VAPOR CONCENTRATIONS MAY BE IRRITATING TO THE EYES, NOSE, AND RESPIRATORY TRACT. MAY CAUSE HEADACHES, DIZZINESS AND NAUSEA. USE WITH ADEQUATE VENTILATION. EY E CONTACT: CONTACT WILL CAUSE IRRITATION AND/OR BURNS. SKIN CONTACT: CONTACT WILL CAUSE IRRITATION AND/OR BURNS. INGESTION: INGESTION WILL CAUSE IRRITATION TO GASTROINTESTIONAL TRACT. CHRONIC: NONE CU RRENTLY KNOWN. Explanation of Carcinogenicity:NOT PROVIDED.

Effects of Overexposure: HIGH VAPOR CONCENTR

ATIONS MAY BE IRRITATING TO

THE EYES, NOSE, AND RESPIRATORY TRACT. MAY CAUSE HEADACHES, DIZZINESS AND NAUSEA. EYE CONTACT WILL CAUSE IRRITATION AND/OR BURNS. SKIN CONTACT WILL CAUSE IRRITATION AND/OR BURNS. INGESTION WILL CAUSE IRRITATION TO GASTROINTESTIONAL TRACT. Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING ASTHMA-LIKE CONDITIONS.

First Aid:INHALATION: REMOVE TO FRESH AIR. ADMINISTER A

RTIFICIAL

RESPIRATION IF BREATHING HAS STOPPED. SEEK MEDICAL ATTENTION IN NECESSARY INSTANCES. EYE CONTACT: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MIN UTES WITHIN ONE MINUTE OF CONTACT. SKIN CONTACT: WASH AREAS OF CONTACT WITH GENEROUS AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. LAUNDER BEFORE REUSE. INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITI NG. GIVE PLENTY OF WATER. SEEK MEDICAL ATTENTION IN ANY NECESSARY INSTANCES.

======= Fire Fighting

Flash Point Method:TCC Flash Point:=51.7C, 125.F 165F (COC) Autoignition Temp:Autoignition Temp Text:N/E Lower Limits:NOT ESTABLIS Upper Limits:NOT ESTABLIS Extinguishing Media:CARBON DIOXIDE,FOAM OR SUITABLE DRY CHEMICAL EXTINGUISHER. Fire Fighting Procedures:KEEP EXPOSED DRUMS COOL WITH WATER SPRAY.SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN IF PRODUCT IS PRESENT DURING FIRE. Unusual Fire/Explosion Hazard:GUARD AGAINST SPONTANEOUS COMBUSTION O

F

MATERIALS USED IN THE WIPING OPERATION.

Spill Release Procedures: IF OUTDOORS, ADD SAND, EARTH OR OTHER ABSORBENT TO SPILL AREA. KEEP PRODUCT OUT OF SEWERS AND WATER COURSES BY DIKING OR IMPOUNDING. INSIDE SPILLAGE, SHUT OFF OR ELIMINATE ALL IGNITION SOURCES AND REM OVE WITH ABSORBENT MATERIAL. SWEEP UP ABSORBENT MATERIAL AND FOLLOW WASTE DISPOSAL METHODS. Neutralizing Agent:NOT RELEVANT

\_\_\_\_\_

Handling and Storage Precautions:STORE BETWEEN 32 TO 100F.:REASONABLE CARE AND PRECAUTIONS WHEN HANDLING THIS MATERIAL ARE STRONGLY RECOMMENDED. KEEP FROM FREEZING. KEEP OUT OF DIRECT SUNLIGHT.
Other Precautions:THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPOR OR LIQUID). OBSERVE ALL LABELED HAZARD PRECAUTIONS.

======= Exposure Controls/Personal Protection =========

Respiratory Protection: RESPIRATORY PROTECTION IN ACCORDANCE WITH 29CFR1910.134 AND ANSI Z88.2-1969 MUST BE WORN WHEN THE CONCENTRATION OF HAZARDOUS MATERIALS ARE AT OR ABOVE THE TLV SET BY ACGIH OR OSHA.
Ventilation: CONTROL AIRBORNE CONCENTRATIONS BELOW EXPOSURE GUIDELINES.USE ONLY WITH ADEQUATE VENTILATION.LOCAL EXHAUST VENTILATION MAY BE NECESSARY
Protective Gloves: NEOPRENE
Eye Protection: SAFETY GOGGLES AND OR FACE SHIELD MUST BE WORN
Other Protective Equipment: NOT PROVI
DED.
Work Hygienic Practices: NOT PROVIDED.
Supplemental Safety and Health P/N: 2-5313.

HCC:F7 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=98.9C, 210.F B.P. Text:TO 325F Melt/Freeze Pt:1 Spec Gravity:0.95 pH:10.5 Evaporation Rate & amp; Reference:NOT AVAILABLE. Solubility in Water:APPRECIABLE Appearance and Odor:CLEAR LIQUID - CITRUS ODOR Percent Volatiles by Volume:40

======== Stability and Reactivity Data ========

=======

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS Stability Condition to Avoid:NOT PROVIDED. Hazardous Decomposition Products:FUMES, SMOKE, OXIDES OFCARBON

Toxicological Information:NOT PROVIDED.

Ecological:NOT PROVIDED.

Waste Disposal Methods:DISPO

SE IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO THE ORIGINAL MATERIAL AND ITS CONTAINER AND NOT ANY MATERIALS WHICH ARE A WASTE BY-PRODUCT OF THE USER'S OPERATION.

Transport Information:DOT PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, CORROSIVE, N.O.S. (D'LIMONENE, ETHANOLAMINE). HAZARD CLASS AND PACKING GROUP: 3, PG III. IDENTIFICATION NUMBER: UN 2924.

=====

SARA Title III Information:SECTION 311/312 HAZARD CATEGORIES: ACUTE HEALTH HAZARD AND FIRE HAZARD. 313 REPORTABLE INGREDEINT: GLYCOL ETHER.

Federal Regulatory Information:NOT PROVIDED.

State Regulatory Information:NOT PROVIDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.