

LORD CORPORATION -- LORD 306-1 (FUSOR 306-1)

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 00-903-5081  
MSDS Date: 12/16/1994  
MSDS Num: CJTVB  
Product ID: LORD 306-1 (FUSOR 306-1)  
MFN: 01  
Kit Part: Y  
Responsible Party  
Cage: 30676  
Name: LORD CORPORATION  
Address: 2000 WEST GRANDVIEW BLVD  
City: ER  
IE PA 16514  
Info Phone Number: 814-868-3611  
Emergency Phone Number: 814-763-2345  
Resp. Party Other MSDS No.: 99015930601  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 30676  
Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION  
Address: 2000 WEST GRANDVIEW BLVD  
City: ERIE PA 16514-0038  
Phone: 814-868-3611  
Cage: 0UT81  
Name: QCM INC  
Address: 2155 WAYSIDE TERR  
City:  
SALEM OR 97303  
Phone: 503-371-9335

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: KT  
UI Container Qty: 1

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Ha

zards Data

=====  
Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE CONTACT: MAY CAUSE EYE IRRITATION. SKIN CONTACT: MAY CAUSE SKIN IRRITATION. MAY CAUSE SKIN SENSITIZATION. MAY CAUSE DERMATITIS. INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USE.

ES. CHRONIC: CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

First Aid: EYES: FLUSH EYES IMMEDIATELY WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES HOLDING EYELIDS OPEN WHILE FLUSHING. GET PROMPT MEDICAL ATTENTION. SKIN: FLUSH CONTAMINATED SKIN WITH LARGE AMOUNTS OF WATER WHILE REMOVING CONTAMINATED CLOTHING. WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INHALATION: MOVE PERSON TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BREATHING.

IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE VICTIM ONE OR TWO GLASSES OF WATER OR MILK. CALL MEDICAL OR POISON CONTROL CENTER IMMEDIATELY FOR FURTHER INSTRUCTIONS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====  
Handling and Disposal

=====  
Spill Release Procedures: AVOID BREATHING VAPORS. NOTIFY APPROPRIATE AUTHORITIES IF

NECESSARY. AVOID CONTACT. USE APPROPRIATE NIOSH APPROVED RESPIRATORY PROTECTION FOR LARGE SPILLS OR SPILLS IN CONFINED AREA. KEEP NON-ESSENTIAL PERSONNEL AWAY FROM SPILL AREA. SCOOP SPILLED MATERIAL INTO AN APPROPRIATE CONTAINER FOR PROPER DISPOSAL. (IF NECESSARY, USE INERT ABSORBENT MATERIAL TO AID IN CONTAINING THE SPILL.)

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL (40 CFR PART 261), STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS. IF WASTE IS DETER-

MINED TO BE HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACILITY.

Handling And Storage Precautions: STORE ONLY IN WELL-VENTILATED AREAS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. AVOID SKIN AND EYE CONTACT. WASH THOROUGHLY AFTER HANDLING. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. EMPTY CONTAINERS SHOULD NOT BE REUSED. USE WITH ADEQUATE VENTILATION.

=====

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: SCC

Flash Point: =85.C, 185.F

Autoignition Temp Text: ND

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT

(FP N). IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. DURING A FIRE,  
IRRITATING AND/OR TOXIC GASES AND PARTICULATE MAY BE GENE

RATED BY THERMAL DEC

OMPOSITION OR COMBUSTION.

Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. CLOSED

CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT. USE WATER SPRAY TO KEEP

FIRE EXPOSED CONTAINERS COOL. OSHA FLAMMABILITY CLASSIFICATION: COMBUSTIBLE  
LIQUID - CLASS IIIA.

=====  
Control Measures  
=====

Respiratory Protection: USE A NIOSH APPROVED AIR-PURIFYING ORGANIC VAP

OR

RESPIRATOR IF OCCUPATIONAL LIMITS ARE EXCEEDED. FOR EMERGENCY SITUATIONS,  
CONFINED SPACE USE OR OTHER CONDITIONS WHERE EXPOSURE LIMITS MAY BE GREATLY E  
XCEEDED, USE A NIOSH APPROVED AIR-SUPPLIED RESPIRATOR. OBSERVE OSHA  
REGULATIONS (29 CFR 1910.134) FOR RESPIRATOR USE.

Ventilation: SUFFICIENT VENTILATION IN PATTERN AND VOLUME SHOULD BE PROVIDED IN  
ORDER TO MAINTAIN AIR CONTAMINANT LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves: USE NEOPRENE, NITRILE OR RUBBER GLOVES TO

PREVENT SKIN

CONTACT.

Eye Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment: EYE WASH & DELUGE SHOWER MEETING ANSI DESIGN

CRITERIA (FP N). USE DISPOSABLE OR IMPERVIOUS CLOTHING IF WORK CLOTHING  
CONTAMINATION IS LIKELY. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING OR USING TOILET  
FACILITY. FOOD OR BEVERAGES SHOULD NOT BE CONSUMED ANYWHERE THIS PRODUCT IS

HANDLED OR STORED. WASH THOROUGH

LY AFTER HANDLING.

Supplemental Safety and Health: PHYSICAL DATA: VOLATILE BY WEIGHT: 0.7%. ODOR

THRESHOLD: ND. DENSITY, LB/GAL: 11.43. COEFFICIENT OF WATER/OIL DISTRIBUTION:

ND.

=====  
Physical/Chemical Properties  
=====

Boiling Point: &gt;100.C, 212.F

B.P. Text: 212-340F

M.P/F.P Text: ND

Vapor Pres: ND

Vapor Density: HVR/AIR

Spec Gravity: 1.37

PH: NA

Evaporation Rate & Reference: IS SLOWE

R THAN ETHER

Solubility in Water: INSOLUBLE

Appearance and Odor: GRAY PASTE; MILD ODOR.

Percent Volatiles by Volume: 1.0

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES. THIS PRODUCT IS STABLE UNDER NORMAL STORAGE CONDITIONS.

Materials To Avoid: AMINES, ACIDS, WATER, HYDROXYL OR ACTIVE HYDROGEN COMPOUNDS.

Hazardous Decomposition Products: C

ARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR UNDER NORMAL CONDITIONS.

=====  
Toxicological Information  
=====

Toxicological Information: NO PRODUCT TOXICOLOGICAL INFORMATION IS AVAILABLE.

=====  
Ecological Information  
=====

=====  
Ecological: NO INFORMATION.  
=====

=====  
MSDS Transport Information  
=====

Transport Information: DOT PROPER SHIPPING NAME: NOT REGULATED. DOT HAZARD CLASS: NONE. EMERGENCY RESPONSE GUIDE NUMBER: NONE. DOT UN/NA NUMBER: NONE. PACKING GROUP: NONE.

=====  
Regulatory Information  
=====

Sara Titl

e III Information: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: NONE.

Federal Regulatory Information: US FEDERAL REGULATIONS -

OSHA: HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200). TOXIC SUBSTANCES CONTROL ACT: INVENTORY STATUS - THE CHEMICAL SUBSTANCES IN THIS PRODUCT ARE ON THE TSCA SECTION 8 INVENTORY.

INTERNATIONAL REGULATIONS: AS FOLLOWS - CANADIAN W: THIS MSDS HAS BEE  
PREPARED IN COMPLIANCE WITH CONTROLLED PRODUCT REGULATIONS EXCEPT FOR THE  
USE  
OF THE 16 HEAD INGS. CANADIAN W CLASS: NO INFORMATION AVAILABLE.

=====  
Other Information  
=====

Other Information: RATINGS - HEALTH: 2 (INDICATES A CHRONIC HAZARD; SEE HEALTH  
HAZARD SECTION); FLAMMABILITY: 1; REACTIVITY: 0. REASON FOR REVISION: UP  
DATE  
SECTION 2 INGREDIENTS. VOLATILE ORGANIC COMPOUNDS (VOC): 0 .00 LBS/GAL; 0  
GRAMS/LITER. LEGEND: NA- NOT APPLICABLE, NE - NOT ESTABLISHED, ND - NOT  
DETERMINED.

=====  
Transportation Information  
=====

Responsible Party Cage: 30676  
Trans ID NO: 150733  
Product ID: LORD 306-1 (FUSOR 306-1)  
MSDS Prepared Date: 12/16/1994  
Review Date: 12/10/1999  
MFN: 1  
Multiple KIT Number: 0  
Kit Part IND: Y  
Uni  
t Of Issue: KT  
Container QTY: 1

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM L

abel

=====  
Product ID: LORD 306-1 (FUSOR 306-1)

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA

Zipcode: 16514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 11/24/1999

Status Code: A

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection IND: YES

Health Hazard

d: Slight

Contact Hazard: Moderate

Fire Hazard: Moderate

Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE: EYE CONTACT: MAY CAUSE EYE IRRITATION. SKIN CONTACT: MAY CAUSE SKIN IRRITATION. MAY CAUSE DERMATITIS. INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USES. CHRONIC: CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS. MAY CAUSE SKIN SENSITIZATION.

=====  
=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.