View NSN Online: https://aerobasegroup.de/nsn/3439-00-913-4750

## 

Product ID:SUPERIOR NO.625

MSDS Date:05/07/1999

FSC:3439

NIIN:00-913-4750

Status Code:A

MSDS Number: CJVBG === Responsible Party ===

Company Name: SUPERIOR FLUX AND MFG CO

Address:6615 PARKLAND BLVD

City:CLEVELAND

State:OH ZIP:44193 Country:US

Info Phone Num:440-349-3000 Emergency Phone Num:(800)424-9

300

Chemtrec Ind/Phone:(800)424-9300

CAGE:87618

=== Contractor Identification ===
Company Name:AUFHAUSER CORP

Address:39 WEST MALL Box:City:PLAINVIEW

State:NY

ZIP:11803-4209 Country:US

Phone:212-757-6824/FAX: 516-694-8690

CAGE:59401

Company Name: SUPERIOR FLUX AND MFG CO

Address:6615 PARKLAND BLVD

City:SOLON (FORMALLY CLEVELAND)

State:OH ZIP:44139 Country:US

Phone:440-349-3000

CAGE:87618

====== Composition/Information on Ingredients ========

Ingred Name:POTASSIUM FLUOROHYDROBORATE

CAS:12228-71-6

Code:F

Minumum % Wt:5. Maxumum % Wt:20.

Ingred Name:POTASSIUM TETRABORATE

CAS:1332-77-0 Minumum % Wt:15. Maxumum % Wt:25.

Ingred Name:BORIC ACID

CAS:10043-35-3 RTECS #:ED4550000 Minumum % Wt:15. Maxumum % Wt:30.

Ingred Name:POTASSIUM FLUOROBORATE

CAS:14075-53-7 RTECS #:ED2800000 Minumum % Wt:7. Maxumum % Wt:15.

Ingred Name: SODIUM ALUMINUM FLUORIDE

CAS:15096-52-3 RTECS #:WA9625000 Minumum % Wt:1. Maxumum % Wt:5.

Ingred Name:LITHIUM CHLORIDE

CAS:7447-41-8 RTECS #:OJ5950000

Min

umum % Wt:2. Maxumum % Wt:5.

Ingred Name:ZINC CHLORIDE

CAS:7646-85-7

RTECS #:ZH1400000

Minumum % Wt:.2

Maxumum % Wt:1.

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3

ACGIH STEL:2 MG/M3

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EVOLVES FLUORIDES WHEN HEATED, MAY
CAUSE BURNING OF EYES AND THROAT.

Explanation of Carcinogenicity:NONE LISTED.  Effects of Overexposure:SALVATION, COUGHING, COUGHING, CHOKING, CHILLS, MAY CAUSE WEIGHT LOSS, BIRTTLE BONES, ANEMIA AND STIFF JOINTS.  Medical Cond Aggravated by Exposure:ANY WEAKNESS OF THE LUNGS, KIDNEYS OR LIVER WILL BE AGGRAVATED.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 10 MINUTES. CALL PHYSICIAN. SKIN: WASH THOROUGHLY WITH WATER. INGESTION: IF PATIENT IS FULLY CONSCIOUS, GIVE TWO GLASSES OF WATER AND I NDUCE VOMITING. OBTAIN MEDICAL ATTENTION IMMEDIATELY.
======================================
Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:NOT NEEDED Fire Fighting Procedures:NORMAL CAUTION WHEN USING CHEMICALS. Unusual Fire/Explosion Hazard:FLUORIDES.
======================================
Spill Release Procedures:CLEAN UP PASTE AND FLUSH REMAINING MATERIAL WITH LOTS OF WATER.
========== Handling and Storage ============
Handling and Storage Precautions:STORE IN PLASTIC CONTAINERS IN COOL AREA. DO NOT STORE IN GLASS OR PORCELAIN CONTAINER. WASH THOROUGHLY AFTER USE.
Other Precautions:KEEP CONTAINER AWAY FROM EXCESSIVE HEAT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED RESPIRAT

Other Protective Equipment:RUBBER APRON. Work Hygienic Practices:AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH THROUGHLY AFTER USE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:=500.C, 932.F Vapor Pres:NA Vapor Density:NA Spec Gravity:1.6 Evaporation Rate & amp; Reference:0.3 (BUTYL AC ETATE=1) Solubility in Water:MODERATE Appearance and Odor:WHITE ORDORLESS PASTE Percent Volatiles by Volume:30
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES GLASS OR PORCELAIN. Stability Condition to Avoid:EXCESS HEAT. Hazardous Decomposition Products:FLUORIDES WITH HIGH HEAT. Conditions to Avoid Polymerization:WILL NOT OCCUR. NA
========== Disposal Considerations ==============
Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH EPA REGULATIONS.
======== MSDS Transport Information ===========
Transport Information:NOT REGULATED.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document sh

OR.

Ventilation:LOCAL EXHAUST.

Eye Protection: SAFETY GOGGLES

Protective Gloves: RECOMMEND, NIOSH APPROVED

ould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.