

SC JOHNSON AND SON INC -- SHOUT LIQUID -- 7930-01-408-0130

===== Product Identification =====

Product ID:SHOUT LIQUID

MSDS Date:07/07/1997

FSC:7930

NIIN:01-408-0130

Status Code:A

MSDS Number: CJVJM

=== Responsible Party ===

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2236

Country:US

Info Phone Num:800-725-6737

Emergency Phone Num:808-779-7920

Resp. Party

Other MSDS Num.:112250018

CAGE:32204

=== Contractor Identification ===

Company Name:S.C. JOHNSON AND SON, LIMITED

Address:1 WEBSTER STREET

Box:City:BRANTFORD N3T 5R1

State:ON

Country:CA

Phone:800-725-6737

CAGE:TO402

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

===== Composition/Information on Ingredients =====

Ingred Name:ACRYLIC POLYMERS

Minumum % Wt:1.

Maxumum % Wt:3.

Ingred Nam

e:ALCOHOLS, C12-13, ETHOXYLATED; (ETHOXYLATED ALCOHOL)

CAS:66455-14-9

RTECS #:AZ0881666

Code:F

Minumum % Wt:1.

Maxumum % Wt:5.

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:85.

Maxumum % Wt:95.

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE: MAY CAUSE: MILD EYE

IRRITATION. SKIN: NONE KNOWN. INHALATION:

NONE KNOWN. INGESTION:

NONE KNOWN.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:GENERALLY RECOGNIZED AS BEING  
AGGRAVATED BY EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT  
LEAST 15 TO 20 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL  
ATTENTION. SKIN CONTACT: RINSE WITH PLENTY OF WATER. INHALATION: NO  
SPECIAL REQUI REMENTS. INGESTION: IMMEDIAT

ELY DRINK 1-2 GLASSES OF

WATER OR MILK. SEEK IMMEDIATE MEDICAL ATTENTION. INHALATION: REMOVE  
TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN OR ARTIFICIAL  
RESPIRATION) .

=====  
===== Fire Fighting Measures =====

Extinguishing Media:FOAM, CO\*2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE  
EQUIPMENT .

Unusual Fire/Explosion Hazard:CONTAINER MAY MELT AND LEAK IN HEAT OF  
FIRE. HAZARD RATING: 4-VERY HIGH 3-HI

GH 2-MODERATE 1-SLIGHT

0-INSIGNIFICANT. HMIS: HEALTH 1 FLAMMABILITY 0 REACTIVITY 0 SPECIAL NONE. NFPA: HAZARD: HEALTH 1 FLA MMABILITY 0 REACTIVITY 0 SPECIAL NONE.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE LARGE SPILLS, ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE.

===== Handling and Storage =====

Handling and Storage Precautions:MAY BE: EYE IRRITAN

T. AVOID CONTACT

WITH EYES. IF SUCH CONTACT OCCURS, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 TO 20 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL AID. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:KEEP FROM FREEZING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS. NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NO SPECIAL REQUIREMENTS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:EYE WASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA . NO SPECIAL REQUIREMENTS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

PHYSICAL DATA: VOLATILE ORGANIC COMPOUND (VOC): NOT APPLICABLE. THEORETICAL VOC (LB/GAL): NOT APPLICABLE.

===== Physical/Chemical Properties =====

Boiling Pt:=100.C, 212.

F

Melt/Freeze Pt:=-35.4C, -32.F

Spec Gravity:1.00 (H\*2O = 1)

pH:7.6-8.2

Solubility in Water:COMPLETE

Appearance and Odor:OPAQUE WHITE LIQUID; LEMON ODOR.

Percent Volatiles by Volume:94

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NOT APPLICABLE.

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE: PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Conditions to Avoid Polymerization:WILL NOT OC

CUR.

===== Toxicological Information =====

Toxicological Information: EFFECTS OF CHRONIC EXPOSURE: NONE KNOWN.

===== Ecological Information =====

Ecological: ENVIRONMENTAL DATA: CONTAINS READILY BIODEGRADABLE SURFACTANTS.

===== Disposal Considerations =====

Waste Disposal Methods: WASTE FOR NORMAL PRODUCT USE MAY BE SEWERED TO A PUBLIC-OWNED TREATMENT WORKS (POTW) IN COMPLIANCE WITH APPLICABLE FEDERAL/PROVINCIAL/STATE/LOCAL MUNICIPAL PRETREATMENT REQUIREMENTS.

===== MSDS Transport Information =====

Transport Information: US DOT INFORMATION: PLEASE REFER TO THE BILL OF LADING/ RECEIVING DOCUMENTS FOR UP-TO-DATE SHIPPING INFORMATION.

===== Regulatory Information =====

Federal Regulatory Information: REGULATORY INFORMATION: ALL INGREDIENTS OF THIS PRODUCT ARE LISTED OR ARE EXCLUDED FROM LISTING ON THE US TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.  
State Regulatory Information: THIS PRODUCT IS NOT SUBJECT TO THE REPORTING REQUIREMENTS UNDER CALIFORNIA'S PROPOSITION 65.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.