

MIL-COMM PRODUCTS CO INC -- MC 1210 -- 9150-01-470-2386

=====  
Product Identification  
=====

Product ID:MC 1210  
MSDS Date:05/15/1999  
FSC:9150  
NIIN:01-470-2386  
Status Code:A  
MSDS Number: CJZWJ  
=== Responsible Party ===  
Company Name:MIL-COMM PRODUCTS CO INC  
Box:43278  
City:UPPER MONTCLAIR  
State:NJ  
ZIP:07043  
Country:US  
Info Phone Num:973-743-5404/FAX 7139  
Emergency Phone Num:973-743-5404  
CAGE:0BAN7

=====  
Contractor Identification ====  
Company Name:MIL-COMM PRODUCTS COMPANY, INC  
Address:2 CARLTON AVE  
Box:City:EAST RUTHERFORD  
State:NJ  
ZIP:07073  
Country:US  
Phone:201-935-8561  
CAGE:0BAN7

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TRICRESYL PHOSPHATE  
CAS:1330-78-5  
RTECS #:TD0175000

Ingred Name:HYDROTREATED PARAFFINIC DISTILLATE  
CAS:64742-54-7  
RTECS #:PY8035500

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES

Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: N/A. CHRONIC: N/A.  
Explanation of Carcinogenicity:NTP: NONE. OSHA: NONE. I.A.R.C.: NONE.  
Effects of Overexposure:EYE OR SKIN IRRITATION  
Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
===== First Aid Measures =====

First Aid:WASH SKIN WITH SOAP AND WATER. FLUSH EYES WITH WATER FOR 15  
MINUTES. IF ANY QUANTITY IS INGESTED, CONTACT PHYSICIA  
N  
IMMEDIATELY. DO NOT INDUCE VOMITING, DRINK PLENTY OF WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:=260.C, 500.F  
Autoignition Temp:=260.C, 500.F  
Extinguishing Media:FOAM, WATER FOG, CO2, DRY CHEMICAL.  
Fire Fighting Procedures:USE AIR PACK/ SELF CONTAINED BREATHING  
APPARATUS.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL, US  
E ABSORBENT MATERIAL TO PICK  
UP SPILL. PLACE USED ABSORBENT MATERIAL IN CONTAINER AND RECOVER OR  
INCINERATE. DO NOT ALLOW TO FLOW INTO SEWERS.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:USE CAUTION TO LIMIT EXPOSURE TO EYES  
AND SKIN.  
Other Precautions:GOGGLES, RUBBER GLOVES AND PROTECTIVE CLOTHING  
SUGGESTED.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:MIST.  
Ventilation:LOC

AL AND MECHANICAL EXHAUST RECOMMENDED.  
Protective Gloves:NEOPRENE RECOMMENDED.  
Eye Protection:GOGGLES ADVISABLE (NOT REQUIRED).  
Other Protective Equipment:AVOID INGESTION, WASH SKIN OR CLOTHING WITH  
DETERGENT.  
Work Hygienic Practices:KEEP AREA CLEAN.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:=410.C, 770.F  
Melt/Freeze Pt:=350.C, 662.F  
Vapor Pres:0.01 @20C  
Vapor Density:>5  
Spec Gravity:0.93  
Solubility in Water:0.01%  
A  
pppearance and Odor:DARK GREEN, SOAPY

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN.  
Stability Condition to Avoid:STRONG ACIDS & OXIDIZING AGENTS.  
Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC IF  
CONCENTRATED.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW STATE-APPROVED LUBRICANT RECOVERY  
PROCEDURES.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume r

responsibility for the suitability of this information to their particular situation.