Product ID:MIL-PRF-372D (RIFLE BORE CLEANER) MSDS Date:07/01/1999 FSC:6850 NIIN:00-753-4806 Status Code:A MSDS Number: CKBHM === Responsible Party === Company Name: INTERNATIONAL LUBRICANTS INC Address:10363 W AIRLINE HWY **City:SAINT ROSE** State:LA ZIP:70087 Country:US Info Phone Num:504-469-0940, FAX:504-471-0104 Emergency Phone Num:504-469-0940 CAGE:0W1H4 === Contractor Identification === Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 Contract Num:SP0450-00-M-D260 CAGE:4N760 Company Name: INTERNATIONAL LUBRICANTS INC Address:10363 W AIRLINE HWY Box:City:SAINT ROSE State:LA ZIP:70087 Country:US Phone:504-469-0940(504-471-0104FAX) CAGE:0W1H4

======= Composition/In

formation on Ingredients =========

Ingred Name:SOLVENT PETROLEUM HYDROCARBON = Wt:60. OSHA PEL:200 PPM

Ingred Name:LIGHT WEIGHT OIL = Wt:35.

Ingred Name:CORROSION INHIBITOR = Wt:5.

LD50 LC50 Mixture:NONE PROVIDED BY MFR. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED SKIN CONTACT MAY CAUSE IRRITATION AND DERMATITI

S. PROLONGED EXPOSURE TO VAPOR MAY CAUSE EYE AND RESPIRATORY TRACT IRRITATION AND HEADACHE. Effects of Overexposure:SKIN IRRITATION AND DERMATITIS, EYE AND RESPIRATORY TRACT IRRITATION AND HEADACHE.

First Aid:SKIN: WASH WITH SOAP AND WATER. EYE: FLUSH WITH LARGE AMOUNT OF WATER. IF IRRITATION PERSISTS SEEK MEDICAL AID. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING, ADMINISTER 2-4 OZ OL

IVE OIL OR VEGETABLE OIL AND 2 OZ ACTIVATED CHARCOAL. SEEK MEDICAL AID.

Flash Point:=51.1C, 124.F

Lower Limits:0.7

Upper Limits:5.0

Extinguishing Media:DRY CHEMICAL PREFERRED. FOAM AND WATER ALSO APPLICABLE.

Fire Fighting Procedures: USE FOAM AND WATER SPRAY CAREFULLY TO PREVENT EXCESSIVE FROTHING.

Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT OR OPEN FLAME. CAN REACT WITH OXIDIZING MATERIAL, COMBUSTIBLE.

Spill Release Procedures: STOP FLOW. ELIMINATE IGNITION SOURCES. ABSORB OR SCRAPE UP. Neutralizing Agent:NONE PROVIDED BY MFR. Handling and Storage Precautions: KEEP CONTAINERS TIGHTLY CLOSED. DO NOT STORE OR MIX WITH STRONG OXIDANTS. STORE IN COOL WELL VENTILATED AREA. Other Precautions: STORE AWAY FROM POSSIBLE SOURCES OF IGNITION. _____ Exposure Controls/Personal Protection ============ Respiratory Protection: NONE PROVIDED BY MFR. Ventilation: NONE PROVIDED BY MFR. Protective Gloves: NONE PROVIDED BY MFR. Eye Protection: NONE PROVIDED BY MFR. Other Protective Equipment:NONE PROVIDED BY MFR. Work Hygienic Practices: WASH THOROUGHLY BEFORE EATING/DRINKING/SMOKING & AT END OF WORKDAY. Supplemental Safety and Health NONE PROVIDED BY MFR. HCC:F4 Boiling Pt:=1

81.C, 357.8F B.P. Text:181 TO 290 DEG C Vapor Pres:NEGLIGIBLE Vapor Density:4.5(AIR=1) Spec Gravity:.838 TO .843 (H2O=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR, PALE LUBRICATING OIL

Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS SUCH AS CHLORINE AND CONCENTRATED OXYGEN. Hazardous Decomposition Products:CARBON MONOXIDE IN CASES OF INCOMPLETE COMBUSTION.

Conditions to Avoid Polymerization:WILL N

OT OCCUR

Waste Disposal Methods: INCINERATE UNDER CONTROLLED CONDITIONS. OBSERVING FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, wa rrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.