View NSN Online: https://aerobasegroup.com/nsn/9150-00-664-4449

VIRGINIA K M P CORP -- SUNISO 3GS REFRIGERATION OIL -- 9150-00-664-4449

Product ID:SUNISO 3GS REFRIGERATION OIL MSDS Date:04/26/1999 FSC:9150 NIIN:00-664-4449 Status Code:A MSDS Number: CKCLD === Responsible Party === Company Name: VIRGINIA K M P CORP Address:4100 PLATINUM WAY City:DALLAS State:TX ZIP:75237 Country:US Info Phone Num:214-330-7731 **Emergency Phone N** um:214-330-7731 Resp. Party Other MSDS Num.:CAT. NO.: L316, L318, L321, L324 Preparer's Name: VIRGINIA KMP CORP Chemtrec Ind/Phone:(800)424-9300 CAGE:8J132 === Contractor Identification === Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY Box:City:DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 **CAGE:8J132**

Ingred Name:MINERAL OIL CAS:64742-52-5 RTECS #:PY8035000

================== Hazards Identific

LD50 LC50 Mixture:LD50: 402 G/KG (SKIN:MOUSE) MINERAL OIL Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: HARMFUL IF INHALED, BUT UNLIKELY IN NORMAL USE. EYE: EYE IRRITATION DEVELOPS IMMEDIATELY UPON CONTACT. SKIN: CAUSES SKIN IRRITATION; MAY AGGRAVATE PRE-EXISTING SKIN DISORDERS. INGESTION: I RRITATES GASTROINTESTINAL TRACT. CHRONIC EFFECTS: NO NE ESTABLISHED. Explanation of Carcinogenicity:NONE LISTED. Effects of Overexposure:NONE PROVIDED BY MFR. Medical Cond Aggravated by Exposure:NONE PROVIDED BY MFR.

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR AND, IF NEEDED, IMMEDIATELY BEGIN ARTIFICIAL RESPIRATION. GIVE OXYGEN IF BREATHING IS LABORED. GET EMRGENCY MEDICAL HELP. CONTACT A PHYSICIAN IMMEDIATELY. EYE: F LUSH EYES WITH WATER FOR 15 MINS. GET MEDI CAL

ATTENTION IF SYMPTOMS DEVELOP & PERSIST. SKIN: FLUSH WITH WATER OR SOAP & WATER FOR 15 MINS. OR UNTIL TRACES HAVE BEEN REMOVED. SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP & PERSIST. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH OUT WITH WATER. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:=150.C, 302.F
Autoignition Temp:Autoignition Temp Text:N/D
Lower Limits:NOT DETERMIN
Upper Limits:NOT DETERMIN
Ext
inguishing Media:DRY POWDER, CARBON DIOXIDE (CO2), WATER FOG OR
SPRAY.
Fire Fighting Procedures:KEEP UNNECESSARY PEOPLE AWAY; ISOLATE AREA.
FIREFIGHTERS SHOULD WEAR NIOSH ARRPOVED SELF CONTAINED BREATHING

APPARATUS. APPROACH FIRE FROM UPWIND SIDE. AVOID BREATHING SMOKE, FUMES, MIST, OR VAPORS ON THE DOWNWIND SIDE.

Unusual Fire/Explosion Hazard:COMBUSTABLE LIQUID, ACID SMOKE AND IRRITATING FUMES.

Spill Rele

ase Procedures:CLEAN UP LEAKS/SPILLS IMMEDIATELY TO PREVENT SOIL OR WATER CONTAMINATION. WATER SPILL: FLOATING WATER HAZARD. COLLECT & PLACE IN CHEMICAL WASTE CONTAINER. NOTIFY APPROPRIATE AUTHORITIES. LAND SPILL: E MERGENCY RESPONSE COORDINATOR MUST HAVE MANDATED TRAINING. ELIMINATE ALL IGNITION SOURCES. SM SPILLS: PICK UP WITH ABSORBENT MATERIALS & PLACE IN NON-LEAKING CONTAINERS; SEAL TIGHTLY FOR PROPER DISPO Neutralizing Agent:NONE PROVIDED BY MFR.

Handling and Storage Precautions:HANDLING: AFTER HANDLING THIS PRODUCT, WASH HANDS BEFORE EATING, DRINKING, OR SMOKING. AVOID CONTACT WITH SKIN, EYES, & CLOTHING. IF CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING. IF NEEDED, TAKE FIRST AID ACTION. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. STORAGE: STORE AWAY FROM OXIDIZERS & SOURCE Other Precautions:NONE PROVIDED BY MFR.

========== Exposure Controls/Personal Protection ===

Respiratory Protection: NONE PROVIDED BY MFR. Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED Protective Gloves: USE GLOVES TO PREVENT PROLONGED SKIN CONTACT Eye Protection: NONE PROVIDED BY MFR. Other Protective Equipment: NONE PROVIDED BY MFR. Work Hygienic Practices: WASH HANDS BEFORE EATING, DRINKING, OR SMOKING. REMOVE CONTAMINATED CLOTHING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NONE PROVIDED BY MFR. ======== Physical/Chemica I Properties =========== HCC:N1 Boiling Pt:=260.C, 500.F Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:NEGLIGIBLE Vapor Density:>5 (AIR=1) Spec Gravity:0.9 Viscosity:NOT PROVIDED Evaporation Rate & amp; Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water: INSOLUBLE Appearance and Odor:LIGHT GOLDEN LIQUID, OIL ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZERS Stability

Condition to Avoid:IGNITION SOURCES Hazardous Decomposition Products:COMBUSTION: SMOKE, CARBON MONOXIDE, CARBON DIOXIDE Conditions to Avoid Polymerization:WILL NOT OCCUR

Waste Disposal Methods:DISPOSE AS HAZARDOUS WASTE. CLASSIFICATION & DOCUMENTATION IS REQUIRED BEFORE DISPOSAL. FOLLOW ALL LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This informatio

n is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.