

E I DUPONT DE NEMOURS & CO, FREON PROD (REPLACED BY 73925) -- HALON 1301 FIRE  
EXTINGUISHANT -- 6830-01-356-5958

===== Product Identification =====

Product ID:HALON 1301 FIRE EXTINGUISHANT

MSDS Date:11/09/1995

FSC:6830

NIIN:01-356-5958

Status Code:A

MSDS Number: CKCSQ

=== Responsible Party ===

Company Name:E I DUPONT DE NEMOURS & CO, FREON PROD (REPLACED BY 73925)

Address:1007 MARKET ST

City:WILMIN

GTON

State:DE

ZIP:19899

Country:US

Info Phone Num:800-441-3637-MED 800-424-9300-TRAN

Emergency Phone Num:800-441-3637

Resp. Party Other MSDS Num.:2040FR, #D0001083

Preparer's Name:DU PONT FLUOROCHEMICALS

Chemtrec Ind/Phone:(800)424-9300

CAGE:5P414

=== Contractor Identification ===

Company Name:E I DUPONT DE NEMOURS & CO, FREON PROD (REPLACED BY 73925)

Address:1007 MARKET ST

Box:City:WILMINGTON

State:DE

ZIP:19899

Country:US

Phone:800-441-3637-MED 800-424-9300-TRAN

CAGE:5P414

Company Name:FIKE COR

P; FIKE FIRE SUPPRESSION SYSTEMS DIV

Address:704 S 10TH ST

Box:610

City:BLUE SPRINGS

State:MO

ZIP:64015

Country:US

Phone:816-229-3405

CAGE:0FAN7

Company Name:KIDDE FENWAL INC

Address:400 MAIN ST

Box:City:ASHLAND

State:MA

ZIP:01721-2150

Country:US

Phone:508-881-2000

CAGE:0KDP7

===== Composition/Information on Ingredients =====

Ingred Name:BROMOTRIFLUOROMETHANE

CAS:75-63-8

RTECS #:PA5425000

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: VAPOR IS HEAVIER THAN AIR AND CAN CAUSE SUFFOCATION BY REDUCING OXYGEN AVAILABLE FOR BREATHING. BREATHING HIGH CONCENTRATIONS OF VAPOR IS HARMFUL AND MAY CAUSE HEART IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. INTENTIONAL MISUSE OR DELIBERATE INHALATION MAY CAUSE DEATH WITHOUT WARNING. SKIN/EYE: LIQUID CONTACT MAY CAUSE FROSTBITE.

Explanation of Carcinogenicity:NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL AT CONCENTRATIONS EQUAL TO OR GREATER THAN 0.2% ARE LISTED BY IARC, NTP, OSHA OR ACGIH.

Effects of Overexposure:NAUSEA, HEADACHE, OR WEAKNESS, TEMPORARY CNS DEPRESSION WITH EFFECTS SUCH AS DIZZINESS, HEADACHE, CONFUSION, INCOORDINATION AND UNCONSCIOUSNESS. INHALATION OF HIGHER CONCENTRATION MAY CAUSE TEMPORARY ALTERATION OF THE HEART'S ELECTRICAL ACTIVITY WITH IRREGULAR PULSE, PALPITATION, OR INADEQUATE CIRCULATION. EYE AND SKIN CONTACT MAY CAUSE FROSTBITE.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PREEXISTING DISEASES OF THE CNS OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE.

===== First Aid Measures =====

First Aid:INHALATION:IMMEDIATELY REMOVE TO FRESH AIR, CALL A PHYSICIAN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS

DIFFICULT, GIVE OXYGEN. SKIN: FLUSH WITH WATER FOR 15 MIN. GENTLY WARM THE EFFECTED AREA. SEEK MEDICAL ATTENTION. INGESTION: NOT CONSIDERED A POTENTIAL ROUTE OF EXPOSURE. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MIN, GET MEDICAL HELP. NOTES TO PHYSICIANS: BECAUSE OF POSSIBLE DISTURBANCES OF CARDIAC RHYTHM, CATECHOLAMINE DRUGS, SUCH AS EPINEPHRINE, SHOULD ONLY BE USED WITH SPECIAL CAUTION IN EMERGENCY LIFE SUPPORT.

===== Fire F

## ighting Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:USE MADIA AS APPROPRIATE FOR SURROUNDING FIRES.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

## ===== Accidental Release Measures =====

Spil

I Release Procedures:VENTILATE ENCLOSED AREAS IN CASE OF INADVERTENT OR DELIBERATE DISCHARGE OF HALON. REMOVE OPEN FLAMES. USE SELF-CONTAINED BREATHING APPARATUS (SCBA) FOR LARGE LEAK OR SPILL.

## ===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A WELL-VENTILATED AREA OF LOW FIRE RISK. PROTECT CONTAINERS FROM PHYSICAL DAMAGE AND KEEP CLOSED.

Other Precautions:AVOID BREATHING VAPOR, LIQUID CONTACT WITH EYES, SKIN

OR CLOTHING. USE IN A WELL VENTILATED AREA TO KEEP EMPLOYEES EXPOSURE BELOW RECOMMENDED LIMITS.

## ===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED FOR ADEQUATELY VENTED WORK SITUATIONS. FOR ACCIDENTAL LARGE RELEASES OR NON-VENTILATED SITUATIONS, USE A SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED-AIR RESPIRATOR, APPROVED BYNIOSH.

Ventilation:USE LOCAL WHEN LARGE AMOUNTS ARE RELEASED. USE MECHANICAL IN LOW CONCENTRATIO  
N OR ENCLOSED PLACES.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:NONE LISTED

Work Hygienic Practices:AVOID PROLONGED EXPOSURE TO SKIN AND INHALATION.

Supplemental Safety and Health  
USE IN A WELL VENTILATED AREA.

## ===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:=-57.6C, -72.F

Decomp Temp:>850.C, 1562.F

Vapor Pres:236 PSIA @25C(77F)

Vapor Density:5.14(AIR=1

pH:NEUTRAL

Evaporation Rate & Refe

rence:>1 (CCL4=1)  
Solubility in Water:0.03 WT%  
Appearance and Odor:LIQUIFIED GAS, CLEAR, COLORLESS, ETHEREAL ODOR.  
(LIQ DENSITY:1.54 G/CC)  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ALKALI OR ALKALINE EARTH METALS, POWDERED AL, ZN, BE ETC.  
Stability Condition to Avoid:AVOID EXTENDED CONTACT WITH OPEN FLAMES,  
GLOWING METAL SURFACES OR TEMPRATURES >1000F.  
Hazardous Decomposition Products:T  
OXIC BROMINE AND CARBONYL HALIDES.

===== Toxicological Information =====

Toxicological Information:INHALATION 1 HR LC50 >70,000 PPM IN  
RATS.EFFECTS SEEN IN ANIMALS FROM A SINGLE EXPOSURE BY INHALATION  
INCLUDE CNS DEPRESSION AFFECTS AT HIGH CONCENTRATION. LUNG  
IRRITATION & DEGENERATION OF THE LIVER & KIDNEY WERE SEEN IN  
ANIMALS EXPOSED REPEATEDLY BY INHALATION TO THE LETHAL OR NEAR  
LETHAL CONCENTRATIONS. CARDIAC SENSITIZATION WAS OBSERVED IN DO  
GS  
WHEN EXPOSED TO CONCENTRATIONS = & > 7.5%. ANIMA L TESTING  
INDICATES THAT THIS COMPOUND DOES NOT HAVE MUTAGENIC OR EBMRYOTOXIC  
EFFECTS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE &  
FEDERAL REGULATIONS. RECLAIM BY DISTILLATION OR REMOVE TO PERMITTED  
WASTE DISPOSAL FACILITY.

===== MSDS Transport Information =====

Transport Information:PSN: BROMOTRIFLUOROM  
ETHANE, 2,2, UN1009. LABEL:  
NON-FLAMMABLE GAS.

===== Regulatory Information =====

SARA Title III Information:DISCLOSURE AS A TOXIC CHEMICAL IS REQUIRED  
UNDER SEC 313 OF TITLE III. SEC 311, 312 HAZ CLASSIFICATION:  
ACUTE=YES, CHRONIC,FIRE, REACTIVITY=NO, PRESSURE=YES. LISTS:  
EXTREMELY HAZADOUS SUBSTANCE=NO, CE RCLA HAZ SUBSTANCE=NO, TOXIC  
CHEMICALS=YES. RCRA-HMIS RATING: HEALTH=1, FLAMMABLILITY=0,  
REACTIVITY=1  
Federal Regulatory Inform

ation:THE INGREDIENTS OF THIS PRODUCT ARE ON  
THE TSCA INVENTORY.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should s  
eek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.