View NSN Online: https://aerobasegroup.de/nsn/6850-00-498-2345

A.B. DICK COMPANY -- 92-2185 TONER CONCENTRATE -- 6850-00-498-2345

Product ID:92-2185 TONER CONCENTRATE MSDS Date:05/01/1999 FSC:6850 NIIN:00-498-2345 Status Code:A Kit Part:Y **MSDS Number: CKGSX** === Responsible Party === Company Name: A.B. DICK COMPANY Address:7400 CALDWELL AVE City:NILES State:IL ZIP:60714 Country:US Info Phone Num:800-752-5139 EXT. 2745 Emergenc y Phone Num:800-424-9300 Preparer's Name: KENNETH W. PINTER Chemtrec Ind/Phone:(800)424-9300 CAGE:17638 === Contractor Identification === Company Name: DICK A B CO Address:7400 CALDWELL AVE Box:City:NILES State:IL ZIP:60714-4628 Country:US Phone:847-779-1900 CAGE:17638

Ingred Name:HYDROTREATED HEAVY NAPHTHA (PETROLEUM DISTILLATE) CAS:64742-48-9 Minumum % Wt:50. Maxumum % Wt:60.

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF 5800000 < Wt:2. OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3

LD50 LC50 Mixture:ORAL RAT LD50 =5 G/KG PETROLM DISTILLATE Health Hazards Acute and Chronic:SKIN, EYE, MUCUOUS MEMBRANE IRRITATION. MAY CAUSE DIZZINESS, LIGHTHEADNESS, NAUSEA, CNS DEPRESSION. MAY CAUSE DERMATITIS AND MILD KIDNEY EFFECTS. Explanation of Carcinogenicity:NOT KNOWN TO BE CARCINOGENIC. Effects of Overexposure:ORAL INGESTION: MAY CAUSE HEADACHE, NAUS EA,

VOMITING, CENTRAL NERVOUS SYSTEM DEPRESSION. EYE: MAY CAUSE IRRITATION. SKIN: MAY CAUSE DIZZINESS, HEADACHE, CNS DEPRESSION. MAY CAUSE DERMATITIS, AND IRRIT ATION. INHALATION: MAY CAUSE DIZZINESS, HEADACHE, CNS DEPRESSION. MAY CAUSE MILD KIDNEY EFFECTS. Medical Cond Aggravated by Exposure:UNKNOWN.

First Aid:INGESTION: DO NOT INDUCE VOMITING. IMMEDIATELY CALL A PHYSICIAN. EYE: FLUSH WITH WATER FOR 15 MI NUTES. CALL A PHYSICAN. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. IF IRRITATION DEVELOPS CALL A PHYS ICIAN. INHALATION: REMOVE AFFECTD PERSON TO FRESH AIR.

Flash Point Method:TCC Flash Point:=41.1C, 106.F Autoignition Temp:Autoignition Temp Text:N/D Lower Limits:0.8 Upper Limits:7.0 Extinguishing Media:FOAM / CO2. Fire Fighting Procedures:WATER SPRAY SHOULD BE USED TO COOL FIRE EXPOSED CONTAINERS AND/OR DI SPERSE UNIGNITED VAPORS. USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES OR AS OTHERWISE NEEDED.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. WIPE UP WITH DRY RAGS OR ABSORBING POWDER.

Handling and Storage Precautions:DO NOT HANDLE OR STORE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS. Other Precautions:NONE.

======================================
Respiratory Protection:NOT NORMALLY REQUIRED WHEN USED AS INTENDED. Ventilation:MECHANICAL(GENERAL): ADEQUATE. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE. Supplemental Safety and Health
======================================
HCC:F4 Boiling Pt:>176.7C, 350.F Vapor Pres:1 Spec Gravity:0.866 Even pretion Date & amon Deferences:0.1.0.5 (DUT)(L_ACETA
Evaporation Rate & amp; Reference:0.1-0.5 (BUTYL ACETA TE=1) Solubility in Water:INSOLUBLE
Appearance and Odor:BLACK LIQUID/ KEROSINE ODOR
======================================
Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIAL, CONCENTRATED OXYGEN, LIQUID CHLORINE, AND HUPOCHLORITES.
Stability Condition to Avoid:MATERIAL COMBUSTIBLE, AVOID IGNITION SOURCES.
Hazardous Decomposition Products:SMOKE AND POSSIBLE CARBON MONOXIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR. AVOID SOURCES OF IG NITION.
======================================
Toxicological Information:PETROLEUM DISTILLATES: LD50 ORAL RAT = 5 G/KG, LD50 DERMAL (RABBITS) = 2 G/KG.
======================================
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR COMBUSTIBLE (FLAMMABLE) NON-AQUEOUS WASTES.
======================================

Transport Information:PER MSDS:

DOT PSN: NOT REGULATED. HAZ CLASS: N.A. HMIS DISAGREES, BCAUSE OF FLASH POINT (106 F). SEE 49 CFR 173.120 (A).

SARA Title III Information:CERCLA/SUPERFUND 40CFR 117,302: THIS PRODUCT DOESNOT CONTAIN ANY RQ SUBSTANC. SEC 302 EXTREMELY HAZ SUBS: NOT LISTED. SEC 311/312: 40CFR 370: CONTAINS MATERIAL WHICH MAY REQUIRE REPORTING IF STORED IN LARGE ENOUGH QUANTITIE. . SEC 313: 40CFR 372 THIS PRODUCT CON

TAINS A CHEMICAL WHICH IS ON THE LIST OF TOXIC CHEMICALS.

Federal Regulatory Information: THIS PRODUCT COMPLIES WITH RULES AND REGULATIONS OF TSCA.

State Regulatory Information: CALIFORNIA PROP 65: NOT LISTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disc

laims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.