View NSN Online: https://aerobasegroup.de/nsn/6850-01-376-1201

ALLIED ENTERPRISES, INC. -- TASK FORCE -- 6850-01-376-1201

Product ID:TASK FORCE MSDS Date:01/01/2000 FSC:6850 NIIN:01-376-1201 Status Code:A MSDS Number: CKJGT === Responsible Party === Company Name: ALLIED ENTERPRISES, INC. Address:814 W. 45TH STREET Box:6159 City:NORFOLK State:VA ZIP:23508-2008 Country:US Info Phone Num:757-489-8282 Emergency Phone Num:800-535-5063 CAGE:58396 === Contractor Identification === Company Name: ALLIED ENTERPRISES, INC. Address:814 W. 45TH STREET Box:6159 City:NORFOLK State:VA ZIP:23508-2008 Country:US Phone:757-489-8282 Contract Num:SP0450-00-M-D940 CAGE:58396

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: TO 100%

Ingred Name:TRIPROPYLENEGLYCOL METHYL ETHER OR GLYCOL ETHER CAS:25498-49-1 RTECS #:UB8070000 Minumum % Wt:0. Maxumum % Wt: 5.

Ingred Name:POTASSIUM HYDROXIDE CAS:1310-58-3 RTECS #:TT2100000 Minumum % Wt:0. Maxumum % Wt:5. ACGIH STEL:C2 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:NP (NONIONIC SURFACTANT) CAS:9016-45-9 RTECS #:AX0247000 Minumum % Wt:0. Maxumum % Wt:5.

Ingred Name:SODIUM METASILICATE CAS:6834-92-0 RTECS #:VV9275000 Minumum % Wt:0. Maxumum % Wt:5.

Ingred Name:TETRASODIUM EDTA CAS:64-02-8 RTECS #:AH5075000 Minumum % Wt:0. Maxumum % Wt:5.

Ingred Name:DYE Minumum % Wt:0. Maxumum % Wt:5

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY. Health Hazards Acute and Chronic:SKIN: SKIN IRRITANT. MAY CAUSE MODERATE REDDENING AND SWELLING. EYES: EYE IRRITANT. LIQUID AND MISTS MAY DAMAGE EYES CAUSING CORNEAL DAMAGE. INHALATION: VAPORS AND MISTS MAY BE IRRITATING TO MUCOUS ME MBRANES IN THE NOSE, THROAT, AND LUNGS. INGESTION: IRRITATING AND CORROSIVE TO THE MOUTH AND THROAT. MAY CAUSE HEADA

CHE, NAUSEA, ABDOMINAL PAIN, VOMITING AND DIARRHEA. EXCESSIVE AMOUNTS MAY CAUSE COLL APSE. Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PARTY. Effects of Overexposure:SKIN: SKIN IRRITANT. MAY CAUSE MODERATE REDDENING AND SWELLING. EYES: EYE IRRITANT. LIQUID AND MISTS MAY DAMAGE EYES CAUSING CORNEAL DAMAGE. INHALATION: VAPORS AND MISTS MAY BE IRRITATING TO MUCOUS ME MBRANES IN THE NOSE, THROAT, AND LUNGS. INGESTION: IRRITATING AND CORROSIVE TO THE MOUTH AND T HROAT. MAY CAUSE HEADACHE, NAUSEA, ABDOMINAL PAIN, VOMITING AND DIARRHEA. EXCESSIVE AMOUNTS MAY CAUSE COLL APSE. Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE PARTY.
======================================
First Aid:SKIN: FLUSH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYES: FLUSH WITH LARGE QUANTITIES OF WATER, HOLDING EYELIDS OPEN. SEEK MEDICAL ATTENTION, IF IRRITATION PERSISTS. INHALATION: GET FRESH AIR. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER. SEEK MEDICAL ATTENTION IMMEDIATELY.
======================================
Fire Fighting Procedures:NON FLAMMABLE.
======================================
Spill Release Procedures:MOP UP OR OTHERWISE ABSORB AND HOLD FOR DISPOSAL. Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.
======= Handling and Storage ====================================
<ul> <li>Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. KEEP OUT OF REACH OF CHILDREN. FOR USE BY TRAINED PERSONNEL ONLY.</li> <li>Other Precautions:KEEP CONTAINER CLOSED DURING STORAGE. DRINK LARGE QUANTITIES OF WATER. SEEK MEDICAL ATTENTION IMMEDIATELY.</li> </ul>
======================================
Respiratory Protection:USE IN WELL VENTILATED AREA. Ventilation:PROVIDE LOCAL EXHAUST TO KEEP TL

V BELOW ACCEPTABLE LIMIT. Protective Gloves:CHEMICAL RESISTANT RUBBER OR NEOPRENE. Eye Protection:SAFETY GLASSES. Other Protective Equipment:EYEWASH STATION, CHEMICAL RESISTANT APRON. Work Hygienic Practices:NO DATA PROVIDED BY RESPONSIBLE PARTY. Supplemental Safety and Health NO DATA PROVIDED BY RESPONSIBLE PARTY.

HCC:C1 Boiling Pt:=98.9C, 210.F Vapor Pres:20MMHG@68F Vapor Density:>1 Spec Gravity:1.032 pH:13.0-13.5 Evaporati on Rate & amp; Reference: