

COULTER DIAGNOSTIC DIVISION -- COULTER CLENZ CLEANING AGENT -- 6630-01-156-0687

=====
Product Identification
=====

Product ID:COULTER CLENZ CLEANING AGENT

MSDS Date:01/27/1992

FSC:6630

NIIN:01-156-0687

MSDS Number: CKJZC

=== Responsible Party ===

Company Name:COULTER DIAGNOSTIC DIVISION

Address:740 WEST 83RD ST.

City:HIALEAH

State:FL

ZIP:33014

Country:US

Info Phone Num:305-822-8250

Emergency Phone

Num:800-424-8802

Resp. Party Other MSDS Num.:MSDS PART NO.: 7585131-C

CAGE:0DP51

=== Contractor Identification ===

Company Name:COULTER DIAGNOSTIC DIVISION

Address:740 WEST 83RD ST.

Box:City:HIALEAH

State:FL

ZIP:33014

Country:US

Phone:305-822-8250

CAGE:0DP51

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

= Wt:100.

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NON

E SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT WITH PRODUCT MAY CAUSE EYE AND SKIN IRRITATION. MAY BE HARMFUL IF INGESTED.

Explanation of Carcinogenicity:NONE LISTED.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid

:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN CONTACT:WASH AFFECTED AREA(S) THOROUGHLY WITH WATER. EYE CONTACT:FLUSH WITH COPIOUS AMOUNT OF WATER FOR AT LEAST 15 MINUT ES, CALL PHYSICIAN. INGEST:SEEK MEDICALATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Extinguishing Media:ANY TYPE SUITABLE.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH COPIOUS AMOUNT OF WATER TO APPROVED DRAINAGE. NOTE:IF SPILLS ARE INSUFFICIENTLY DILUTED WITH WATER PRIOR TO REMOVAL, SPILL AREA MAY REMAIN SLIPPERY WHILE MOIST. TO AVOID ACCIDENTS, FLUSH SP ILLS THOROUGHLY WITH WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE (20-25C).

AVOID EYE AND SKIN CONTACT, FLUSH AFFECTED AREAS WITH COPIOUS AMOUNT OF WATER FOR MINIMUM OF 15 MINUTES.

Other Precautions:DO NOT INGEST. IF TAKEN INTERNALLY, CONSULT PHYSICIAN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:GENERAL PURPOSE.

Protective Gloves:PROTECTIVE GLOVES.

Eye Protection:SAFETY GLASSES.

Work Hygienic Practices:DO

NOT EAT WHILE HDNLG THIS PROD. FOLLOW GOOD
HOUSEKEEPING & PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=100.C, 212.F

B.P. Text:212F,100C

Spec Gravity:1 (H*2O=1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR BLUE SOLUTION.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS - CHLORATES, NITRATES.

St

ability Condition to Avoid:STRONG ACIDS.

Hazardous Decomposition Products:MAY YIELD CARBON MONOXIDE, CARBON
DIOXIDE GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST COMPLY WITH FEDERAL, STATE AND
LOCAL DISCHARGE REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner w

hatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.