View NSN Online: https://aerobasegroup.com/nsn/8040-00-145-0432 3M COMPANY -- SCOTCH WELD 2216 B/A PART A TRANSLUCENT EPOXY ADHESIVE. 8040-00-145-0432 ============= Product Identification ================== Product ID:SCOTCH WELD 2216 B/A PART A TRANSLUCENT EPOXY ADHESIVE. MSDS Date: 08/22/1996 FSC:8040 NIIN:00-145-0432 Status Code:A MSDS Number: CKKPQ === Responsible Party === Company Name: 3M COMPANY Address:3M CENTER BLDG 223-3N City:ST PAUL State:MN ZIP:55144-0001 Country:US Info Phone Num:1-612-733-1110 Emergency Phone Num:0000000000 CAGE:04963 === Contractor Identification === Company Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV Address:3M CTR Box:City:SAINT PAUL State:MN ZIP:55144-1000 Country:US Phone:800-364-3577/651-737-6501(24 HOURS) CAGE:04963 ======= Composition/Information on Ingredients ======== Ingred Name: AMINE TERMINATED POLYETHER/CARBOXYLIC ACID REACTION PRODUCT N.J. TRADE SECRET NO. 04499800-5570 Wt:100.

RTECS #:AT1005687

Health Hazards Acute and Chronic: EYE CONTACT RESULTS IN CHEMICAL RELATED BURNS (CHEMICAL CORROSIVITY). VAPORS FROM HEATED MATERAIL MAY CAUSE EYE IRRITATION. DUST CREATED BY CUTTING, GRINDING. SANDING, OR MACHINING MAY CAUSE EYE IRRIT ATION. ALLERGIC AND MILD SKIN REACTIONS. INHALATION CAN CAUSE IRRITAION. VAPORS FROM HEATED MATERIAL MAY CAUSE RESPIRATORY SYSTEM IRRITATION. DUST FROM GRINDING,

SANDING, OR MACHINING MAY CAUSE IRITA TION OF THE RESPIRATORY SYSTEM. INGESTION MAY CAUSE IRRITATION OF GASTROINTESTINAL TISSUES.

Effects of Overexposure:EYE CONTACT: CAN INCLUDE CLOUDY APPEARANCE OF THE CORNEA, CHEMICAL BURNS, PAIN, TEARING, ULCERS, IMPAIRED VISION OR LOSS OF VISION. SKIN CONTACT: CAN INCLUDE REDNESS, SWELLING, ITCHING AND BLISTERIN G. INHALATION: CAN INCLUDE SORENESS OF THE NOSE AND THROAT, COUGHING AND SNEEZING. INGESTION: CAN INCLUDE PAIN. VOM

ITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, AND BLOOD IN FECES.

First Aid:EYE:IMMEDIATELY FLUSH EYES W/LARGE AMOUNTS OF WATER.GET IMMEDIATE MEDICAL ATTENTION.SKIN:IMMEDIATELY WASH W/SOAP&LARGE AMOUNTS OF WATER.REMOVE CONTAMINATED CLOTHING BEFORE REUSE&DISPOSE OF CONTAMINATE SHOES.INHALATION:IF SIGNS/SYMPTOMS OCCUR,REMOVE PERSON-FRESH AI.IF SIGNS/SYMTPOMS CONTINUE,CALL PHYSICIAN.INGESTION:DO

N'T INDUCE VOMITING.DRINK2GLASSES WATER.CALL PHYSICIAN.*

========= Fire Fighting Measures =============

Flash Point:>93.3C, 200.F 200F

Extinguishing Media: CO2, WATER, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING, INCLUDING HELMET, SELF-CONTAINED POSITIVE PRESSURE OR PRESSURE DEMAND BREATHING APPARATUS, BUNDER COAT AND PANTS, BANDS AROUND ARMS, WAIST AND LEGS, FACE MASK, AND PROTE CTIVE COVERING FOR EXPOSED AREAS OF THE HEA

D.
Unusual Fire/Explosion Hazard:NONE

========= Accidental Release Measures ============

Spill Release Procedures:REFER TO OTHE SECTIONS OF THIS MSDS FOR INFORMATION REGARDING PHYSICAL AND HEALTH HAZARDSS, RESPIRATORY PROTECTION, VENTILATION, AND PERSONAL PROTECTIVE EQUIPMENT. COVER WITH ABSORBENT MATERIAL. COLLE CT SPILLED MATERIAL. PLACE IN A US. DOT-APPROVED CONTAINER. IN USA CALL 1-612-733-1110 OR 1-612-733-6100 FOR 24 HOUR SPILL ASSISTANCE.

=======

======== Handling and Storage ===============================
Handling and Storage Precautions:STORE AWAY FROM HEAT. KEEP OUT OF THE REACH OF CHILDREN. KEEP CONTAINER TIGHTLY CLOSED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:AVOID BREATHING OF VAPORS CREATED DURING THE CURE CYCLE. AVOID BREATHING OF DUST CREATED BY CUTTING, SANDING OR GRINDING. SELECT ONE OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCE NTTRATION S OF CONTAMINANTS AND IN ACCORDANCE WITH OSHA REGULATIONS: HALF MASK RESPIRATOR. Ventilation:PROVIDE APPROPRIATE LOCAL EXHAUST FOR GRINDING, CUTTING OR
SANDING CURED MATERIAL. Protective Gloves:POLYETHYLENE/ETHYLENE VINYL ALCOHOL. Eye Protection:WEAR VENTED GOGGLES. WEAR SAFETY GLASSES WITH SIDE SHIELDS.
Work Hygienic Practices:DO NOT EAT, DRINK, OR SMOKE WHEN USING THIS PRODUCT. WASH EXPOSED AEAS THOROUGHLY WITH SOAP AND WATER. DO NOT INGEST.
Supplemental Safety and Health CURING SOVENS MUST BE EXHAUSTED TO OUTDOORS OR TO A SUTABLE EMISSION CONTROL DEVICE. USE IN A WELL VENTILATED AREA. IF EZXHAUST VENTILATION IS NOT ADEQUATE, USE APPROPRIATE RESPIRATORY PROTECTION.
========= Physical/Chemical Properties ===========
Spec Gravity:0.970 (WATER =1) Viscosity:CA. 7000.0 CENTIPOISE Appearance and Odor:AMBER PASTE/ PUNGENT ODOR
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HEAT IS GENERATED DURING CURE. DO NOT CURE A MASS LARGER THAN 50 GRAMS IN A CONFINED SPACE TO PREVENT A PREMATURE REACTION (EXOTHERM) WITH PRODUCTION OF INTENSE HEAT AND SMOKE.
Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, AMINE COMPOUNDS, TOXIC VAPORS, GASES OR PARTICULATES.
======================================
Toxicological Information:*OTHER: EXPOSURE TO THIS MATERIAL IN NORMAL STORAGE AND HAND

LING HAS NOT BEEN REPORTECD TO CAUSE SIGNIFICANT ADVERSE HEALTH EFFECTS. HOWEVER, UNDER NORMAL PROCESSING CONDITIONS, E.G. GRINDING OR HEAT ING, THIS PRODUCT MAY RELEASE FUMES ANDVAPORS OF VARIABLE COMPOSITION BASED ON SPECIFFIC PROCESS CONDITIONS. THESE PROCESS RELEASES MAY PRODUCE IRRITATION OR ANY OF THE HEALTH EFFECTS LISTED ABOVE WHE N THE EMISSIONS ARE PRESENT AT ELEVATED CONCENTRATIONS. USE WITH APPROPRIATE LOCAL EXHAUST VENTILATION.

=======================================	==== Disp
osal Considerations	

Waste Disposal Methods:CURE PRODUCT ACCORDING TO PRODUCT INSTRUCTIONS. INCINERATE UNCURED WASTE IN AN INDUSTRIAL OR COMMERCIAL INCINERATOR. DISPOSE OF COMPLETELY CURED (OR POLYMERIZED) MATERIAL IN A SANITARY LANDFILL.

============= Other Information =============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. T

he United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.