

THIRD COAST PACKAGING INC -- ATF MERCON/DEXRON III,01854 -- 9150-01-353-4799

=====  
Product Identification  
=====

Product ID:ATF MERCON/DEXRON III,01854

MSDS Date:05/02/1996

FSC:9150

NIIN:01-353-4799

Status Code:A

MSDS Number: CKLMV

=== Responsible Party ===

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77596

Country:US

Info Phone Num:281-482

-9212

Emergency Phone Num:713-482-9212

Chemtrec Ind/Phone:(800)424-9300

CAGE:0P418

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

Contract Num:SP0450-00-M-C242

CAGE:4N760

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77549

Country:US

Phone:281-482-9212;914-838-7204

CAGE:0P418

=====  
Composition/In

formation on Ingredients =====

Ingred Name:PETROLEUM OIL/SOLVENT REFINED LIGHT PARAFFINIC PETROLEUM  
DISTILLATES

CAS:64741-89-5

RTECS #:PY8041500

Minumum % Wt:50.

Maxumum % Wt:64.99

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),  
HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Minumum % Wt:35.

Maxumum % Wt:49.99

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL/HYDROTREATED LIGHT NAPHTHENIC PETROLEUM  
DISTILLATES

CAS:64742-53-6

RTECS #:PY8036000

Minumum % Wt:1.

Maxumum % Wt:2.99

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:METHACRYLIC ACID POLYMER/METHACRYLIC ACID. COPOLYMER OF  
"BUTYL", "LAURYL", "STEARYL" ESTERS W METHACRYLAMIDE DERIVATIVES

CAS:50667-55-5

Minumum % Wt:1.

Maxumum % Wt:2.99

Other REC Limits:NONE RECOMMENDE

D

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (RAT) > 5 G/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY

TRACT. ACUTE- MAY CAUSE EYES & SKIN IRRITATION. PROLONGED/REPEATED

SKIN CONTACT CAUSES DEFATTING. INHALATION OF VAPORS/OIL MIST MAY

CAUSE IRRITATION, HEADACHE, NAU SEA. INGESTION OF SEVERAL MOUTHFULS

MAYCAUSE NAUSEA, DIARRHEA. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, NAUSEA, DIARRHEA, HEADACHE

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15

MINUTES. HOLD EYELIDS OPEN. SKIN:WIPE OFF EXCESS. WASH SKIN WITH SOAP & WA TER. ORAL:IF CONSCIOUS & SEVERAL MOUTHFULS OF PRODUCT ARE SWALLOWED, DRINK 2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, MONITOR FOR BREATHING DIFFICULTIES.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:=201.7C, 395.F

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER/FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CONTAINER MAY BURST.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. RECOVER FREE OIL IF POSSIBLE. ABSORB SPILL WITH INERT MATERIAL SUCH AS SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS FOR LATER DISPOSAL. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS. ALL R ESPONSE ACTIVITIES MUST COMPLY WITH HAZWOPER.

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICANT-SOAKED SHOES. R

REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDRER BEFORE RE-USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE OR NEOPRENE RECOMMENDED

Eye Protection:SAFETY GLASSES, FACE SHIELD RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:0.869

Viscosity:32.2CST @104F

Appearance and Odor:RED LIQUID - SLIGHT ADDITIVE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:MAY PRODUCE FUMES, SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES AND KETONES.

===== Toxicological Information =====

Toxicological Information:SOME LOW VISCOSITY NAPHTHENIC OILS HAVE CAUSED SKIN IRRITATION AND SKIN TUMORS IN LABORATORY ANIMALS WHEN REPEATEDLY APPLIED AND LEFT IN

PLACE BETWEEN APPLICATIONS. THE  
SIGNIFICANCE OF THIS EFFECT TO HUMANS HAS NOT BEEN ESTABLISHED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH ALL  
APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. RCRA  
EMERGENCY NUMBER: 800-424-9346. DO NOT CONTAMINATE ANY LAKES,  
STREAMS, PONDS OR UNDERGROUND WATER SUPPLY. INCINERATION IS  
RECOMMENDED.

===== MSDS Transport Information  
=====

Transport Information:DOT: NOT REGULATED.

===== Regulatory Information =====

SARA Title III Information:NO COMPONENT IS LISTED ON SATA SECTION 302  
OR 304 EXTREMELY HAZARDOUS SUBSTANCES.

Federal Regulatory Information:THIS PRODUCT, OR ITS COMPONENTS ARE  
LISTED ON THE TSCA INVENTORY.

State Regulatory Information:STATE RIGHT-TO-KNOW REGULATIONS: SOLVENT  
REFINED LIGHT PARAFFINIC PETROLEUM DISTILLATES: MA. TOLUENE: CT,  
FL, IL,  
MA, NJ, PA, RI, MI. BENZENAMINE,  
N-PHENYL-1,2,4-TRIMETHYLBENZENE: FL, IL, MA, NJ, P A, RI.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to veri  
fy and  
assume responsibility for the suitability of this information to their  
particular situation.