

BEL-RAY COMPANY INC. -- 7292,TERMALENE GREASE 2

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-306-9167
MSDS Date: 02/02/1999
MSDS Num: CKLNG
Product ID: 7292,TERMALENE GREASE 2
MFN: 07
Responsible Party
Cage: 12474
Name: BEL-RAY COMPANY INC.
Address: 1201 BOWMAN AVE
Box: 526
City: FARMINGDALE
NJ 07727
Info Phone Number: 732-938-2421
Emergency Phone Number: 800-424-9300
Resp. Party Other MSDS No.: MSDS NUMBER: 4023.00

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,WATER-WASH RESISTANT
Specification Number: A-A-50433
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 00000000035LB
UI Container Qty: 1
Type of Container: PPP-P-704

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NOT AVAILABLE
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: EYE CONTACT: SUSTAINED CONTACT W

ITH PRODUCT IN THE EYE MAY

CAUSE IRRITATION. SKIN CONTACT: NONE DURING NORMAL USAGE. PROLONGED SKIN CONTACT MAY CAUSE REDNESS OR IRRITATION. INHALATION: INHALATION OF P RODUCT MAY CAUSE IRRITATION OF THE MUCOUS MEMBRANES AND RESPIRATORY TRACT. INGESTION: NOT AN EXPECTED ROUTE OF EXPOSURE. INGESTION MAY CAUSE ABDOMINAL PAIN, NAUSEA AND VOMITING.

Explanation Of Carcinogenicity: NOT LISTED BY OSHA, NTP OR IARC.

Signs And Symptions Of Overexposure: EYE CONTACT: IRRITATION. SKIN CONTACT:

REDNESS OR IRRITATION. INHALATION: IRRITATION OF THE MUCOUS MEMBRANES AND RESPIRATORY TRACT. INGESTION: ABDOMINAL PAIN, NAUSEA AND VOMITING.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: EYE CONTACT: FLUSH EYES FOR 15 MINUTES WITH LARGE AMOUNT OF WATER, WHILE KEEPING THE EYELIDS OPEN. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN CONTACT: WASH SKIN THOROUGHLY WITH MILD SOAP AND WATER. FLUSH WITH LUKE-WARM WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION

PERSISTS. INHALATION: REMOVE VICTIM FROM CONTAMINATED AREA. OPTIONAL: GIVE MOUTH-TO-MOUTH BREATHING AND/OR CPR, I F NEEDED. OXYGEN CAN BE GIVEN UNDER A DOCTOR'S ORDERS. INGESTION: IF INGESTED IN SIGNIFICANT AMOUNT, DO NOT INDUCE VOMITING; CALL A PHYSICIAN IMMEDIATELY. NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY.

=====
Handling and Disposal
=====

Spill Release Procedures: IN CASE OF A SPILL, VA CUUM, SCOOP OR SHOVEL UP

SPILLED MATERIAL. PLACE SPILLED MATERIAL INTO COVERED CONTAINER FOR DISPOSAL. DISPOSE OF ACCORDING TO APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS.

Neutralizing Agent: NOT RELEVANT.

Waste Disposal Methods: MATERIAL, AS SUPPLIED, IS NOT A U.S. EPA HAZARDOUS WASTE. SOME STATES MAY REGULATE THE DISPOSAL OF PETROLEUM AND PETROLEUM PRODUCTS. MATERIAL CAN BE INCINERATED (DO NOT INCINERATE AEROSOL CANS). PROCE SSING, USE OR CONTAMINATION MAY MAKE THIS INFORMATI ON INACCURATE OR INCOMPLETE.

Handling And Storage Precautions: STORE IN A COOL AREA, KEEPING MATERIAL PACKAGED IN ORIGINAL CONTAINERS. PROTECT FROM OVERHEATING, SPARKS, AND FLAMES.

Other Precautions: USE THE RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. DO NOT EAT, DRINK, SMOKE OR APPLY MAKE-UP WHEN USING THIS MATERIAL. WASH HANDS AFTER USING THIS MATERIAL AND BEFORE ENTERING NON-WORK AREA OR HANDLIN G FOOD OR APPLYING COSMETICS. DO NOT USE TOBACCO PRODUCTS IN THE IMMEDIATE AREA.

=====

=====
Fire and Explosion Hazard Information
=====

Flash Point: =250.C, 482.F

Flash Point Text: MINIMUM

Autoignition Temp Text: N/D

Lower Limits: N/D

Upper Limits: N/D

Extinguishing Media: FOAM, CARBON DIOXIDE (CO2), DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS (SCBA). DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTION. FIGHT FIRE FROM SAFE DISTANCE.

U

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED UNDER NORMAL USE CONDITIONS. ENCLOSED AREAS OR LARGE QUANTITIES MAY REQUIRE RESPIRATORY PROTECTION.

Ventilation: NOT NECESSARY UNDER NORMAL CONDITIONS OF USE.

Protective Gloves: OIL PROOF OR OIL RESISTANT GLOVES.

Eye Protection: ANSI Z-87 APPROVED SAFETY GLASSES WITH SIDE SHIELD OR CHEMICAL

SPLASH GOGGLES.

Other Protective Equipment: NOT PROVIDED

Work Hygienic Practices: NOT PROVIDED

Supplemental Safety and Health: PRODUCT CODE: 7292.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: NOT DETERMINED

M.P/F.P Text: NOT PROVIDED

Decomp Text: NOT PROVIDED

Vapor Pres: NOT DETERMINED

Spec Gravity: 0.870

Viscosity: NOT PROVIDED

Evaporation Rate & Reference: NOT PROVIDED

Solubi

lity in Water: NEGLIGIBLE.

Appearance and Odor: BLUE GREASE, MILD PETROLEUM ODOR.

Corrosion Rate: NOT PROVIDED

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID CONTACT WITH HEAT, FLAMES AND SOURCES OF IGNITION.

Materials To Avoid: STRONG OXIDIZING AGENTS: LIQUID CHLORINE, HYDROGEN PEROXIDE, CONCENTRATED OXYGEN, SODIUM HYPOCHLORITE, CALCIUM HYPOCHLORITE.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, SMOKE OR POSSIBLY METAL OXIDE FUMES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: THIS MATERIAL IS NOT REACTIVE.

=====
Toxicological Information

=====
Toxicological Information: NO TOXICOLOGY DATA IS AVAILABLE FOR THIS PRODUCT. HOWEVER, SIMILAR MATERIALS HAVE NOT EXHIBITED ACUTE TOXICOLOGICAL EFFECTS.

ACGIH THRESHOLD LIMIT VALUE (8 HR.TIME WEIGHTED AVERAGE) AND OSHA PERMISSIBLE EXPOSURE LIMIT (8 HR. TIME WEIGHTED AVERAGE) ARE NOT DETERMINED. BEL-RAY RECOMMENDED EXPOSURE LIMIT, (8 HR. TIME WEIGHTED AVERAGE): 5 MG/M3 (FOR OIL MIST IN AIR). CARCINOGENICITY: NOT LISTED BY OS HA, NTP, OR IARC.

=====
Ecological Information

=====
Ecological: NO ECOTOXICOLOGICAL INFORMATION IS AVAILABLE FOR THIS PRODUCT.

=====
MSDS Transport Information

=====
Transport Information: NOT REGULATED FOR TRANSPORTATION. ALSO, THIS PRODUCT IS NOT A "CONTROLLED PRODUCT" UNDER W REGULATIONS.

=====
Regulatory Information

=====
Sara Title III Information: SCTION 313: 1-5% ZINC COMPOUNDS, CAS#: MIXTURE. SARA SECTION 311/312: ACUTE: NO; CHRONIC: NO; FIRE: NO; REACTIVITY: NO; SUDDEN RELEASE OF PRESSURE: NO.

Federal Regulatory Information: ALL COMPONENTS OF THIS MIXTURE ARE LISTED ON THE TOXIC SUBSTANCE CONTROL ACT (TSCA) SECTION 8(B) CHEMICAL INVENTORY.

State Regulatory Information: CUSTOMERS ARE REMINDED TO CHECK THEIR STATE LIST OF HAZARDOUS CHEMICALS FOR PROPER DISCLOSURE AND REPORTING OF CHEMICAL SUBTANCES.

=====
Other Information

=
=====
Other Information: NFPA RATINGS: HEALTH: 1, (SLIGHT); FIRE: 1, (SLIGHT); REACTIVITY: 0, (INSIGNIFICANT). FOOD GRADE RATING: USDA H-2. KOSHER CERTIFICATION: CERTIFIED KOSHER BY TABLET K. INGREDIENTS: NJ TRADE SECRET REGI STRY.

=====
Transportation Information

=====
Responsible Party Cage: 12474

Trans ID NO: 152976

Product ID: 7292,TERMAL

ENE GREASE 2

MSDS Prepared Date: 02/02/1999

Review Date: 05/14/2000

MFN: 7

Net Unit Weight: 35 LBS

Multiple KIT Number: 0

Unit Of Issue: CN

Container QTY: 1

Type Of Container: PPP-P-704

Additional Data: NOT REGULATED FOR TRANSPORTATION, PER MSDS.

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Informa
tion
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: 7292,TERMALENE GREASE 2

Cage: 12474

Company Name: BEL-RAY COMPANY INC.

Street: 1201 BOWMAN AVE

PO Box: 526

City: FARMINGDALE NJ

Zipcode: 07727

Health Emergency Phone: 800-424-9300

Label Required IND: Y

Date Of L

Label Review: 02/09/2001
Status Code: C
MFG Label NO: 729208605USDAH2
Label Date: 02/02/1999
Year Procured: 2001

Origination
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: NO
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: NONE PROVIDED. THERE WILL PROBABLY BE NO EVIDENCE OF ACUTE EXPOSURE. THE EXCEPTION COULD BE EYE IRRITATION. HOWEVER, THE MODIFYING NATURE OF THE OVERALL COMPOSITION MAY RESULT IN LITTLE OR NO EYE IRRITATION UPON CONTACT. CHRONIC EXPOSURE IS EXPECTED TO CAUSE MILD TO SEVERE SKIN AND EYE IRRITATION. UNDER NORMAL USE, MEDICAL CONDITIONS ARE NOT GENERALLY AGGRAVATED BY EXPOSURE. FOR ADDITIONAL INFORMATION, SEE MATERIAL SAFETY DATA SHEET (MSDS) FOR THIS MATERIAL.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.