

HALOCARBON PRODUCT CORPORATION -- HALOCARBON 25-5S GREASE -- 9150-00-754-2760
===== Product Identification =====

Product ID:HALOCARBON 25-5S GREASE
MSDS Date:02/12/1997
FSC:9150
NIIN:00-754-2760
Status Code:A
MSDS Number: CKMNX
=== Responsible Party ===
Company Name:HALOCARBON PRODUCT CORPORATION
Address:NORTH AUGUSTA INDUSTRIAL PARK
Box:6369
City:NORTH AUGUSTA
State:SC
ZIP:29841
Country:US
Info
Phone Num:803-278-3500
Emergency Phone Num:803-278-3504
Preparer's Name:DR. LEE G. SPRAGUE
CAGE:07644

=== Contractor Identification ===
Company Name:HALOCARBON PRODUCTS CORPORATION
Address:887 KINDERKAMACK RD
Box:City:RIVER EDGE
State:NJ
ZIP:07661
Country:US
Phone:201-262-8899
CAGE:07644

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLOROTRIFLUOROETHYLENE
CAS:9002-83-9
RTECS #:KM6555000
= Wt:95.

Ingred Name:AMORPHOUS SILICA
CAS:7631-86-9
= Wt:5.

=====

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: FROM ANIMAL STUDIES, SIGNS OF FLUORIDE POISONING MAY BE EXPECTED. CHRONIC: NONE KNOWN. HALOCARBON OILS ARE NOT IRRITATING TO THE SKIN BUT SIMPLE SKIN PROTECTION SHOULD BE USED TO PREVENT REPEATED EXPOSURE AND THE POSSIBILITY OF SENSITIZATION.

Explanation of Carcinogenic

ity:NO DATA PROVIDED BY RESPONSIBLE PARTY

Effects of Overexposure:SIGNS OF FLUORIDE POISONING ARE NAUSEA, SHORTNESS OF BREATH AND LOSS OF APPETITE.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:INHALATION: N/A. SKIN: WASH WITH SOAP & WATER. NO SKIN EFFECTS EXPECTED. EYE: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. ORAL: DILUTE BY DRINKING LARGE QUANTITIES OF WATER. IF VOMITING OCCURS ADMINISTER MORE WATER.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:N/D

Extinguishing Media:NON-FLAMMABLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS IF THERE IS DANGER OF LEAKAGE IN FIRE.

Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PRODUCTS ARE ACIDIC AND TOXIC.

=====
===== Accidental Release Measures =====

=====

Spill Release Procedures:SPILLS MAY BE WIPED UP WITH ABSORBENT MATERIAL.

Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY

=====
===== Handling and Storage =====

Handling and Storage Precautions:NO DATA PROVIDED BY RESPONSIBLE PARTY. DLA-HMIS: STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:NO DATA PROVIDED BY RESPONSIBLE PARTY

=====
===== Exposure Controls/Pers

onal Protection =====

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:SINCE THE POTENTIAL FOR HUMAN TOXICITY CANNOT
BE RULED OUT, PROPER WORK PRACTICES SHOULD BE EMPLOYED.

Supplemental Safety and Health

NO DATA PROVIDED BY RESPONSIBLE PARTY

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:>260.C, 500.F

B.P. Text:DECOMPOSES

Decomp Temp:=260.C, 500.F

Vapor Pres: