

CASTOLEUM CORP -- TRIZOL CREEP -- 6850-01-043-8511

===== Product Identification =====

Product ID:TRIZOL CREEP  
MSDS Date:09/01/1999  
FSC:6850  
NIIN:01-043-8511  
Status Code:A  
MSDS Number: CKQLP  
=== Responsible Party ===  
Company Name:CASTOLEUM CORP  
Address:31 FULLERTON AVE-BOX 41 CENTUCK STATION  
Box:41  
City:YONKERS  
State:NY  
ZIP:10710-0041  
Country:US  
Info Phone Num:914-664-5877  
Emergency Phone Num:800-424-9300  
Chemtrec Ind/Phone:(800)424-9300  
CAGE:66662

=== Contractor Identification ===  
Company Name:CASTOLEUM CORP THE  
Address:240 E 7TH ST  
Box:City:MOUNT VERNON  
State:NY  
ZIP:10550-4615  
Country:US  
Phone:914-664-5877  
Contract Num:SP0450-00-M-SE48  
CAGE:66662

===== Composition/Information on Ingredients =====

Ingred Name:TRIETHANOLAMINE  
CAS:102-71-6  
RTECS #:KL9275000  
Minumum % Wt:2.  
Maxumum % Wt:5.  
ACGIH TLV:5 MG/M3

Ingred Name:DIETHANOLAMINE  
CAS:111-42-2  
RTECS #:KL2975000  
Minu

Minimum % Wt:1.  
Maximum % Wt:4.  
ACGIH TLV:2 MG/M3;0.46 PPM  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingredient Name:POLYALKYLENE GLYCOL  
Minimum % Wt:6.  
Maximum % Wt:12.

Ingredient Name:GLYCOL ETHER  
CAS:111-90-0  
RTECS #:KK8750000  
Minimum % Wt:1.  
Maximum % Wt:5.

Ingredient Name:ETHYLENE GLYCOL  
CAS:107-21-1  
RTECS #:KW2975000  
= Wt:5  
ACGIH STEL:C127 MG/M3;C50 PPM  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingredient Name:NONYLPHENOL ETHOXYLATE  
CAS:26027-38-3  
RTECS #:MD0906000  
Minimum % Wt:1.  
Maximum % Wt:6.

=====  
Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE ESTABLISHED.  
Explanation of Carcinogenicity:CARCINOGENICITY: NO; NTP= NO; IARC  
MONOGRAPHS= NO; OSHA REGULATED= NO.

=====  
First Aid Measures =====

First Aid:SWALLOWING: NO HARMFUL EFFECTS EXPECTED. SKIN: WASH WITH SOAP  
AND WARM WATER. INHALATION: REMOVE TO F

RESH AIR. EYES: FLUSH

THOROUGHLY WITH WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONE TO BOILING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON CLAY OR OTHER SUITABLE MATERIAL AND SWEEP UP.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilati

on:LOCAL EXHAUST: NORMAL LOCAL EXHAUST. MECHANICAL(GENERAL):

NORMAL VENTILATION. OTHERVENTILATION: NONE REQUIRED.

Protective Gloves:IF NEEDED TO AVOID REPEATED OR PROLONGED SKIN CONTACT.

Eye Protection:USE SPLASH GOGGLES OR FACE SHIELD WHEN EYE CONTACT MAY OCCUR.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH HANDS AND EXPOSED SKIN AFTER CONTACT.

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=100.C, 212.F

Spec Gravity:1.01(H2O=1)

Solubility in Water:COMPLETE

Appearance and Odor:SKY BLUE LIQUID WITH PLEASANT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING OR ACIDIC MATERIALS.

Stability Condition to Avoid:NONE ESTABLISHED

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Dispos

al Methods:AS LOCAL LAWS PERMIT.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.