

SYON CORPORATION -- 039-080055-030, 031, 058, 064, 078 PART A

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-776-9601
MSDS Date: 08/01/1995
MSDS Num: CKQNK
Product ID: 039-080055-030, 031, 058, 064, 078 PART A
MFN: 03
Responsible Party
Cage: 0SJM5
Name: SYON CORPORATION
Address: 280 ELLIOT STREET
City: ASHL
AND MA 01721
Info Phone Number: 508-881-8852
Emergency Phone Number: 1-800-255-3924
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 0SJM5
Name: SYON CORPORATION
Address: 280 ELLIOT STREET
City: ASHLAND MA 01721
Phone: 508-881-8852

=====
Item Description Information
=====

=====
Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

Signs And Symptions Of Overexposure: PROLONGED OR REPEATED SKIN EXPOSURE CAN
CAUSE MILD SKIN IRRITATION. MILDLY IRRIT

ATING TO EYES. GET MEDICAL
ATTENTION IMMEDIATELY.

First Aid: INHALATION: REMOVE TO FRESH AIR. SKIN CONTACT: WASH WITH SOAP AND
WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. EYES: FLUSH WITH WATER
FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====
Handling and Disposal
=====

Spill Release Procedures: WEAR APPROPRIATE CLOTHING AND RESPIRATOR. SCOOP UP
EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED WITH NONFLAMMABLE SOLVENT.
INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC
Flash Point: >126.7C, 260.F
Flash Point Text: 260F
Extinguishing Media: CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures: USE SELF CONTAINED BREATHING APPARATUS AND FULL

PROTECTIVE EQUIPMENT.
=====

Control Measures
=====

Respiratory Protection: NIOSH APPROVED ORGANIC VAPOR RESPIRATOR
Ventilation: LOCAL & MECHANICAL EXHAUST
Protective Gloves: IMPERVIOUS GLOVES
Eye Protection: SPLASH-PROOF GOGGLES
Other Protective Equipment: SAFETY SHOWER, AND EYE WASH FACILITIES.

=====
Physical/Chemical Properties
=====

Spec Gravity: 1.15
Appearance and Odor: COLORLESS LIQUID.
Percent Volatiles by Volume: NIGLIGIBLE

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: STORAGE AT ELEVATED TEMPERATURES OVER LONG
PERIODS OF TIME. EXCESSIVE EXOTHERMS WHEN CURED.
Materials To Avoid: STRONG OXIDIZING AGENTS AND STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products: CO, ALDEHYDES AND ACIDS.

Hazardous Polymerization Indicator: NO

=====
Other Information
=====

Other Information: THE EPOXY COMPONENTS OF THIS PRODUCT ARE FORMED IN A REACTION USING EPICHLOROHYDRIN. THIS REACTION DEPLETES EPICHLOROHYDRIN TO A CONCENTRATION BELOW 4 PPM. CONCENTRATIONS BELOW 4 PPM ARE NOT EXPECTED TO BE HARMFUL WHEN IN LIQUID MIXTURE.

=====

=====
HAZCOM Label
=====

Product ID: 039-080055-030, 031, 058, 064, 078 PART A

Cage: 0SJM5

Company Name: SYON CORPORATION

Street: 280 ELLIOT STREET

City: ASHLAND MA

Zipcode: 01721

Health Emergency Phone: 1-800-255-3924

Label Required IND: Y

Date Of Label Review: 07/12/2000

Status Code: A

Origination Code: G
=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.