

SHERWIN-WILLIAMS CO DIVERSIFIED BRANDS, INC. -- S00208,CUTTING OIL -- 9150-00-450-6938

===== Product Identification =====

Product ID:S00208,CUTTING OIL

MSDS Date:08/17/1998

FSC:9150

NIIN:00-450-6938

Status Code:A

MSDS Number: CKQVL

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS CO DIVERSIFIED BRANDS, INC.

Address:31500 SOLON ROAD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:80

0-777-2966

Emergency Phone Num:216-566-2917

Preparer's Name:NOT PROVIDED

CAGE:TO021

=== Contractor Identification ===

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-00-M-C609

CAGE:0TNN7

Company Name:SHERWIN-WILLIAMS CO DIVERSIFIED BRANDS, INC.

Address:31500 SOLON ROAD

Box:City:SOLON

State:OH

ZIP:44139

Country:US

Phone:800-777-2966

CAGE:TO021

===== Composition/In

formation on Ingredients =====

Ingred Name:PROPANE  
CAS:74-98-6  
RTECS #:TX2275000  
= Wt:5.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:1800 MG/M3;1000 PPM  
ACGIH TLV:NOT PROVIDED

Ingred Name:BUTANE  
CAS:106-97-8  
RTECS #:EJ4200000  
= Wt:5.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:800 PPM  
ACGIH TLV:1900 MG/M3;800 PPM

Ingred Name:HEAVY NAPHTHENIC PETROLEUM OIL  
CAS:64742-52-5  
RTECS #:PY8035000  
= Wt:68.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:HEAVY MINERAL OIL  
CAS:64741-96-4  
RTECS #:PY8040000  
= Wt:18.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE HEALTH HAZARDS EFFECTS OF  
OVEREXPOSURE: IRRITATION OF EYES, SKIN, RESPIRATORY SYSTEM. MAY  
CAU

SE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY CAUSE UNCONSCIOUSNESS AND POSSIBLY DEATH. CHRONIC HEALTH HAZARDS: PROLONGED OVEREXPOSURE TO SOLVENT MAY CAUSE ADVERSE EFFECTS TO THE LIVER, URINARY, CARDIOVASCULAR SYSTEMS. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA, AND LOSS OF COORDINATION ARE INDICATED

ONS OF EXCESSIVE EXPOSURE TO VAPORS OR MISTS. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.

Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:IF INHALED: IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. IF ON SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE RE-USE. IF IN EYES: FLUSH EYES WITH LARGE AMOUNT OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. IF SWALLOWED: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:FLAMMABLE AEROSOL

Lower Limits:1.0

Upper Limits:12.8

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE.

WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. EXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT.

OBTAIN MEDICAL  
ATTENTION.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND  
REMOVE WITH INERT ABSORBENT.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:CONTENTS ARE EXTREMELY FLAMMABLE. KEEP  
AWAY FROM HEAT, SPARKS, OPEN FLAME. VAPORS WILL ACCUMULATE READILY  
AND MAY IGNITE EXPLOSIVELY. CONTENTS UNDER PRE

SSURE. DO NOT

PUNCTURE, INCINERATE/EXPOSE TO TEM PERATURE ABOVE 120F. DURING USE  
AND UNTIL ALL VAPORS ARE GONE, KEEP AREA VENTILATED. DO NOT SMOKE.

Other Precautions:DO NOT TAKE INTERNALLY. INTENTIONAL MISUSE BY  
DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL  
OR FATAL. HEAT FROM SUNLIGHT, RADIATORS, STOVE, HOT WATER COULD  
CAUSE CONTAINER TO BUR ST. KEEP OUT OF REACH OF CHILDREN. USE  
APPROVED BONDING AND GROUNDING PROCEDURES.

===== Exposure Co  
ntrols/Personal Protection =====

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW  
APPLICABLE LIMITS BY VENTILATION, WEAR PROPERLY FITTED ORGANIC  
VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION  
AGAINST INGREDIENTS.

Ventilation:LOCAL EXHAUST PEREFERABLE. GENERAL EXHAUST IS ACCEPTABLE IF  
THE EXPOSURE TO INGREDIENTS IS MAINTAINED BELOW APPLICABLE EXPOSURE  
LIMITS.

Protective Gloves:WEAR SUPPLIER RECOMMENDED GLOVES FOR PROTECTION

AGAINST INGREDIENTS.

Eye Protection:WEAR SAFETY SPECTACLES WITH UNPERFORATED SIDESHIELDS.

Other Protective Equipment:NOT PROVIDED

Work Hygienic Practices:USE ONLY WITH ADEQUATE VENTILATION. AVOID  
BREATHING VAPORS AND SPRAY MISTS. AVOID CONTACT WITH SKIN AND EYES.  
WASH HANDS AFTER USING.

Supplemental Safety and Health

FLASH POINT: -20F

===== Physical/Chemical Properties =====

HCC:V3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:1

Spec Gravity:0.8559

pH:NOT RELEVANT  
VOC Grams/Liter:.71  
Viscosity:NOT PROVIDED  
Evaporation Rate & Reference:NOT PROVIDED  
Solubility in Water:N.A.  
Appearance and Odor:NOT PROVIDED  
Percent Volatiles by Volume:NOT PROVIDED  
Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN  
Stability Condition to Avoid:NONE KNOWN  
Hazardous Decomposition Products:BY FIRE: CARBON DIOXIDE, CARBON MONOXIDE.

===== Tox  
icological Information =====

Toxicological Information:NOT PROVIDED

===== Ecological Information =====

Ecological:NOT PROVIDED

===== Disposal Considerations =====

Waste Disposal Methods:WASTE FROM THESE PRODUCTS MAY BE HAZARDOUS AS DEFINED UNDER THE RCRA (40 CFR 261). WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DO NOT INCINERATE. DEP RESSURIZE CONTAINER. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS REGARDING POLLUTION.

===== MSDS Transport Information =====

Transport Information:NOT PROVIDED

===== Regulatory Information =====

SARA Title III Information:INGREDIENT SUBJECT TO THE REPORTING REQUIREMENTS OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) SECTION 313, 40 CFR 372.65 C: NONE.  
Federal Regulatory Information:NOT PROVIDED

State Regulatory Information:NOT PROVIDED

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.