

CRC INDUSTRIES, INC. -- 02121, 02122, 02124, LECTRA CLEAN II - BULK -- 6850-01-382-5252

===== Product Identification =====

Product ID:02121, 02122, 02124, LECTRA CLEAN II - BULK

MSDS Date:02/24/1999

FSC:6850

NIIN:01-382-5252

Status Code:A

MSDS Number: CKSBG

=== Responsible Party ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:UNKNOW

City:WARMINSTER

State:PA

ZIP:18974

Country:US

I

Info Phone Num:804-279-3034, DSN 695-3034

Emergency Phone Num:215-674-4300

Resp. Party Other MSDS Num.:490A

Preparer's Name:ADAM M. SELISKER

Chemtrec Ind/Phone:(800)424-9300

CAGE:OO841

=== Contractor Identification ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:UNKNOW

City:WARMINSTER

State:PA

ZIP:18974

Country:US

Phone:804-279-3034, DSN 695-3034

CAGE:OO841

Company Name:MORNING STAR INDUSTRIES INC

Address:665 BAYBERRY LN

Box:1266

City:JENSEN BEACH

State:FL

ZIP:34958

Country:US

P

hone:800-440-6050  
Contract Num:SP0450-00-M-SE15  
CAGE:1GDM9

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM DISTILLATE  
CAS:64742-48-9  
Minumum % Wt:35.  
Maxumum % Wt:55.

Ingred Name:PETROLEUM DISTILLATE  
CAS:64771-72-8  
Minumum % Wt:5.  
Maxumum % Wt:15.

Ingred Name:DPM ACETATE  
CAS:88917-22-0  
Minumum % Wt:5.  
Maxumum % Wt:15.

Ingred Name:PETROLEUM DISTILLATE  
CAS:64742-88-7  
Minumum % Wt:5.  
Maxumum % Wt:15.

Ingred Name:DIPROPYLENE GLYCOL ETHYL ETHER  
CAS:345  
90-94-8  
RTECS #:JM1575000  
Minumum % Wt:20.  
Maxumum % Wt:40.  
OSHA PEL:600 MG/M3;100 PPM  
ACGIH TLV:606 MG/M3;100 PPM  
ACGIH STEL:909 MG/M3;150 PPM

=====  
Hazards Identification  
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:POTENTIAL HEALTH EFFECTS:  
    INHALATION-IRRITATION TO RESPIRATION TRACT AND CENTRAL SYSTEM ODOR.  
    CHRONIC OVEREXPOSURE: NONE KNOWN TO HUMANS.  
Medical Cond Aggravated by Exposure:NA

=====

===== First Aid Measures =====

First Aid:INHALATION-REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. EYES-FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHING AND WASH AREA WITH SOAP AND WATER. IN GESTION-CALL A PHYSICIAN. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=61.1C, 142.F

Lower Limits:1.1

Upper Limits:14.0

Extinguishing M

edia:FOAM, WATER FOG OR CARBON DIOXIDE, AND DRY CHEMICAL.

Fire Fighting Procedures:REMOVE CONTAINERS FROM FIRE AREA IF POSSIBLE. USE SELF-CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING.

===== Accidental Release Measures =====

Spill Release Procedures:AREA SHOULD BE VENTILATED. ABORBENT SHOULD BE USED TO PICK UP EXCESS MATERIAL. ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN ACORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA.

Other Precautions:EMERGENCY OVERVIEW: APPERANCE & ODOR: CLEAR LIQUID WITH SLIGHT ODOR. DANGER: COMBUSTIBLE. HARMFUL OR FATAL IF SWALLOWED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA COMPLIANT RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS ABOVE EXPOSURE LIMIT. FOLLOW OSHA REGULATIONS 29 CFR 1910.134

Ventilation:ADEQUATE TO PREVENT ACCUMULATION OF VAPORS. USE MECHANICAL MEANS IF NECESSARY TO MAINTAIN LEVELS BELOW THE EXPOSURE LIMITS.

Protective Gloves:WEAR CHEMICALLY PROTECTIVE GLOVES.

Eye Protection:WEAR SAFETY GLASSES.

Other Protective Equipment:USE A SPLASH APRON AND BOOTS IF SPLASHING OCCURS.

Supplemental Safety and Health

IF WORKING IN A CONFINED SPACE, FOLLOW APPLICABLE OSHA REGULATIONS.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:

>190.6C, 375.F  
Vapor Pres:5 MM  
Vapor Density:>5 , AIR=1  
Volatile Org Content %:90  
Spec Gravity:0.83  
Evaporation Rate & Reference:SLOW.  
Solubility in Water:SLIGHT.  
Appearance and Odor:CLEAR LIQUID, SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:STRONG OXIDIZERS.  
Hazardous Decomposition Products:NONE.

===== Toxicological Information =====

=====

Toxicological Information:LONG-TERM TOXICOLOGICAL STUDIES HAVE NOT BEEN CONDUCTED FOR THIS PRODUCT.

===== Ecological Information =====

Ecological:ECOTOXICITY: NO DATA AVAILABLE. ENVIRONMENTAL FATE: NO DATA AVAILABLE FOR BIODEGRADATION.

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS WASTE UNDER U.S. EPA RCRA REGULATIONS. ALL DISPOSAL ACTIVITIES MUST COMPLY WITH FEDERAL, STATE & LOCAL REGULATIONS. CONTACT YOUR LOCAL OR STATE ENVIRONMENTAL AGENCY FOR SPECIFIC RULES. DO NOT DUMP INTO SEWERS, ON THE GROUND OR INTO ANY BODY OF WATER.

===== MSDS Transport Information =====

Transport Information:SHIPPING NAME: NOT REGULATED.

===== Regulatory Information =====

SARA Title III Information:NA  
Federal Regulatory Information:TSCA: ALLCOMPONENTS ARE EITHER LISTED UNDER TSCA O

R ARE EXEMPT.

State Regulatory Information: CALIFORNIA PROP 65: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.