

VALVE SEALANT SUPPLY INC -- NORDSTROM 950 SEALANT (STICK GRADE)

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-261-8290
MSDS Date: 12/01/1992
MSDS Num: CKSCN
Product ID: NORDSTROM 950 SEALANT (STICK GRADE)
MFN: 01
Responsible Party
Cage: 1H8S9
Name: VALVE SEALANT SUPPLY INC
Address: 204 S LOCKSLEY DR
City: LA
FAYETTE LA 70508
Info Phone Number: 318-237-1977
Emergency Phone Number: 318-237-1977
Resp. Party Other MSDS No.: 040

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,PLUG VALVE
Specification Number: MIL-G-6032
Type/Grade/Class: TYPE II CLASS C
Unit of Issue: BX
Quantitative Expression: 00000000024EA
UI Container Qty: G
Type of Container: BOX

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NOT PROVIDED
Carcinogenicity Inds - NTP: YES
IARC: YES
OSHA: NO
Effects of Exposure: HEALTH EFFECTS: INHALATION: NONE EXPECTED. INGESTION: MAY BE MILDLY IRRITATING TO THE GASTROINTESTINAL TR

ACT. SKIN: PROLONGED OR

REPEATED SKIN CONTACT MAY PRODUCE MILD IRRITATION. EYES: MATERIAL CONTACTING THE EYES MAY PRODUCE IRRITATION.

Explanation Of Carcinogenicity: CONTAINS 0-4% CRYSTALLINE SILICA. INTERNATIONAL AGENCY FOR RESEARCH ON CANCER HAS CONCLUDED THAT THERE IS SUFFICIENT EVIDENCE FOR CARCINOGENICITY OF CRYSTALLINE SILICA TO EXPERIMENTAL ANIMALS AND LIMITED EVIDENCE FOR CARCINOGENICITY TO HUMANS. THE ORGANOPHILIC CLAY IN THIS FORMULATION IS ENCAPSULATED AND CANNOT BECOME

AIRBORNE UNDER NORMAL USAGE CONDITIONS.

Signs And Symptoms Of Overexposure: INGESTION: MAY BE MILDLY IRRITATING TO THE GASTROINTESTINAL TRACT. SKIN: PROLONGED OR REPEATED SKIN CONTACT MAY PRODUCE MILD IRRITATION. EYES: MATERIAL CONTACTING THE EYES MAY PRODUCE IRRITATION.

Medical Cond Aggravated By Exposure: NOT PROVIDED

First Aid: EYES: FLUSH EYES WITH CLEAR WATER FOR 15 MINUTES. CALL PHYSICIAN.

SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INHALATION: VAPOR PRESSURE IS VERY LOW. VAPOR I

NHALATION IS NOT CONSIDERED A PROBLEM UNDER NORMAL USAGE CONDITIONS. INGESTION: IF SWALLOWED, CONSULT PHYSICIAN.

=====
Handling and Disposal

=====
Spill Release Procedures: RECOVER FREE MATERIAL. ADD SUITABLE ABSORBENT MATERIAL TO SPILL AREA. CLEAN SPILL AREA WITH DETERGENT SOLUTION.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: INCINERATE IN A FURNACE OR OTHERWISE DISPOSE OF IN

ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL REQUIREMENTS AND REGULATIONS.

Handling And Storage Precautions: STORE IN SEALED CONTAINERS TO AVOID CONTAMINATION WITH FOREIGN PARTICLES.

Other Precautions: NOT PROVIDED

=====
Fire and Explosion Hazard Information

=====
Flash Point Method: COC

Flash Point: =160.C, 320.F

Lower Limits: NOT AVAILABL

Upper Limits: NOT AVAILABL

Extinguishing

Media: DRY CHEMICAL POWDER, CARBON DIOXIDE, CHEMICAL FOAM.
Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING
FIRE IN CONFINED AREAS. TREAT AS BURNING OIL.
Unusual Fire/Explosion Hazard: NONE KNOWN.

=====
Control Measures
=====

Respiratory Protection: RESPIRATORY PROTECTION NOT NEEDED UNDER NORMAL USAGE
CONDITIONS.

Ventilation: ADEQUATE VENTILATION IN ACCORDANCE
WITH GOOD ENGINEERING PRACTICE
IS SUFFICIENT.

Protective Gloves: USE RESISTANT GLOVES, AS NEEDED, TO MINIMIZE SKIN CONTACT.

Eye Protection: SAFETY GLASSES ADVISED AS STANDARD SAFETY PRECAUTION.

Other Protective Equipment: NONE NORMALLY NEEDED.

Work Hygienic Practices: NOT PROVIDED

Supplemental Safety and Health: NONE

=====
Physical/Chemical Properties
=====

HCC: V6

NRC/State LIC No: NOT RELEVAN

T

B.P. Text: NOT AVAILABLE

M.P/F.P Text: NOT PROVIDED

Decomp Text: NOT PROVIDED

Vapor Pres: NIL

Vapor Density: N.A.

Spec Gravity: 1.17 @ 75F

Viscosity: NOT PROVIDED

Evaporation Rate & Reference: NIL (ETHER=1)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: TAN GREASE IN STICK FORM. SLIGHT FATTY ODOR.

Percent Volatiles by Volume: NIL

Corrosion Rate: NOT PROVIDED

=====
Reactivity Data
=====

=
Stability Indicator: YES

Stability Condition To Avoid: NOT PROVIDED

Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZERS.

Hazardous Decomposition Products: INCOMPLETE COMBUSTION MAY PRODUCE CARBON
MONOXIDE, CARBON DIOXIDE AND ASPHYXIANTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE

=====
Toxicological Information
=====

Toxicological Information: ORGANOPH

ILIC CLAY (CONTAINING 0-4% TOTAL CRYSTALLINE SILICA). THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER HAS CONCLUDED THAT THERE IS SUFFICIENT EVIDENCE FOR THE CARCINOGENICITY OF CRYSTALLINE SILICA TO EXPERIMENTAL ANIMALS AND LIMITED EVIDENCE FOR THE CARINOGENICITY TO HUMANS. THE ORGANOPHILIC CLAY IN THIS FORMULATION IS ENCAPSULATED AND CANNOT BECOME AIRBORNE UNDER NORMAL USAGE CONDITIONS.

=====
Ecological Information
=====

=====
Ecological: NOT PROVIDED
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

Sara Title III Information: NOT PROVIDED

Federal Regulatory Information: OSHA HAZARD COMMUNICATION STANDARD: THIS PRODUCT HAS BEEN EVALUATED AND DOES NOT REQUIRE ANY WARNING LABEL UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200(D)).

State Regulatory Information: NOT PROVIDED
=====

=====
Other Information
=====

Other Information: NONE
=====

=====
Transportation Information
=====

Responsible Party Cage: 1H8S9

Trans ID NO: 154383

Product ID: NORDSTROM

950 SEALANT (STICK GRADE)

MSDS Prepared Date: 12/01/1992

Review Date: 08/09/2000

MFN: 1

Multiple KIT Number: 0

Unit Of Issue: BX

Container QTY: G

Type Of Container: BOX

Additional Data: NOT REGULATED FOR TRANSPORTATION, PER MSDS.
=====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: NORDSTROM 950 SEALANT (STICK GRADE)

Cage: 1H8S9

Company Name: VALVE SEALANT SUPPLY INC

Street: 204 S LOCKSLEY DR

City: LAFAYETTE LA

Zipcode: 70508

Health Emergency Phone: 318-237-1977

Date Of Label Review: 08/09/2000

Status Cod

e: A

Signal Word: NONE

Health Hazard: None

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any per

son or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a correspondi

ng Department

of Defense or other government situation.