

WAMPOLE LABORATORIES DIV. OF CARTER-WALLACE INC -- 45D2, STREPTOZYME --
6550-01-057-7405

===== Product Identification =====

Product ID:45D2, STREPTOZYME

MSDS Date:06/01/1999

FSC:6550

NIIN:01-057-7405

Status Code:A

MSDS Number: CKSDZ

=== Responsible Party ===

Company Name:WAMPOLE LABORATORIES DIV. OF CARTER-WALLACE INC

Box:1001

City:CRANBURY

State:NJ

ZIP:08512-0181

Country:US

Info Phone Num:800-25

7-9525

Emergency Phone Num:(800)424-9300

Resp. Party Other MSDS Num.:WM107 VER.3

Chemtec Ind/Phone:(800)424-9300

CAGE:5P655

=== Contractor Identification ===

Company Name:WAMPOLE LABORATORIES DIV. OF CARTER-WALLACE INC

Box:1001

City:CRANBURY

State:NJ

ZIP:08512-0181

Country:US

Phone:800-257-9525

CAGE:5P655

===== Composition/Information on Ingredients =====

Ingred Name:HUMAN SOURCE MATERIAL (CONTAINED IN POSITIVE CONTROLS).

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES
Health Hazards Acute and Chronic:OCCUPATIONAL EXPOSURE TO THIS PRODUCT IS NOT EXPECTED TO PRODUCE ADVERSE HUMAN HEALTH EFFECTS FOLLOWING PRUDENT WORKPLACE PRACTICES. POTENTIAL SENSITIZATION: THIS PRODUCT CONTAINS DRY NATURAL RUBBER (IN THE DROPPER BULB, CAPILLARY TUBE BULB, AND IN THE VIAL STOPPER).

===== First Aid Measures =====

First Aid:FOR INGESTION, SEE
K IMMEDIATE MEDICAL ATTENTION. FOR EYE CONTACT, FLUSH WITH PLENTY OF WATER AND SEEK MEDICAL ATTENTION. FOR SKIN CONTACT, WASH WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Extinguishing Media:USE STANDARD FIRE FIGHTING PROCEDURES DEPENDING ON THE SOURCE OF THE SURROUNDING FIRE.
Unusual Fire/Explosion Hazard:NO FIRE OR EXPOLSION HAZARDS. PACKAGING MATERIAL WILL BURN IN A FIRE.

===== Accidental Release Measures =====

=====

Spill Release Procedures:DECONTAMINATE SPILL WITH A BLEACH SOLUTION OR APPROPRIATE GERMICIDE PRIOR TO PICK UP. IF MATERIAL IS SPILLED DOWN DRAIN, FLUSH WITH A LARGE VOLUME OF WATER TO PREVENT AZIDE BUILDUP IN COPPER OR LEAD PL UMBLING. DECONTAMIANTION PROCEDURES ARE AVAILABLE ON REQUEST.

===== Handling and Storage =====

Handling and Storage Precautions:READ THE PACKAGE INSERT. ALWAYS FOLLOW GOOD LABORATORY PRACTICES WHEN USING TH
IS PRODUCT. HANDLE ALL CONTROLS AND BLOOD SPECIMENS AS IF CAPABLE OF TRANSMITTING DISEASE. EMPLOYEE EXPOSURE TO HUMAN SOUR CE MATERIAL IS REGULATED UNDER THE CODE OF FEDERAL REGULATIONS 29 CFR 1910.1030.

===== Exposure Controls/Personal Protection =====

Ventilation:A BIOSAFETY CABINET.
Protective Gloves:BARRIER GLOVES.
Eye Protection:EYE PROTECTION.
Other Protective Equipment:BARRIER GLOVES, EYE PROTECTION, AND LABORATORY COAT MAY BE REQUIRED AS LABORATORY CON

DITIONS INDICATE.

Supplemental Safety and Health

VENTILATION: BIOSAFETY CABINET, AS RECOMMENDED IN THE CDC/NIH MANUAL, MAY BE NECESSARY IF THERE IS A POSSIBILITY OF AEROSOLIZATION DURING HANDLING OF CONTROLS OR TEST SPECIMENS.

===== Physical/Chemical Properties =====

HCC:T6

Appearance and Odor:TEST KIT CONSISTING OF THREE REAGENTS, CALIBRATED CAPILLARY TUBES & BULBS.

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid:YES

IF DISPOSED DOWN A DRAIN, THE SODIUM AZIDE IN THIS KIT MAY REACT WITH LEAD AND COPPER PLUMBING TO FORM HIGHLY EXPOSIVE METAL AZIDES.

Stability Condition to Avoid:NOT APPLICABLE.

Hazardous Decomposition Products:IF INVOLVED IN A FIRE, POISONOUS GAS MAY BE PRODUCED BY THE PACKAGING MATERIALS

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Toxicological Information =====

Toxicological Information:EACH DONOR UNIT USED IN THE PREPARATION OF

THE POSITIVE AND NEGATIVE CONTROLS WAS TESTED BY AN FDA APPROVED METHOD FOR THE PRESENCE OF THE ANTIBODY TO HIV AS WELL AS FOR HEPATITIS B SURFACE ANTIGEN AND D FOUND TO BE NEGATIVE. BECAUSE NO TESTMETHOD CAN OFFER COMPLETE ASSURANCE THAT HIV , HEPATITIS B VIRUS OR OTHER INFECTIOUS AGENTS ARE ABSENT, THIS PRODUCT SHOULD BE HANDLED AT THE BIOSAFETY LEVEL 2 AS RECOMMENDED FOR ANY POTENTIALLY INFECTIOUS HUMANS SPECIMEN IN THE CENTERS FOR DISEASE CONTROL

/NATIONAL INSTITUTE OF HEALTH MANUAL :BIOSAFETY IN MICROBIOLOGICAL & BIOMEDICAL LABS".

===== Disposal Considerations =====

Waste Disposal Methods:PLACE MATERIAL IN A SEALED CONTAINER AND DISPOSE OF AS MEDICAL/INFECTIOUS WASTE IN ACCORDANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulate

d for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.