View NSN Online: https://aerobasegroup.de/nsn/6850-01-165-5409

Product ID:DOCUTECH 90/DOCUPRINT 390 TONER, CLASS V DRY INK MSDS Date:09/09/1997 FSC:6850 NIIN:01-165-5409 Status Code:A MSDS Number: CKVVB === Responsible Party === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH City:ROCHESTER State:NY ZIP:14644 Country:US Inf o Phone Num:800-828-6571 Emergency Phone Num:716-422-2177/1230 Resp. Party Other MSDS Num.: A-0110 CAGE:26921 === Contractor Identification === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:STYRENE / ACRYLATE POLYMER CAS:25213-39-2 > Wt:90. Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CA

S:1333-86-4 RTECS #:FF5800000 Minumum % Wt:5. Maxumum % Wt:10. Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:QUATERNARY AMMONIUM SALTS (CAS NOS. 123-03-5 AND 3843-16-1) (NOTE: TONERS LABELED 1075/1090/4050/4090/4650 CONTAIN ONLY QUATERNARY AMMONIUM SALT CAS # 123-03-5; < 5%) &It; Wt:5. Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >10G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC, OR OSHA. Effects of Overexposure:MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST.

Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCIBED BY PRODUCT LITERATURE.

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE FROM EXPOSURE. INGESTION: DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER.

Flash Point:NONE Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE, FOAM. Fire Fightin

g Procedures: AVOID INHALATION OF SMOKE. WEAR PROTECTIVE
CLOTHING AND SELF-CONTAINED BREATHING APPARATUS. NFPA 704: HEALTH:
0, FIRE: 3, REACTIVITY: 0.
Unusual Fire/Explosion Hazard: TONER IS A COMBUSTIBLE POWDER. LIKE MOST
ORGANIC MATERIALS IN POWDER FORM, IT CAN FORM EXPLOSIVE MIXTURES
WHEN DISPERSED IN AIR.

Spill Release Procedures:SWEEP UP OR VACUUM SPILLED TONER AND CAREFULLY TRANSFER INTO SEALABLE CONTAI

NER. SWEEP SLOWLY TO MINIMIZE

GENERATION OF DUST DURING CLEANUP. IF A VACUUM IS USED, THE MOTOR MUST BE RATED AS DUST TIGHT. A CONDUCTIVE HOSE BONDED TO THE MACHINE SHOULD BE USED TO REDUCE STATIC BUILDUP. RESIDUE CAN BE REMOVED WITH SOAP AND COLD WATER. GARMENTS MAY BE WASHED OR DRY CLEANED, AFTER REMOVAL OF LOOSE TONER.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:HANDLING AND STOR

AGE: NONE. AVOID

PROLONGED INHALATION OF EXCESSIVE DUST.

Other Precautions: FOLLOW LABEL DIRECTIONS. AVOID BREATHING DUST.

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Protective Gloves:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Eye Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Other Protective Equipment:FOR USE OTHER THAN NORMAL CUSTOMER-OPERATING PROCEDURES (SUCH AS IN BULK TONER PROCESSING FACILITIES), GOGGLES AND RESPIRATORS MAY BE REQUIRED. FOR MORE INFORMATION, CONTACT XEROX.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT. AVOID PROLONGED INHALATION OF EXCESSIVE DUST. WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

TRADE NAME/SYNONYMS:

1075/1090,4050/4090/4250/4450/4530/4650/5388/5680/5892/DOCUTECH 90/DOCUPRINT 390 TONER, CLASS V DRY INK. PART NO: USCO: 6R58\*, 6R301, 6R455\*, FX: 6R303\*, 6R306\*, 6R323, XCL: 6R501 , 6R524\*; RX: 6R303; NY: CL536R455\*, CL566R455\*, CL5P6R455\* (\*CANCELLED).

ON. Hazardous Decomposition Products:PRODUCTS OF COMBUSTION MAY BE TOXIC. AVOID BREATHING SMOKE.

Toxicological Information:ORAL (RAT) LD50: >10 G/KG, PRACTICALLY NON-T0XIC. DERMAL (RABBITS) LD50: >2 G/KG, PRACTICALLY NON-TOXIC. INHALATION (RATS, 4 HR EXPOSURE) LC50: >5 MG/L, PRACTICALLY NON-TOXIC. >20 MG/L (RATS, CALCULAT ED 1 HR EXPOSURE) NON-POISONOUS, DOT. NOT AN EYE OR SKIN IRRITANT, OR SKIN SENSTIZ

ER. HUMAN PATCH: NON-SESITIZING, NON-IRRITATING. MUTAGENICITY: NONE DETECTED IN AMES ASSAY. CARCINOGENS: NONE PRESENT . TERATOLOGY (RATS): NO SIGNIFICANT EFFECTS ON FETAL DEVELOPMENT. SUBCHRONIC INHALATION (RATS): NO ADVERSE EFFECTS OTHER THAN THOSE DUE TO "LUNG OVERLOADING" A GENERIC RESPONSE TO EXCESSIVE DUST IN LU NGS FOR PROLONGED PERIOD.

Ecological:AQUATIC LC50: >500 MG/L (RAINBOW TROUT). TONERS LABEL ED

1075/1090/4050/4090/4650: AQUATIC LC50>50 MG/L (RAINBOW TROUT). TOXICOLOGY: EXPOSURE LIMITS: TLV: 10 MG/M3 (TOTAL DUST); PEL: 15 MG/M3 (TOTAL DU ST), 5.0 MG/M3 (RESPIRABLE DUST). STEL: N.E., CEILING: N.E., XEL(XEROX EXPOSURE LIMIT): 2.5 MG/M3 (TOTAL DUST), O.4 MG/M3 (RESPIRABLE DUST)

Waste Disposal Methods: THIS MATERIAL IS NOT A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATION 40 CFR 261. STATE AND LO

## CAL WASTE DISPOSAL

REQUIREMENTS MAY HOWEVER, BE MORE RESTRICTIVE. CONSULT WITH APPROPRIATE STATE AND LOCA L AUTHORITIES FOR SPECIFIC INFORMATION. INCINERATE ONLY IN A CLOSED CONTAINER.

Transport Information:DOT PROPER SHIPPING NAME: N/A (NOT REGULATED); HAZARD CLASSIFICATION, ID NUMBER, AND PACKING GROUP: NOT APPLICIABLE.

Disclaimer (pr

ovided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.