

UNI-KEM INTERNATIONAL INC -- MIL-L 25567D, LEAK DETECTOR -- 6850-00-186-2963

===== Product Identification =====

Product ID:MIL-L 25567D, LEAK DETECTOR

MSDS Date:01/01/1990

FSC:6850

NIIN:00-186-2963

Status Code:A

MSDS Number: CKWQC

=== Responsible Party ===

Company Name:UNI-KEM INTERNATIONAL INC

Address:401 WHITNEY AVE SUITE 206

City:GRETNA

State:LA

ZIP:70056

Country:US

Info Phone Num:504-366-9105

OR 366-9119

Emergency Phone Num:504-366-9105 OR 366-9119

CAGE:UO156

=== Contractor Identification ===

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

CAGE:0PGK2

Company Name:UNI-KEM INTERNATIONAL INC

Address:401 WHITNEY AVE SUITE 206

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105 OR 366-9119

CAGE:UO156

===== Composition/Information on Ingredients =====

Ingred Name:TRIETHANOL

AMINE LAURYL SULFATE (LEAK DETECTOR IS AN AQUEOUS  
CONCENTRATE OF TRIETHANOLAMINE LAURYL SULFATE AND WATER. IT IS  
NON-HAZAROUS.)

CAS:139-96-8

RTECS #:WT1000000

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NON-HAZARDOUS.

=====  
===== First Aid Measures =====

First Aid:N CASE OF CONTACT, IMMEDIAT  
ELY FLUSH EYES OR SKIN WITH PLENTY  
OF WATER.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE TO BOILING  
Extinguishing Media:NO SPECIAL PROCEDURES  
Fire Fighting Procedures:NO UNUSUAL HAZARDS  
Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:S  
TORE IN ROOM TEMPERATURE.  
Other Precautions:AVOID ALKALIES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.  
Ventilation:NONE  
Protective Gloves:DESIRABLE  
Eye Protection:GOGGLES  
Other Protective Equipment:APRON DESIRABLE  
Work Hygienic Practices:READ LABEL CAREFULLY BEFORE USING.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Solubility in Water:SOLUBLE  
Appearance and Odor:CLEAR

## LIQUID CHARACTERISTIC ODOR

### ===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AND REDUCING AGENTS, AKALIES

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: TRIETHANOLAMINE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of A

merica in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.