

MINNESOTA MINING & MFG CO ELECTRICAL PRODUCTS,(3M) -- SCOTCHCAST BRAND 4
ELECTRICAL INSULATING RESIN, PART B -- 5970-00-810-1513

===== Product Identification =====

Product ID:SCOTCHCAST BRAND 4 ELECTRICAL INSULATING RESIN, PART B

MSDS Date:06/01/1989

FSC:5970

NIIN:00-810-1513

Status Code:A

Kit Part:Y

MSDS Number: CKXLY

=== Responsible Party ===

Company Name:MINNESOTA MINING & MFG CO ELECTRICAL PR
ODUCTS,(3M)

Address:3M AUSTIN CTR

Box:2963

City:AUSTIN

State:TX

ZIP:78769-2963

Country:US

Info Phone Num:512-984-5670

Emergency Phone Num:612-733-1110

Resp. Party Other MSDS Num.:10-2577-4

CAGE:75037

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV

Address:3M AUSTIN

CTR

Box:City:AUSTIN

State:TX

ZIP:78769-2963

Country:US

Phone:512-984-1800

CAGE:75037

===== Composition/Information on Ingredients =====

Ingred Name:NONYLPHENOL

CAS:25154-52-3

RTECS #:SM5600000

Minimum % Wt:35.

Maximum % Wt:45.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name:EPOXY RESIN

CAS:70776-37-3

Minimum % Wt:25.

Maximum % Wt:35.

1-AMINO PIPERAZINE

CAS:140-31-8

RTECS #:TK8050000

Minimum % Wt:10.

Maximum % Wt:13.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingredient Name:AROMATIC HYDROCARBONS

CAS:70955-17-8

Minimum % Wt:3.

Maximum % Wt:5.

OSHA PEL:NONE

ACGIH TLV:NONE

Ingredient Name:2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

CAS:90-72-2

RTECS #:SN3500000

Minimum % Wt:2.

Maximum % Wt:5.

Other REC Limits:5 PPM-YWA (CMRG)

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 ALBINO RAT BETWEEN 2500MG-5000MG.
KG

Health Hazards Acute and Chronic:EYE: IRRITATING TO EYES ON DIRECT CONTACT WITH MIXTURE OF PART A AND PART B OR EITHER PART SEPARATELY. SKIN: IRRITATING ON DIRECT CONTACT. (MIXTURE OF PART A AND PART B: IRRITATING TO SKIN OF ALBINO RABBIT AFTER 24 HOUR OCCLUDED CONTACT.) MAY CAUSE SKIN SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS. INHALATION: VAPORS MAY BE IRRITATING TO RESPIRATORY SYSTEM. INGESTION: PART A IS PRACTICALLY NON-TOXIC ORALLY.

Explanation of Carcinogenicity:

IARC STATES THE DATA AVAILABLE ON CARBON BLACKS ARE INADEQUATE TO PERMIT AN EVALUATION OF THEIR CARCINOGENICITY TO EXPERIMENTAL ANIMALS. THERE IS SUFFICIENT EVIDENCE THAT BENZENE EXTRACTS OF MOST OF THE CARBON BLACKS TESTED ARE CARCINOGENIC TO EXPERIMENTAL ANIMALS.

Effects of Overexposure:IRRITATING TO EYES AND SKIN ON DIRECT CONTACT. IRRITATING TO RESPIRATORY SYSTEM

Medical Condition Aggravated by Exposure:NO DATA PROVIDED BY MANUFACTURER.

=====

=== First Aid Measures ===

First Aid:EYE: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER AND CONTINUE FOR AT LEAST TEN MINUTES. CALL PHYSICIAN. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. INHALATION: PROVIDE FRESH AIR; I F COUGHING, WHEEZING OR SHORTNESS OF BREATH DEVELOPS, CALL A PHYSICIAN. IF SWALLOWED, GIVE ONE TO TWO GALASSES OF WATER IMMEDIATELY AND IMMEDIATELY INDUCE VOMITING. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>110.C, 230.F
Autoignition Temp:Autoignition Temp Text:N/D
Lower Limits:N/D
Upper Limits:N/D
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:PART A OR PART B: OBSERVE PRECAUTIONARY INFORMATION FROM OTHER SECTIONS. USE ABSORBENT MATERIAL AS NEEDED AND SWEEP UP. MIXTURE OF PART A AND PART B: OBSERVE PRECAUTIONARY INFORMATION FROM OTHER SECTIONS. CLEAN UP SPILL.
Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY IN WELL VENTILATED AREAS WITH SUFFICIENT AIR MOVEMENT TO MAINTAIN AIRBORNE VAPOR CONCENTRATION LEVELS AT RECOGNIZED HEALTH AND SAFETY LEVELS.
Other Precautions:DO NOT GET INTO EYES; USE OF COMMERCIAL SAFETY GLASSES IS RECOMMENDED. AVOID SKIN CONTACT. AVOID PROLONGED BREATHING OF VAPORS. LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO DATA PROVIDED BY MANUFACTURER.
Ventilation:USE ONLY IN WELL VENTILATED AREAS WITH SUFFICIENT AIR MOVEMENT TO MAINTAIN AIRBORNE VAPOR CONCENTRATION LEVELS AT RECOMMENDED LEVELS.
Protective Gloves:NO DATA

PROVIDED BY MANUFACTURER.
Eye Protection:CHEMICAL SAFETY GLASSES
Other Protective Equipment:NO DATA PROVIDED BY MANUFACTURER.
Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
DLA-HMIS NOTE: PART B OF TWO PART KIT. PART A IS DOD-HMIS SERIAL NUMBER CKXLX.

===== Physical/Chemical Properties =====

HCC:V5
Spec Gravity:0.98
Viscosity:3500 CPS
Solubility in Water:NIL
Appearance and Odor:BLACK LIQUID, AMINE ODOR
Percent
Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND
OXIDES OF NITROGEN
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Toxicological Information =====

Toxicological Information:NO DATA PROVIDED BY MANUFACTURER.

===== Ecological Information =====

=====

Ecological:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:PART A OR PART B: DISPOSE BY INCINERATION OR
SEND FULLY ADSORBED MATERIAL FOR LANDFILL IN ACCORDANCE WITH LOCAL
AND STATE REGULATIONS. MIXTURE OF PART A AND PART B: FULLY CURED
MATERIAL MAY BE LANDFIL LED IN ACCORDANCE WITH LOCAL AND STATE
REGULATIONS.

===== MSDS Transport Information =====

Transport Information:NO DATA PR

PROVIDED BY MANUFACTURER.

===== Regulatory Information =====

SARA Title III Information:SARA HAZARD CLASS: FIRE: NO, PRESSURE: NO,
REACTIVITY-NO, ACUTE: YES, CHRONIC: YES.

Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER.

State Regulatory Information:NO DATA PROVIDED BY MANUFACTURER.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.