

ORISON MARKETING, L.L.C. -- SAFE CARE MORE THAN GLASS (READY TO USE)

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-347-0073
MSDS Date: 03/19/1998
MSDS Num: CKXND
Product ID: SAFE CARE MORE THAN GLASS (READY TO USE)
MFN: 01
Responsible Party
Cage: 1GZV7
Name: ORISON MARKETING, L.L.C.
Address: 17 WINDMILL CIRCLE
City: ABILENE TX 79606
Info Phone Number: 915-692-1135, 972-242-0129
Emergency Phone Number: 915-692-1135
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 1GZV7
Name: ORISON MARKETING, L.L.C.
Address: 17 WINDMILL CIRCLE
City: ABILENE TX 79606
Phone: 915-692-1135, 972-242-0129
Contract Number: SP0450-01-M-D498
Cage: 1GZV7
Name: ORISON MARKETING, L.L.C.
Address: 17 WINDMILL CIRCLE
City: ABILENE TX 79606
Phone: 915-692-1135, 972-242-0129
Contract Number: SP0450-01-M-D584

=====
Item Description Information
=====

Item Name: CLEANING COMPOUND,WINDSHIELD
Specification Number: O-C-1901
Type/Grade/Class: NONE
Unit of Issue: GL
UI Container Qty: 1
Type of Container: CAN

=====
Ingredients
=====

=====
Name: *** PROPRIETARY ***

=====

Health Hazards Data
=====

Effects of Exposure: ACUTE: SWALLOWING: CONTAINS ISOPROPYL ALCOHOL 1%, WILL CAUSE POISONING. SKIN ABSORPTION: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE INFORMATION. EYE: SLIGHTLY IRRITATING. SKIN CONTACT: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE INFORMATION. INHALATION:

TLV LIMITS OF 400 PPM. EFFECTS OF REPEATED EXPOSURE: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE INFORMATION.

Explanation Of Carcinogenicity: NOT PROVIDED BY MFR

Signs And Symptoms Of Overexposure: OTHER HEALTH HAZARDS: NONE CURRENTLY KNOWN.

First Aid: EYE: FLUSH WITH WATER. SKIN: SINSE WITH WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: INDUCE VOMITING, DRINK PLENTY OF WATER, SEE PHYSICIAN.

NOTES TO PHYSICIAN: TOXICOLOGY STUDIES HAVE SHOW N T H E MATERIAL TO BE NON-TOXIC AND NONIRRITANT. THERE IS NO SPECIFIC ANTIDOTE. TREATMENT OF OVEREXPOSURE SHOULD BE DIRECTED AT THE CONTROL OF SYMPTOMS AND THE CLINICAL CONDITION.

=====
Handling and Disposal
=====

Spill Release Procedures: EVACUATE THE SPILL AREA, AS FLOOR MAY BE SLIPPERY. USE CARE TO PREVENT FALING. FLUSH AREA WITH WATER INTO SEWER SYSTEM.

Waste Disposal Methods: IN ACCOR DANCE WITH LOCAL, STATE, AND FEDERAL LAWS.

Handling And Storage Precautions: LOW TEMPERATURE STORAGE CAN CAUSE HANDLING PROBLEMS. VISCOSITY OF MATERIAL WILL INCREASE.

Other Precautions: *ADDITIONAL PROPRIETARY INFORMATION MAY ONLY BE MADE AVAILABLE UNDER THE TERMS OF A NON-DISCLOSURE AND SECRECY AGREEMENT.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE
=====

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED WITH ADEQUATE VENTILATION.

Ventilation: GENERAL (MECHANICAL) ROOM VENTILATION IS SATISFACTORY

Protective Gloves: NONE REQUIRED, BUT RUBBER GLOVES ARE SUGGESTED.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective Equipment: NONE REQUIRED.

Supplemental Safety and Health: PRODUCT NAME: SAFE CARE MORE THAN GLASS (READY TO USE) CHEMICAL

NAME: N/A. FORMULA: PROPRIETARY. CHEMICAL FAMILY: N//A.

SYNONYMS: N/A.

=====
Physical/Chemical Properties
=====

HCC: B3

Boiling Point: =90.C, 194.F

Melt/Freeze Pt: =-29.C, -20.2F

Decomp Text: NOT PROVIDED BY MFR

Vapor Pres: 17 MM HG @ 20 DEG C

Vapor Density: .611(AIR=1)

Spec Gravity: .992 (H2O=1) @ 20 DEG C

PH: 8.1

Viscosity: NOT PROVIDED BY MFR

Evaporation Rate & Reference: .06 (BUTYL ACTEA
TE=1)

Solubility in Water: COMPLETE

Appearance and Odor: SLIGHTLY VISCOUS, BLUE COLOR, PLEASANT ODOR

Percent Volatiles by Volume: NIL

Corrosion Rate: NOT PROVIDED BY MFR

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE

Materials To Avoid: NONE

Hazardous Decomposition Products: NONE

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WI

LL NOT OCCUR

=====
Toxicological Information
=====

Toxicological Information: TLV AND SOURCE: 440 PPM PARTS OF VAPOR OR GAS PER
MILLION PARTS OF CONTAMINATED AIR BY VOLUME AT 25 DEGREES CENTIGRADE AND 760
MMHG PRESSURE PER OSHA.

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: HAZARDOUS CLASSIFICATION: NONE. SHIPPING NAME: CLASS 55(SOAP).
=====

Regulatory Information
=====

Other Information
=====

Other Information: HAZARD RATING: 4
=EXTREME, 3=HIGH, 2=MODERATE, 1=SLIGHT,
0=INSIGNIFICANT. FIRE-0, TOXICITY-1, REACTIVITY-0, SPECIAL-0, HEALTH-0,
SAFETY-0.
=====

Transportation Information
=====

Responsible Party Code: 1GZV7
Trans ID NO: 155775
Product ID: SAFE CARE MORE THAN GLASS (READY TO USE)
MSDS Prepared Date: 03/19/1998
Review Date: 01/10/2001
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY:
1
Type Of Container: CAN
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: SAFE CARE MORE THAN GLASS (READY TO USE)

Cage: 1GZV7

Company Name: ORISON MARKETING, L.L.C.

Street: 17 WINDMILL CIRCLE

City: ABILENE TX

Zipcode: 79606

Health Emergency Phone: 915-692-1135

Label Required IND: Y

Date Of Label Review: 01/10/2001

Status Code: A

Year Procured: 2000

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: NO

Signal Word: WARNING

Respiratory Protection IND: NO

Health Hazard

d: Moderate

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: ACUTE: SWALLOWING: CONTAINS ISOPROPYL ALCOHOL 1%, WILL CAUSE POISONING. SKIN ABSORPTION: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE INFORMATION. EYE: SLIGHTLY IRRITATING. SKIN CONTACT: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE INFORMATION. INHALATION: TLV LIMITS OF 400 PPM. EFFECTS OF REPEATED EXPOSURE: NO EVIDENCE OF LONG-TERM ADVERSE EFFECTS FROM AVAILABLE

INFORMATION

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.