

ELY CHEMICAL CO LTD -- PENETRANT REMOVER (LIPOPHILIC) L-80 -- 6850-01-268-7122

=====  
Product Identification  
=====

Product ID: PENETRANT REMOVER (LIPOPHILIC) L-80

MSDS Date: 03/02/2000

FSC: 6850

NIIN: 01-268-7122

Status Code: A

MSDS Number: CKYCW

=== Responsible Party ===

Company Name: ELY CHEMICAL CO LTD

Address: LISLE LANE

City: ELY, CB7 4AS, ENGLAND

Country: UK

Info Phone Num: +44(0)1353665881/FX-664623

Emergency Phone Num: 44(0) 1353 665881

CAGE: K2063

=== Contractor Identification ===

Company Name: DUNN R G ASSOCIATES INC

Address: 15104 LEE RD SUITE 203-B

Box: City: HUMBLE

State: TX

ZIP: 77396-2078

Country: US

Phone: 281-441-2001/FAX: 281-441-7772

Contract Num: SP0450-01-M-D587

CAGE: 0A272

Company Name: ELY CHEMICAL COMPANY

Address: LISLE LANE

Box: City: ELY, CAMBRIDGESHIRE, CB7 4AS

Country: UK

Phone: +44(0)1353 665881

CAGE: K2063

=====  
Composition/Information on Ingredients  
=====

Ingred Name

: HYDROCARBON

CAS: 64742-52-5

RTECS #: PY8035000

= Wt: 50.

Ingred Name: 2-(2-BUTOXYETHOXY)ETHANOL. EEC NO. 203-961-6

CAS: 112-34-5

RTECS #: KJ9100000

= Wt: 10.

=====  
Hazards Identification  
=====

Health Hazards Acute and Chronic: EYES: IRRITATING TO THE EYES. SKIN:

FREQUENT OR PROLONGED CONTACT MAY BE IRRITATING. INGESTION:

SUPPLIERS DATA FOR RAT ORAL LD50 INDICATES NO SIGNIFICANT HAZARD BY THIS ROUTE. SMALL AMOUNTS OF LIQUID ASPIRATED INTO THE RESPIRATORY

SYSTEM DURING INGESTION OR FROM VOMITING MAY CAUSE SEVERE DAMAGE.  
INHALATION: VAPOUR CONCENTRATIONS ABOVE RECOMMENDED EXPOSURE LEVELS  
ARE EXPECTED TO BE IRRITATING TO THE EYES AND RESPIRATORY TRACT.  
Effects of Overexposure:SKIN: DRYING, CRACKING AND POSSIBLY DERMITITIS.  
INHALATION: MAY CAUSE HEADACHES AND DIZZINESS.

===== First Aid Measures =====

First Aid:INHALATION-IF PERSON IS OVERCOME BY FUMES IMMEDIATELY REMOVE  
FROM EXPOSURE & OB  
TAIN EMERGENCY MEDICAL AID. GIVE ARTIFICIAL  
RESPIRATION IF REQUIRED. SKIN-REMOVE CONTAMINATED CLOTHING. LAUNDRER  
BEFORE USE. WASH SKIN THOROUGHLY WITH MILD SOAP & WATER. FLUSH  
SKIN WITH LUKEWARM WATER. EYE-IMMEDIATELY RINSE WITH CLEAN WATER  
FOR 15 MINS WHILE HOLDING EYES OPEN. OBTAIN MEDICAL AID.  
INGESTION-IF LARGE QUANTITIES ARE INGESTED OBTAIN MEDICAL AID.  
GIVE LUKEWARM WATER IF COMPLETELY CONSCIOUS BUT DO NOT INDUCE  
VOMITING, OWING TO THE RISK OF DAMAGE TO THE LUN  
GS FROM ASPIRATION.

===== Fire Fighting Measures =====

Extinguishing Media: WATER SPRAY, WATER FOG, ALCOHOL TYPE FOAM, DRY  
POWDER OR CARBON DIOXIDE. UNSUITABLE ENTINGUISHING MEDIA: WATER  
JET.  
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS IN  
CONFINED AREAS.  
Unusual Fire/Explosion Hazard:MAY GIVE OFF TOXIC FUMES AT FIRE  
TEMPERATURES.

===== Accidental Release Measures =====

Spill Release Procedures:  
EXTINGUISH OR TURN OFF ALL SOURCES OF  
IGNITION, OBTAIN PROTECTIVE GLOVES AND GOGGLES OR FACE MASK. STOP  
RELEASE. CONTAIN SPILL WITH SUITABLE BOOM, SAND OR ADSORBENT  
GRANULES. PREVENT ESCAPE TO DRAINS OR SEWERS. CONTAINED LARGE  
SPILLS MAY BE PUMPED (NOT ELECTRIC) INTO SUITABLE CONTAINERS. SMALL  
SPILLS MAY BE ABSORBED USING SUITABLE GRANULES. FINALLY FLUSH AREA  
WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions

:HANDLING-MINIMIZE SKIN CONTACT BY USE

OF PVC OR SIMILAR IMPERVIOUS GLOVES. WEAR CHEMICAL GOGGLES OR OTHER SIMILAR EYE PROTECTION. OPEN CONTAINERS AND MANIPULATE PRODUCT ONLY IN WELL VENTILATED AREAS. STORAGE-STORE IN SEALED CONTAINERS IN VENTILATED COVERED STORAGE AREAS.

Other Precautions: LIKELY RESIDUES OR WASTE PRODUCTS: PRODUCT WITH DISSOLVED CONTAMINANTS. RINSE WATER CONTAINING EMULSIFIED PRODUCT.

=====  
===== Exposure Controls/Personal Protection =====

Res

piratory Protection: NOT REQUIRED UNDER NORMAL CONDITIONS OF USE. ENSURE GOOD VENTILATION. IF HIGH TEMPERATURES OR EXCESSIVE SPRAY/MIST IS GENERATED ADSORBENT MASKS OR RESPIRATORS WILL BE REQUIRED.

Ventilation: OIL MIST OES AND TLV (8 HOUR TWA) 5MG/CU.M. OES AND TLV (STEL 15 MINS) 10MG/CU.M.

Protective Gloves: WEAR PVC OR SIMILAR IMPERVIOUS GLOVES.

Eye Protection: WEAR CHEMICAL GOGGLES OR SIMILAR EYE PROTECTION.

Other Protective Equipment: LONG SLEEVED OVERALLS ARE RECOMMENDED ALSO

IMPERVIOUS APRONS AND GAUNTLETS IF THERE IS RISK OF FREQUENT SPLASHING.

Work Hygienic Practices: TAKE MEASURES TO PREVENT 1. CONTACT WITH EYES AND SKIN. 2. INHALATION RISK FROM VAPOUR OR MIST BUILD-UP.

Supplemental Safety and Health

PRODUCT NAME: PENETRANT REMOVER (LIPOPHILIC) L-80. CODE 2463.

APPLICATION: PENETRANT INSPECTION. COMPOSITION/INFORMATION ON INGREDIENTS: A BLEND OF HYDROCARBONS, NONIONIC SURFACTANTS, GLYCOL ETHER AND COUPLING AGENTS.

=====  
===== Physi  
cal/Chemical Properties =====

HCC: V5

Melt/Freeze Pt: