EVERITE MACHINE PRODUCTS CO INC -- EVERITE FORMULA ST -- 6850-01-371-2445

Product ID: EVERITE FORMULA ST MSDS Date:01/15/2000 FSC:6850 NIIN:01-371-2445 Status Code:A MSDS Number: CKYCY === Responsible Party === Company Name: EVERITE MACHINE PRODUCTS CO INC Address:501 E ERIE AVE City:PHILADELPHIA State:PA ZIP:19134-1106 Country:US Info Phone Num:215-425-3750 Emerge ncy Phone Num:215-425-3750 EXTN 505 CAGE:94559 === Contractor Identification === Company Name: AMERICO INDUSTRIAL SUPPLY INC Address:1070 E DOMINGUEZ ST UNIT B Box:City:CARSON State:CA ZIP:90746-3619 Country:US Phone:310-763-5500 FAX:310-763-5858 Contract Num:SP0450-99-MNE95 CAGE:0XDR8 Company Name: EVERITE MACHINE PRODUCTS CO Address:501 E. ERIE AVE. Box:City:PHILADELPHIA State:PA ZIP:19134 Phone: (215) 425-3750 CAGE:94559 Company Name: GATES SALES AND SERVICE Box:UNKNOW CAGE:0ZKD9 Company Name: PRO

TRONICS CORP Address:2411 11TH AVE S Box:City:GREAT FALLS State:MT ZIP:59405 Country:US Phone:888-452-9589/FAX: 406-452-0089 Contract Num:SP0450-01M-D626 CAGE:06DN1

Ingred Name:SODIUM NITRATE CAS:7631-99-4 RTECS #:WC5600000 = Wt:50. Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM NITRITE (CERCLA) CAS:7632-00-0 RTECS #:RA1225000 = Wt:25. Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

=========

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 80-185 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYE/SKIN/INHALATION:MAY CAUSE IRRITATION. ORAL:MAY CAUSE ANEMIA. THRESHOLD LIMIT VALUE: LD50 (ORAL RAT) 80-185 MG/KG. VERY TOXIC. UNDER CERTAI N CONDITIONS, NITRITES MAY

REACT WITH SECONDARY AMINES TO FORM CARCINOGENIC NITROSAMINES. SODIUM NITRITE, IN SMALL AMOUNTS, IS USED AS A FOOD PRESERVATIVE. IN LARGE AMOUNTS CAUSES CONVERSION OF HEMOGL OBIN TO METHEMOGLOBIN PRODUCING CYANOSIS. CHRONIC- UNKNOWN.
Explanation of Carcinogenicity:UNDER CERTAIN CONDITIONS, NITRITES MAY REACT WITH SECONDARY AMINES TO FORM CARCINOGENIC NITROSAMINES.
Effects of Overexposure:INGESTION: IN SMALL AMOUNTS SODIUM NITRITE IS USED AS FOOD PRESERVATIVE. IN LARGE AMOUNTS

CAUSES CONVERSION OF HEMOGLOBIN TO METHEMGLOBIN PRODUCING CYANOSIS. MAY CAUSE ANEMIA. INHALATION MAY IRRITATE RESPIRATORY TRACT. SKIN AND EYES MAY IRRITATE. First Aid: INGESTION: INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. SKIN & EYES: FLUSH WITH WATER. Extinguishing Media: SMALL FIRE: TREAT AS A CLASS A FIRE. USE WATER, DRY CHEM ICAL, CO2. MATERIAL MAY MELT, CARE SHOULD BE TAKEN NOT TO SCATTER MELT TO AVOID CONTACT WITH COMBUSTIBLES. Fire Fighting Procedures: MATERIAL IS OXIDIZING AGENT. SUPPLIES OXYGEN TO STIMULATE COMBUSTION OF ORGANIC OR COMBUSTIBLE MATERIALS. DECOMPOSES >320C TO RELEASE TOXIC NITROGEN OXIDE GASES WHICH ARE OXIDIZERS. FIREFIGHTERS SHOUL D WEAR SELF-CONTAINED BREATHING APPARATUS, NIOSH APPROVED APPARATUS WITH FULL FACEPIECE AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Ha

zard:PRODUCT WILL EXPLODE IF HEATED TO 537C (1000F) IN PRESENCE OF REDUCING AGENTS, ORGANIC MATERIAL, OR CYANIDES.

Spill Release Procedures: SWEEP UP OR SHOVEL UP SPILLED MATERIAL.

Handling and Storage Precautions:STORE AWAY FROM REDUCING AGENTS AND LIQUIDS OF LOW FLASH POINTS. STORAGE AREA SHOULD BE COOL, DRY, VENTILATED, AND FIREPROOF. WOOD AND PAPER BAGS USED TO HOLD THIS PRODUCT SHOULD BE REMOVED FROM THE P REMISES.

Respiratory Protection:NIOSH APPROVED TYPE RESPIRATOR. Ventilation:VENTILATION: MECHANICAL(GENERAL). Protective Gloves:RUBBER OR BUTYL. Eye Protection:GOGGLES.

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING.

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH

THOROUGHLY BEFORE EATING AND AFTER HANDLING. Supplemental Safety and Health

HCC:D1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:DECOMPOSES AT 320C Decomp Temp:=320.C, 608.F Spec Gravity:2.17 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:17 LBS IN 10 GALS WATER Appearance and Odor:WHITE CRYSTALS AND PELLETS - PLEASANT ODOR.

======== Stability and Reactivity Dat

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT WITH REDUCING AGENTS, COMBUSTIBLE AND FLAMMABLE MATERIALS.
Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS. AVOID EXCESSIVE HEAT.
Hazardous Decomposition Products:OXIDES OF NITROGEN.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situatio n.