View NSN Online: https://aerobasegroup.de/nsn/6750-01-398-4609

EASTMAN KODAK COMPANY -- 146 4726,WKG SOL,KODAK DEKTOL DEVELOPER(SINGLE POWDER)

-- 6750-01-398-4609

Product ID:146 4726, WKG SOL, KODAK DEKTOL DEVELOPER (SINGLE POWDER)

MSDS Date:06/18/1999

FSC:6750

NIIN:01-398-4609 Status Code:A

MSDS Number: CKYHT === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650

Country:US

Info Phone Num:716-722-5151/(800) 242-2424

Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Minumum % Wt:90. Maxumum % Wt:95.

Othe

r REC Limits:NOT PROVIDED OSHA PEL:NOT RELEVANT

Code:F

ACGIH TLV:NOT RELEVANT

Code:F

Ingred Name:SODIUM CARBONATE

CAS:497-19-8

RTECS #:VZ4050000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name: SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

Ingred Name: HYDROQUINONE

CAS:123-31-9

RTECS #:MX3500000

< Wt:1.

Other REC Li

mits:NOT PROVIDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name: 4-(METHYLAMINO) PHENOL SULFATE

CAS:55-55-0

RTECS #:SL8650000

<: Wt:1.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

=========== Hazards Identification ===============

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EFFECTS OF EXPOSURE: INHALATION:

EXPECTED TO BE LOW HAZARD FO

R USUAL INDUSTRIAL OR COMMERCIAL

HANDLING BY TRAINED PERSONNEL. IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE GAS IS IRRITATING TO RESPIRATORY TRACT. ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: CAUSES IRRITATION. MAY CAUSE AL LERGIC SKIN REACTION BASED ON HUMAN EXPERIENCE. INGESTION: MAY BE HARMFUL IF SWALLOWED. SOME ASTHMATICS OR SULFITE-SENSITIVE INDIVIDUALS MAY

EXPERIENCE WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

Explanation of Carcinogenicity:CARCINOGENICITY CLASSIFICATION

(COMPONENTS PRESENT AT 0.1% OR MORE): - INTERNATIONAL AGENCY FOR
RESEARCH ON CANCER (IARC): HYDROQUINONE, GROUP 3 - AMERICAN
CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIEN ISTS (ACGIH)
(HYDROQUINONE): A3 - ANIMAL CARCINOGEN - NATIONAL TOXICOLOGY
PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINIST
RATION

(OSHA): NONE

Effects of Overexposure:INHALATION: IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE GAS IS IRRITATING TO RESPIRATORY TRACT. ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIE NCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: CAUSES IRRITATION. INGESTION: SOME ASTHMATICS OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, F AINTNESS, WEAKNESS AND DIA RRHEA.

Medical Cond Aggravated by Exposure:SOME ASTHMATICS, HYPERSENSITIVE OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

=======================================	First Aid Measures	=======================================
---	--------------------	---

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 1

5 MINUTES. GET


MEDICAL ATTEN TION. SKIN: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF SKIN IRRITATION OR AN ALLERGIC SKIN REACTION DEVELOPS, GET MEDICAL ATTENTI ON. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONS CIOUS PERSON.

======= Fire

Fighting Measures ===========
Flash Point:NONE Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NOT PROVIDED
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED. Other Precautions:AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACE S, GLOVES, ETC. WILL HELP MINIMIZE THE POSSIBILITY OF A SKIN REACTION.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED. A RESPIRATOR SHOULD BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE OR HAVE BEEN RELEASED. RESPIRATOR TYPE: ACID GAS. SEE STABILITY AND REACTIVITY SECTION. IF RESPI RATORS ARE USED, A PROGRAM SHOULD BE INSTITUTED TO ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134. Venti
lation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.
Protective Gloves:WEAR IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES). Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER Work Hygienic Practices:NOT PROVIDED Supplemental Safety and Health USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION

, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABL E. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED. ======== Physical/Chemical Properties =========== HCC:B3 NRC/State Lic Num: NOT RELEVANT Boiling Pt:>100.C, 212.F Vapor Pres:18 MM HG @ 68F/20C Vapor Density: 0.6 Spec Gravity:1.04-1.06 pH:10.2-10.4 Viscosity:N **OT PROVIDED** Evaporation Rate & Reference: 0.4 (N-BUTYL ACETATE=1) Solubility in Water: COMPLETE Appearance and Odor:LIGHT YELLOW ODORLESS LIQUID. Percent Volatiles by Volume:90- 95 WT Corrosion Rate: NOT PROVIDED ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid: NOT PROVIDED Hazardous Decomposition P roducts:NONE (NONCOMBUSTIBLE) ======== Toxicological Information ===========

Toxicological Information: CONTAINS: 4-(METHYLAMINO) PHENOL SULFATE. BASED ON ANIMAL DATA, MAY CAUSE ADVERSE EFFECTS ON THE FOLLOWING ORGANS/SYSTEMS: BLOOD, KIDNEY, SPLEEN. BASED ON ANIMAL DATA THIS MATERIAL CAN PRODUC E METHEMOGLOBIN WHICH, IN SUFFICIENT CONCENTRATION, CAUSES CYANOSIS, A BLUE-GRAY DISCOLORATION OF THE SKIN AND LIPS CAUSED BY A REDUCED ABILITY OF THE



======== Ecological Information ===========

- Ecological:IS EXPECTED TO HAVE THE FOLLOWING PROPERTIES: A MODERATE BIOCHEMICAL OXYGEN DEMAND AND MAY CAUSE OXYGEN DEPLETION IN AQUEOUS SYSTEMS, A HIGH POTENTIAL TO AFFECT SOME AQUATIC ORGAN
- ISMS, A HIGH POTENT IAL TO AFFECT SECONDARY WASTE TREATMENT MICROBIAL METABOLISM, A MODERATE POTENTIAL TO AFFECT THE GERMINATION AND/OR EARLY GROWTH OF SOME PLANTS, A LOW POTENTIAL TO BIOCONCENTRATE, A LOW POTENTIAL TO PERSIST IN THE ENVIRONMENT. AFTER DILUTION WITH A LARGE AMOUNT OF WATER, FOLLOWED BY SECONDARY WASTE TREATMENT, THIS MATERIAL IS NOT EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFFECTS.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS E VEN AFTER CONTAINER IS EMPTIED.

======= MSDS Transport Information ===========

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BET

WEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FRIDAY.

======== Regulatory Information ==============

SARA Title III Information: CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: HYDROQUINONE

Federal Regulatory Information:NOT PROVIDED
State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF
CALIFORNIA TO CAU

SE CANCER: NONE - MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

=========== Other Information ===============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.