

STEVEN INDUSTRIES -- SEALING COMPOUND -- 8030-01-014-5869

===== Product Identification =====

Product ID:SEALING COMPOUND

MSDS Date:12/13/1995

FSC:8030

NIIN:01-014-5869

Status Code:A

MSDS Number: CKZFD

=== Responsible Party ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Info Phone Num:201-437-6501

Emergency Phone Num:800-424-9300

Prepar

er's Name:ERNEST CARTER

Chemtre Ind/Phone:(800)424-9300

CAGE:33150

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

Minimum % Wt:60.

Maximum % Wt:65.

Ingred Name:POLYGLYCOL OLEATE

Minimum % Wt:25.

Maximum % Wt:30.

Ingred Name:SACCHARIN

Minimum % Wt:3.

Maximum % Wt:5.

Ingred Name:CUMENE HYDROPEROXIDE

Minumum % Wt:1.

Maxumum % Wt:3.

Ingred Name:METHYL ALCOHOL

Minumum % Wt:1.

Maxumum % Wt:3.

Ingred Name:SILICA , AMORPHOUS TREATED

Minumum % Wt:1.

Maxumum % Wt:3.

Ingred Name:N,N-DIZLKYL TOLUIDINES

Minumum % Wt:1.

Maxumum % Wt:1.

Ingred Name:TITANIUM DIOXIDE

===== Hazards Identification =====

Medical Cond Aggravated by Exposure:

===== First Aid Measures =====

First Aid:INGESTION: DO NO

T INDUCE VOMITING.KEEP INDIVIDUAL CALM.

INHALATION: DOES NOT APPLY.

SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH

WATER. OBTAIN MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=93.3C, 200.F

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures:IRRITATING ORGANIC VAPORS

===== Accidental Release Measures =====

Spill Relea

se Procedures:SOAK UP WITH AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110 F TO PRESERVE SHELF LIFE. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

===== Exposure Controls/Personal Protection =====

Protective Gloves:RUBBER OR PLASTIC GLOVES.
Eye Protection:SAFETY GLASSES OR GOGGLES.
Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

Boiling Pt:=148.9C, 300.F
Vapor Pres:LESS THAN 5 MM 80 F
Spec Gravity:1.1 AT 75 F
VOC Pounds/Gallon:146
Evaporation Rate & Reference:(ETHER=1)
Solubility in Water:SLIGHT
Appearance and Odor:BLUE LIQUID MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:SEE OTHER PRECAUTIONS
Hazardous Decomposition Products:H
YDROGEN CHLORIDE, CO, & OTHER
TOXIC/IRRITATING FUMES/GASES.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all li

ability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.