

GE SILICONES -- STANNANE, DIBUTYL BIS (1-OXODODECYL); SILICONE CATALYST --  
8030-00-180-6201

===== Product Identification =====

Product ID:STANNANE, DIBUTYL BIS (1-OXODODECYL); SILICONE CATALYST

MSDS Date:01/28/1999

FSC:8030

NIIN:00-180-6201

Status Code:A

Kit Part:Y

MSDS Number: CKZJX

=== Responsible Party ===

Company Name:GE SILICONES

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:1218

8

Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Preparer's Name:HENRY SIMMONS

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:DIBUTYLTIN DILAURATE

CAS:77-58-7

RTECS #:WH7000000

Minumum % Wt:80.

Maxumum % Wt:9

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:CENTRAL NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN BY NTP, IARC, OR OSHA.

Effects of Overexposure:INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. HARMFUL IF ABSORBED T

HRU THE SKIN.

INHALATION: VAPORS GIVEN OFF BY HEATED PRODUCT MAY BE HARMFUL. EYE CONTACT: CAUSES MO DERATE SKIN IRRITATION. HARMFUL IF ABSORBED THRU THE SKIN. INHALATION: VAPORS GIVEN OFF BY HEATED PRODUCT MAY BE HARMFUL. EYE CONTACT: CAUSES SEVERE IRRITATION.

Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISORDERS.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING, SLOWLY DILUTE WITH 1-2 GLASSES OF

WATER BY WATER OR MILK AND SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE USE. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: MOVE PERSON TO FRESH AIR. EYES: IN CASE OF CONTACT, OR SUSPECT CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IMMEDIATELY AFTER FLUSHING.

===== Fire Fighting M  
asures =====

Flash Point Method:COC

Flash Point:=235.C, 455.F

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARM OTHER WOR

KERS OF SPILL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.  
AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING AND  
SMOKING.

=====  
===== Exposure Controls/Personal Protection =====

Ventilation:USE ONLY IN WELL VENTILATED AREA.  
Protective Gloves:RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES. MONOGOGGLES.  
Other Protective Equipment:RUBBER APRON.  
Supplemental Safety and Health  
h

=====  
===== Physical/Chemical Properties =====

Boiling Pt:=204.4C, 400.F  
Melt/Freeze Pt:=18.3C, 65.F  
Vapor Pres:NEGL  
Vapor Density:21.8  
Spec Gravity:1.035  
VOC Pounds/Gallon:27  
Evaporation Rate & Reference:2,000 (RBT) ACUTE INHALATION  
LC50 (MG/L): NONE FOUND.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH  
FEDERAL, STATE, AND LOCAL REGULATION. INCINERATION RECOMMEDED IN  
  
APPROVED INCINERATOR ACCORDING TO FEDERAL, STATE, AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume res

possibility for the suitability of this information to their particular situation.