

LOCTITE CORPORATION -- FORM-A-GASKET (R) SILICONE BLUE RTV GASKET MA

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-323-4503
MSDS Date: 05/04/1998
MSDS Num: CKZKD
Product ID: FORM-A-GASKET (R) SILICONE BLUE RTV GASKET MAKER, 6M
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BRO
OK CROSSING
City: ROCKY HILL CT 06067-3910
Info Phone Number: 860-571-5100
Emergency Phone Number: 860-571-5100
Preparer's Name: ERNEST CARTER
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: TU
Quantitative Expression: 00000000003OZ
UI Container Qty: 0

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Effects of Exposure: SKIN, EYES, INHALATION.
Signs And Symptions Of Overexposure: ACETIC ACID

PRODUCED DURING CURE IRRITATES

EYES, NOSE, AND THROAT.

Medical Cond Aggravated By Exposure: METHYLTRACETOXYSILANE: EYE, SKIN, AND PULMONARY DISORDERS.

First Aid: INGESTION: RINSE MOUTH WITH WATER SEVERAL TIMES. DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. SKIN CONTACT: WIPE OFF PASTE WITH PAPER TOWEL OR CLOTH. WASH EXPOSED AREA WITH DETERGENT AND WATER. EYE CONTACT: IMMEDIATELY FLUSH AT LEAST 15 MINUTES WITH PLENTY OF WATER. OBTAIN MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: WEAR PROPER PROTECTION EQUIPMENT AS SPECIFIED IN SECTION X. WIPE, SCRAPE, OR SOAK UP SPILLED MATERIAL WITH AN INERT ABSORBENT.

Waste Disposal Methods: CURED RUBBER SCRAP CAN BE INCINERATED. FOLLOW EPA AND LOCAL REGULATIONS. EPA HAZARDOUS WASTE NUMBER NH-NOT A RCRA HAZARDOUS WASTE

MATERIAL.

Handling And Storage Precautions: SAFE STORAGE: STORE IN A DRY AREA BELOW 90%F. KEEP CONTAINER CLOSED WHEN NOT IN USE. (CONTACT LOCTITE CUSTOMER SERVICE 1-800-243-4874 FOR SHELF LIFE INFORMATION) HANDLING: AVOID BREATHING VAPOR. AVOID EYE OR SKIN CONTACT.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: CALC

Flash Point: =93.3C, 200.F

Flash Point Text: TAG C

LOSED CUP

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG.

=====
Control Measures
=====

Ventilation: PROVIDE MECHANICAL VENTILATION SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves: CLOTH GLOVES UNDER RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES.

=====
Physical/Chemical Properties

Vapor Pres: LESS THAN 5 MM AT 80°F
Volatile Org Content %: 46
Spec Gravity: 1.04 AT 70°F
Evaporation Rate & Reference: (ETHER=1) MORE THAN 1
Solubility in Water: POLYMERIZED
Appearance and Odor: BLUE PASTE ACETIC ACID

Reactivity Data

Stability Indicator: YES
Materials To Avoid: OXIDIZING MATERIAL
Hazardous Decomposition Products: (NON-THERMAL): ACETIC ACID
Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

Regulatory Information

Federal Regulator

NFPA Information: ESTIMATED NFPA ? CODE: HEALTH HAZARD: 2 FIRE HAZARD: 1 REACTIVITY HAZARD: 0 SPECIFIC HAZARD: DOES NOT APPLY. ESTIMATED ? CODE: HEALTH HAZARD: 2 FLAMMABILITY HAZARD: 1 REACTIVITY HAZARDS: 0
State Regulatory Information: CA PROPOSITION 65: NO PROP65 CHEMICALS ARE KNOWN TO BE PRESENT.

Other Information

Other Information: WHEN HEATED TO TEMPERATURES ABOVE 300 DEGREE F IN THE PRESENCE OF AIR, THIS PRODUCT CAN FORM FORMALDEHYDE VAPORS. FORMALDEHYDE IS A POTENTIAL CANCER HAZARD AND A KNOWN SKIN AND RESPIRATORY SENSITIZER. VAPORS IRRITATE EYES, NOSE AND THROAT. SAFE HANDLING CONDITIONS MAY BE MAINTAINED BY PERMISSIBLE LIMIT FOR FORMALDEHYDE.

HAZCOM Label

Product ID: FORM-A-GASKET (R) SILICONE BLUE RTV GASKET MAKER, 6M
Cage: 05972
Company

Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 860-571-5100
Label Required IND: Y
Date Of Label Review: 03/02/2001
Status Code: A
Origination Code: G
Hazard And Precautions: SKIN, EYES, INHALATION.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.