

PETROLEUM PACKERS INC -- XCEL ATF-DEXRON III/MERCON -- 9150-01-114-9968

=====
Product Identification
=====

Product ID:XCEL ATF-DEXRON III/MERCON

MSDS Date:06/01/1997

FSC:9150

NIIN:01-114-9968

Status Code:A

MSDS Number: CKZMX

=== Responsible Party ===

Company Name:PETROLEUM PACKERS INC

Address:1601 MCCLOSKEY BLVD

City:TAMPA

State:FL

ZIP:33605-6710

Country:US

Info Phone Num:813-248-1988;800-424-880

2

Emergency Phone Num:800-424-9300

Chemtrec Ind/Phone:(800)424-9300

CAGE:7A776

=== Contractor Identification ===

Company Name:AMALIE OIL COMPANY

Address:1601 MCCLOSKEY BLVD, HOOKERS POINT

Box:City:TAMPA

State:FL

ZIP:33605-6710

Country:US

Phone:813-248-1988 / 800-368-1264

Contract Num:SP0450-01-C-0612

CAGE:7A776

Company Name:AMALIE OIL COMPANY (FORMERLY PETROLEUM PACKERS, INC)

Address:1601 MCCLOSKEY BOULEVARD

Box:City:TAMPA

State:FL

ZIP:33605-6710

Country:US

Phone:813-248-1988

CAGE:TO061

=====

=====
Composition/Information on Ingredients
=====

Ingred Name:MIXTURE - LUBRICATING OIL

=====
Hazards Identification
=====

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:POSSIBLE SKIN IRRITANT UPON REPEATED
OR PROLONGED CONTACT.
Explanation of Carcinogenicity:NO DATA PROVIDED BY MANUFACTURER.
Effects of Overexposure:POSSIBLE SKIN IRRITANT UPON REPEATED OR
PROLONGED CONTACT.
Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE FROM EXPOSURE TO INCIDENTAL FUMES AND
PROVIDE RESPIRATORY SUPPORT IF NECESSARY. DERMAL: WASH WITH SOAP
AND WATER, UNTIL ALL TRACES OF MATERIAL ARE REMOVED. EYES: FLUSH
WITH LARGE VOLUMES OF WATER. INGESTION: DO NOT INDUCE VOMITING.
SEEK MEDICAL AID. INJECTION: SEEK MEDICAL AID. NOTE: FOL
LOWING
INGESTION, AT A SAYBOLT VISCOSITY OF ~175SUS, (100F), THE RISK OF
ASPIRATION INTO THE LUNGS IS REDUCED. REMOVE ALL MATERIAL BY
EMESIS OR LAVAGE. SUBCUTANEOUS OR INTRAMUSCULAR INJECTION REQUIRES
PROMPT SURGICAL DEBRIDEMENT. IF NOT FAMILIAR WITH TECHNIQUE, SEEK
SKILLED ADVICE.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:=186.C, 366.8F
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING

=====
Accidental Release Measures
=====

Spill Release Procedures:NO DATA PROVIDED BY MANUFACTURER
Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER

=====
Handling and Storage
=====

Handling and Storage Precautions:NO DATA PROVIDED BY MANUFACTURER
Other Precautions:MAY CAUSE SKIN IRRITATION. WASH AREA WITH SOAP AND
WATER. FLUSH EYES WITH WATER. DO NOT INDUCE VO

MITING. SEEK MEDICAL
ADVICE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO DATA PROVIDED BY MANUFACTURER
Ventilation:NO DATA PROVIDED BY MANUFACTURER
Protective Gloves:NO DATA PROVIDED BY MANUFACTURER
Eye Protection:NO DATA PROVIDED BY MANUFACTURER
Other Protective Equipment:NO DATA PROVIDED BY MANUFACTURER
Work Hygienic Practices:NO DATA PROVIDED BY MANUFACTURER
Supplemental Safety and Health
SYNONYMS: TRANSMISSION FLUID

=====
Physical/Chemical Properties =====

HCC:V6

===== Toxicological Information =====

Toxicological Information:CARCINOGEN: NO. ANIMAL CARCINOGEN: NO.
SUSPECT CARCINOGEN: NO. MUTAGEN: NO. HIGHLY TOXIC: NO. CORROSIVE:
NO. SENSITIZER: NO. TERATOGEN: NO. TOXIC: NO. IRRITANT: NO
(POSSIBLE SKIN IRRITATION UPON REPEATED OR PROLONGED CONTACT).

===== Ecological Information =====

Ecological:NO DATA PROVIDED BY MANUFACTURER

===== Disposal Considerations =====

Waste Disposal Methods:NO DATA PROVIDED BY MANUFACTURER.

===== MSDS Transport Information =====

Transport Information:DOT/UN SHIPPING NAME: PETROLEUM LUBRICATING OIL.
DOT/HAZARD CLASS: NON-HAZARDOUS. DOT/UN HAZARD IDENTIFICATION
NUMBER: NONE ASSIGNED. DOT PLACARD: N/D. CARGO FIRE COMPATIBILITY:
N/D.

===== Regulatory Information =====

SARA

Title III Information:SECTION 313 TOXIC CHEMICALS: THIS PRODUCT DOES NOT CONTAIN TOXIC CHEMICALS OF SECTION 313 OF TITLE III OF SUPERFUND AMENDMENTS AND RE-AUTHORIZATION ACT OF 1996 (SARA) AND 40 CFR PART 372. SECTION 311 HAZARD CATEGORIES: NOT APPLICABLE: YES; ACUTE (IMMEDIATE HEALTH HAZARD): NO, CHRONIC (DELAYED HEALTH HAZARD): NO; FIRE HAZARD: NO; SUDDEN RELEASE OF PRESSURE HAZARD: NO; REACTIVE HAZARD: NO.

Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER

State Regulatory Information:NO DATA PROVIDED BY MANUFACTURER

=====
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.