

KOH-I-NOOR RAPIDOGRAPH INC -- 291 KOH=I-LAR LIQUID ERASER -- 7510-01-027-9129

===== Product Identification =====

Product ID:291 KOH=I-LAR LIQUID ERASER

MSDS Date:05/27/1994

FSC:7510

NIIN:01-027-9129

Status Code:A

MSDS Number: CLBDD

=== Responsible Party ===

Company Name:KOH-I-NOOR RAPIDOGRAPH INC

Address:100 NORTH STREET

City:BLOOMSBURY

State:NJ

ZIP:08804-9501

Country:US

Info Phone Num:908-479-412

4

Emergency Phone Num:00000000000

CAGE:75364

=== Contractor Identification ===

Company Name:KOH-I-NOOR RAPIDOGRAPH INC

Address:100 NORTH STREET

Box:City:BLOOMSBURY

State:NJ

ZIP:08804-9501

Country:US

Phone:908-479-4124

CAGE:75364

===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL ALCOHOL

CAS:71-36-3

RTECS #:EO1400000

= Wt:5.

OSHA PEL:100 PPM

ACGIH STEL:C50 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM HYDROXIDE

CAS:1336-21-6

RTECS #:BQ

9625000  
= Wt:2.  
ACGIH TLV:25 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
= Wt:93.

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL-RAT GREATER THAN 5G/KG  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN, RESPIRATORY  
TRACT, MUCOUS MEMBRANES FROM ACUTE EXPOSURE  
Effects of Overexposure:REDNESS OR EYES, NOSE AND SKIN.

===== First Aid Measures =====

First Aid:INGESTION: DRINK 1-2 GLASSES OF WATER TO DILUTE, CONSULT  
PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. SPLASHES SKIN OR  
EYES: FLUSH WITH COUPOUS AMOUNTS OF WATER. INHALATION: REMOVE TO  
FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:=47.8C, 118.F  
118 F ASM D56  
Extinguishing Media:LIQUID WILL NOT BURN OR SUPPORT COMBUSTION

===== Accidental Release Measures =====

Spill Release Procedures:RINSE AWAY WITH WATER.

===== Handling and Storage =====

Other Precautions:KEEP FROM FREEZING

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL  
Protective Gloves:NOT REQUIRED  
Eye Protection:PROTECTION SPLASHING INTO EYES  
Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boili

ng Pt:=104.4C, 220.F  
B.P. Text:220 F  
Melt/Freeze Pt:=-1.5C, 29.F  
M.P/F.P Text:29 F  
Spec Gravity:.99  
Evaporation Rate & Reference:LIKE WATER  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR COLORLESS LIQUID ODOR PRIMARILY FROM BUTANOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:BURY, INCINERATE OR RUN INTO SEWE  
R IN ACCORDANCE  
WITH ALL LEGAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:N-BUTYL ALCOHOL  
State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for  
its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.