

SPARTAN CHEMICAL CO INC -- SHINELINE EMULSIFIER PLUS -- 7930-01-436-7981

=====  
Product Identification  
=====

Product ID:SHINELINE EMULSIFIER PLUS

MSDS Date:07/18/1996

FSC:7930

NIIN:01-436-7981

Status Code:A

MSDS Number: CLBMW

=== Responsible Party ===

Company Name:SPARTAN CHEMICAL CO INC

Address:110 NORTH WESTWOOD AVE

City:TOLEDO

State:OH

ZIP:43607

Country:US

Info Phone Num:419-531-5551

Emergency P

hone Num:419-531-5551

Preparer's Name:THOMAS J. MITCHELL

CAGE:23212

=== Contractor Identification ===

Company Name:SPARTAN CHEMICAL CO INC. IPG INDUSTRIAL PRODUCTS GROUP

Address:110 N WESTWOOD AVE

Box:City:TOLEDO

State:OH

ZIP:43607

Country:US

Phone:800-537-8990/419-531-5551

CAGE:23212

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 28%

Other REC Limits:120MG/M3 TWA

Ingred Name:SODIUM HYDROXIDE (SA

RA III)  
CAS:1310-73-2  
RTECS #:WB4900000  
Fraction by Wt: 1.5%  
Other REC Limits:2 MG/M3 CEILING  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:MONOETANEOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
Other REC Limits:STEL 15MG/M3  
OSHA PEL:TWA 8 MG/M3

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SEVERE EYE AND SKIN IRRITANT. AVOID  
PROLO  
NGED SKIN CONTACT AND INHALATION OF VAPORS OR MISTS.  
BUTOXYETHANOL IS ABSORBED THROUGH THE SKIN WHICH MAY EFFECT LIVER,  
KIDNEYS, LIMPH AND BLOOD SYSTEMS. IHALA TION: MAY IRRITATE THROAT  
AND RESPIRATORY SYSTEM.  
Medical Cond Aggravated by Exposure:UNKNOWN.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.  
REMOVE CONTACT LENSES. GET MEDICAL ATTENTION. SKIN: FLUSH WITH  
COPIOUS AMOUNTS OF WATE  
R. IF IRRITATION PERSISTS, SEE DR.  
INGESTION: DRINK PL ENTY OF WATER. DO NOT INDUCE VOMITING. CALL  
DR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES CAN BE FLUSHED W/WATER INTO  
SANITARY SEWER; LARGE QUANTITIES SHOULD BE ABSORBED OR CONTAINED.  
Neutralizing Agent:NONE SPECIFI

ED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT FREEZE, DO NOT STORE >120F.

Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NOT REQUIRED.

Ventilation:GOOD GENERAL VENT SHOULD BE SUFFICIENT FOR MOST CONDITIONS. LOC EXHAUST VENT MAY BE NECESSARY FOR SOME OPERATIONS.

Prot

ective Gloves:SOLVENT RESISTANT TYPE GLOVES.

Eye Protection:CHEM WORK GOGG & FULL LGTH FCSHLD

Other Protective Equipment:UNDER CERTAIN CONDITIONS ALKALI RESISTANT APRONS & BOOTS ARE SUGGESTED. EMERGENCY EYEWASH & DELUGE SHOWER .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:=93.3C, 200.F

Spec Gravity:1.02 (H2O=1)

pH:13.5-13.7

Evaporation Rate & Reference: