View NSN Online: https://aerobasegroup.de/nsn/9160-00-272-8667

MERIAM INSTRUMENT CO, DIV OF THE SCOTT & FETZER CO -- 923RU, 100 RED UNITY OIL -- 9160-00-272-8667

============= Product Identification =================

Product ID:923RU, 100 RED UNITY OIL

MSDS Date:03/17/1999

FSC:9160

NIIN:00-272-8667 Status Code:A

MSDS Number: CLBRS === Responsible Party ===

Company Name: MERIAM INSTRUMENT CO, DIV OF THE SCOTT & FETZER CO

Address:10920 MADISON AVE

City:CLEVELAND

State:OH ZIP:44102-

2526

Country:US

Info Phone Num:216-281-1100

Emergency Phone Num:1-800-424-9300

Resp. Party Other MSDS Num.: A35797-1, REV. J, EO 4697

CAGE:39739

=== Contractor Identification ===

Company Name: MERIAM INSTRUMENT CO, DIV OF THE SCOTT & FETZER CO

Address:10920 MADISON AVE

Box:City:CLEVELAND

State:OH

ZIP:44102-2526

Country:US

Phone:216-281-1100

CAGE:39739

======= Composition/Information on Ingredients ========

Ingred Name:1-CHLORONAPHTHALENE

CAS:90-13-1

RTECS #:QJ2100000

= Wt:54. OSHA P EL:NA ACGIH TLV:NA

Ingred Name:2-CHLORONAPHTHALENE

CAS:91-58-7

RTECS #:OJ2275000

< Wt:1.

OSHA PEL:NA ACGIH TLV:NA

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ALIPHATIC PETROLEUM DISTILLATE

CAS:64741-89-5

RTECS #:PY8041500

= Wt:36.

OSHA PEL:5 MG/M3 (MIST) ACGIH TLV:5 MG/M3 (MIST)

Ingred Name:PETROLEUM LUBE OIL

CAS:64742-65-0

RTECS #:PY8038500

= Wt:9.

OSHA PEL:5 MG/M3 (MIST) ACGIH TLV:5 MG/M3 (MIST) ACGIH STEL:10MG/CUM (MIST)

Ingred Name: RED DYE


CAS:4477-79-6

Fraction by Wt: TRACE

OSHA PEL:NE ACGIH TLV:NE

========= Hazards Identification ===============

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE MAY CAUSE MODERATE
IRRITATION. SKIN: MAY CAUSE SLIGHT IRRITATION. MAY CAUSE SEVERE
IRRITATION WITH REPEAT OR PROLONGED CONTACT. INGESTION: CAN CAUSE
GASTROINTESTINAL IRRITATION. INHALATIO N: MAY CAUSE IRRITATION OF
NASAL AND RESPIRATORY



IAL AND LABORATORY USE ONLY. KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM FLAMES AND HIGH TEMPERATURES.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NOT TYPICALLY REQUIRED. IF EXPOSURE EXCEEDS
PERMISSIBLE EXPOSURE LIMTES WEAR A SELF CONTAINED BREATHING
APPARATUS IN COMPLIANCE WITH NIOSH/MSHA SPECIFICATIONS. COMPLY WITH
29CFR 1910.134

Ventilation: GENERAL (MECHANICAL) ROOM VENTILATION IS GENERALLY SATISFACTORY.

Protective Glov

es:FOR THE BEST PROTECTION WEAR COMPATIBLE CHEMICAL RESISTANT GLOVES.

Eye Protection:WEAR CHEMICAL GOGGLES IF THERE IS LIKELIHOOD OF CONTACT WITH EYES

Other Protective Equipment:BOOTS, APRONS, OR CHEMICAL SUITS SHOULD BE USED WHEN NECESSARY TO PREVENT SKIN CONTACT. EYE WASH FOUNTAINS AND SAFEY SHOWERS SHOULD BE AVAILABLE FOR EMERGENCY USE

Work Hygienic Practices:FOR PERSONAL HYGIENE PROTECTION, WE RECOMMEND THAT EMPLOYEES WASH THOROUGHLY AFTER HANDLING PRODUCT. ALWAYS WASH

UP BEFORE EATING, SMOKING, AND USING TOILET FACILITIES. Supplemental Safety and Health NO DATA PROVIDED BY MANUFACTURER

======== Physical/Chemical Properties ============

HCC:T4
Boiling Pt:=110.6C, 231.F
Melt/Freeze Pt:M.P/F.P Text:NE

Vapor Pres: