View NSN Online: https://aerobasegroup.de/nsn/6840-01-341-9346

Product ID:KARMEX DF HERBICIDE MSDS Date:11/21/1996 FSC:6840 NIIN:01-341-9346 Status Code:A MSDS Number: CLBXF === Responsible Party === Company Name: DU PONT E I DE NEMOURS & CO INC Address:1007 MARKET STREET Box:1635 **City:WILMINGTON** State:DE ZIP:19898 Country:US Info Phone Num:800-441-751 5/MSDS 302-992-3511 Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC) CAGE:18873 === Contractor Identification === Company Name: DU PONT FLUOROPRODUCTS Address:1007 MARKET STREET Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:1-800-441-7515 CAGE:2S827 Company Name: E.I. DUPONT DE NEMOURS & CO Address:1007 MARKET STREET Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:800-441-7515;800-441-9442 CAGE:18873 Company Name: EHRLICH J C CHEMICAL CO INC Address:500 SPRING RIDGE DR Box:

City:READING State:PA ZIP:19612-3848 Country:US Phone:610-372-9700/FAX: 610-378-9744 CAGE:8C885 Company Name:TIMBERLAND ENTERPRISES INC Address:140 ARKANSAS ST Box:557 City:MONTICELLO State:AR ZIP:71655 Country:US Phone:501-367-8561 CAGE:1HB45

Ingred Name:DIURON CAS:330-54-1 RTECS #:YS8925000 Fraction by Wt: 80% Other REC Limits:1MG/M3, 8&12HR. ACGIH TLV:10 MG/M3 8HR,TWA A4 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name :INERT INGREDIENTS RTECS #:II1000082 Fraction by Wt: 20%

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. NO REPORTS OF HUMAN SENSITIZATION. SIGNIFICANT SKIN PERMIATION AFTE R CONTACT APPEARS UNLIKELY.

Explanation of Carcinogenicity:NONE Effec

ts of Overexposure: ORAL: CONSIDERED SLIGHTLY TOXIC. SKIN: SLIGHTLY TO MODERATELY TOXIC BY CONTACT. ANIMAL STUDIES INDICATE THIS PRODUCT IS A MILD SKIN IRRITANT, BUT NOT A SENSITZER. INHAL: VERY LOW TOXICITY BY INHAL. EY E: PRODUCED MILD TO MODERATE CORNEAL OPACITY, MILD CONJUNCTURAL REDNESS AND SLIGHT TO MILD CHEMOSIS IN UNWASHED RABBIT EYES. EYES NORMAL WITHIN 14 DAYS AFTER EXPOSURE. CONSIDERED MILD EYE IRRITANT. Medical Cond Aggravated by Exposure: INDIVIDUALS WITH PRE-**EXISTING** DISEASES OF THE LIVER, BONE MARROW MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES. First Aid:INHAL: REMOVE TO FRESH AIR.CALL DR.SKIN:FLUSH W/COPIOUS AMOUNTS H2O & SOAP.CALL DR.EYES: FLUSH W/WATER FOR 15 MINUTES. LIFT LIDS TO RINSE ENTIRE EYE.CALL DR IMMED.INGEST: IF CONSCIOUS, GIVE 1-2 GLASSE S H2O TO DRINK. INDUCE VOMITING TOUCHINGBACK OF THROAT W/FINGER.IF PERSON IS UNCONSCIOUS, DON'T GIVE ANYTHING BY MOUTH & DON'T INDUCE VOMITING.CALL DR. \*NOTES TO DR: EXCESSIVE ABSORBTION MAY CAUSE FORM ATION OF METHEMOGLOBIN THAT CAUSES CYANOSIS. SINCE REVERSION OF METHEMOGLOBIN TO HEMOGLOBIN OCCURS SPONTNSLY, TREAT MODERT CYANOSIS W/SUPPORTIVE MEASRS: BED REST & OXYGEN INHAL.\*\*\*\*CONT UNDER ECOLOGIC AL SECTION Autoignition Temp:=455.C, 851.F Lower Limits:0.70% Extinguishing Media:W ATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. USE WATER SPRAY. IF AREA IS HEAVILY EXPOSED TO FIRE, AND CONDITIONS PERMIT, LET FIRE BURN ITSELF OUT SINCE WATER MAY INC REASE CONTAMINATION HAZARD.

Unusual Fire/Explosion Hazard: AS WITH ORGANIC POWDERS OR CRYSTALS, UNDER DUSTING CONDITIONS, THIS MATERIAL MAY FORM EXPLOSIVE MIXTURES IN AIR.

=========== Accidental R

elease Measures ===============

Spill Release Procedures: SHOVEL OR SWEEP SPILLED MATERIAL. DIKE SPILL. PREVENT MATERIAL FROM ENTERING SEWERS OR WATERWAYS OR LOW AREAS. EVACUATE PERSONEL. THOROUGHLY VENTILATE AREA. USE SELF CONTAINED BREATHING APPARATUS. USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN UP.

Handling and Storage Precautions:STORE IN ORGINAL CONTAINER ONLY. DON'TT CONTAMINATE H2

O, OTHER PESTICIDES, FOOD, OR FEED IN STORAGE. AVOID BREATHING VAPORS/MISTS, DUST. AVOID CONTACT W/EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HA NDLING. DO NOT STORE/CONSUME FOOD, DRINK, OR TABACCO WHERE THEY MAY BECOME CONTAMINATED W/MATERIAL.

Other Precautions:CONTNR DISPOSAL: COMPLETELY EMPTY BAG INTO APPLICATION EQUIPMENT. THEN DISPOSE OF BAG IN SANITARY LANFILL, INCINERATION, OR, IF PERMITTED BY STATE AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

===

====== Exposure Controls/Personal Protection ==========

Respiratory Protection: USE ONLY WITH ADEQUATE VENTILATION.

Ventilation: USE ONLY WITH ADEQUATE VENTILATION

Protective Gloves:WATER PROOF GLOVES

Other Protective Equipment:LONG SLEEVED SHIRT AND LONG PANTS, SHOES, SOCKS, AND COVERALLS.

Work Hygienic Practices: DO NOT STORE OR CONSUME FOOD, DRINK, OR TABACCO WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL. USERS SHOULD WASH HANDS BEFORE EATING, DRINKING, CHEWING GUM,

USING TABACCO, OR

USING TOILET.

Supplemental Safety and Health

ALWAYS FOLLOW LABEL INSTRUCTIONS WHEN USING PRODUCT. DISCARD CLOTHING AND OTHER ABSORBANT MATERIALS THAT HAVE BEEN DRENCHED OR HEAVILY CONTAMINATED W/ PRODUCT'S CONCENTRATE. DO NOT REUSE THEM. FOLLOW MANFR'S INSTRUCTIONS FOR WASHABLES. USE DETERGENT & HOT H2O.

Solubility in Water:DISPERSIBLE Appearance and Odor:BROWN GRANULES - ODORLESS

=======

Stability Indicator/Materials to Avoid:YES INCOMPATABLE WITH STRONG ACIDS.

Toxicological Information:PRODUCT AS WHOLE: ORAL LD50(RAT): 2900MG/KG BODY WEIGHT. DERMAL LD50: >2000 MG/KG RABBITS. INHAL: 4 HOUR LC50: >5.6 MG/L RATS. CHRONIC STUDIES: DIURON: THE COMMPOUND IS A SKIN/EYE IRRITANT. BUT IS NOT A SKIN SENSITIZER IN ANIMALS. TOXIC EFFECTS IN ANIM

ALS FROM SHORT EXPOSURES INCLUDE: BLOOD EFFECTS, SPLEEN EFFECTS, THYROID EFFECTS, METHEMOGLOBINEMIA, AND NONSPECIFIC EFFECTS SUCH AS WEIGHT LOSS, AN D IRRITANT. TESTS IN SOME ANIMALS DEMONSTRATE CARCINOGENIC ACTIVITY. TESTS IN ANIMALS EXHIBIT NO EMBRYOTOXIC ACTIVITY @ CONCENTRATIONS EQUAL TO OR LESS THAN THE TLV OF 10MG/M3. \*\*\*SEE "OTHER INFO SECT ION.

Ecological: EPA REG NO. 352-508. AQUATIC TOXICITY: DIUR ON IS CONSIDERED

MODERATELY TOXIC. 96 HOUR LC50, RAINBOW TROUT: 3.5 PPM. \*\*\*\*CONT FROM FIRST AID: NOTES TO DR: THOROUGH CLEANSING OF ENTIRE CONTAM. AREA O F BODY (INCL SCALP/NAILS) IS UTMOST IMPORTANT. SEVER CYANOSIS: INTRAVENOUS INJECTION OF METHYLENE BLUE, 1MG/KG BODY WEIGHT, MAY BE VALUE. CYANOCOBALAMINE (VIT B12), 1MG INTRAMUSCULARLY MAY SPEED RECOV ERY. INTRAVENOUS FLUIDS/BLOOD TRANSFUSIONS MAY BE INDICATED IN SEVERE EXPOSURES.

====== Disposal

Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION, AND DISPOSAL MUST BE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. REMOVE NONUSABLE SOLID MATERIAL AND/OR CONTAMINATED SOIL FOR DISPOSAL IN AN APPROVED LANDFI LL. DO NOT FLUSH TO SURFACE WATER OR SANITARY SEWER SYSTEM. DO NOT CONTAMINATE ENVIRONMENT.

Transport Information: IF PRODUCT IS 100 LBS OR MORE, DIURO

N PER

PACKAGE, THE PRODUCT IS REGULATED BY DOT. WHEN PRODUCT IS IN A LIQUID STATE (AS WHEN MIXED WITH WATER FOR APPLICAITON) AND THE CONTAINER IS HOLDING MORE THAN 100 LBS OF DIURON, AND THE PERCENTAGE OF DIURON EXCEEDS 0.2 (2000 PPM) THEN IT IS REGULATED. IF PRODUCT MUST BE REGULATED, SEE MANUFACTURER'S HARDCOPY OF MSDS FOR INFO.

SARA Title III Information:DIURON State Regulatory Information:THIS PRO DUCT DOES FALL UNDER TITLE 3

HAZARD CLASSIFICATION "ACUTE" AND "CHRONIC" FOR SECTIONS 311, 312. IN THE US, THIS PRODUCT IS REGULATED BY THE EPA UNDER THE FEDERAL INSECTACIDE, FUNGUCIDE ACT. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTANT WITH ITS LABELING. EPA REG NO. 352-508. SARA/CERLA REPORTABLE QUANTITY: DIURON (100 LBS)

Disclaimer (provided with this information by the c ompiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.