Product ID:C&H SPRAYDET EL SPRAY CABINET CLEANER MSDS Date:03/28/2000 FSC:6850 NIIN:01-431-2269 MSDS Number: CLCFW === Responsible Party === Company Name: C AND H ENTERPRISES INC Address:222 STARKEY ST **City:SAINT PAUL** State:MN ZIP:55107 Country:US Info Phone Num:651-227-4343/FAX: 651-227-2485 Emergency Phone Num:800-228-5635X005 CAGE:0ZAU9 === Contractor Identification === Company Name: C AND H ENTERPRISES INC Address:222 STARKEY ST Box:City:SAINT PAUL State:MN ZIP:55107 Country:US Phone:651-227-4343/FAX: 651-227-2485 Contract Num:SP0450-01-M-D938 CAGE:0ZAU9 Company Name: C AND H ENTERPRISES INC Address:222 STARKEY ST Box:City:SAINT PAUL State:MN ZIP:55107 Country:US Phone:651-227-4343/FAX: 651-227-2485 Contract Num:SP0450-01-M-ZD90 CAGE:0ZAU9

======= Composition/I

nformation on Ingredients =========

Ingred Name:POTASSIUM SILICATE CAS:1312-76-1 = Wt:10. Other REC Limits:PQ: 5 MG/M3 CEILING OSHA PEL:N.E. ACGIH TLV:N.E.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYES-SEVERE IRRITATION, OR BURNS POSSIBLE. SKIN-IRRITATION OR BURNS POSSIBLE WITH PROLONGED CONTACT. INHALATION OF DUST OF MIST OF PRODUCT OR SOLUTION-IRRITATION

OF RESPIRATORY TRACT. SWALLOWI NG-IRRITATION OR BURNS OF MOUTH, THROAT AND STOMACH. STOMACH UPSET. CHRONIC: UNKNOWN; NONE EXPECTED BEYOND ACUTE EFFECTS.

Explanation of Carcinogenicity: THIS PRODUCT OR ITS INGREDIENTS HAVE NOT BEEN IDENTIFIED AS A CARCINOGEN OR PROBABLE CARCINOGEN BY NTP, IARC MOOGRAPHS, OR OSHA.

Medical Cond Aggravated by Exposure:DERMITITIS AND SIMILAR SKIN DISORDERS.

First Aid:EYE: IMMED

IATELY FLUSH WITH COOL RUNNING WATER HOLDING EYE

LIDS APART. REMOVE CONTACT LENSES IF PRESENT, AND CONTINUE FLUSHING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: IMMEDIATELY FLUSH WITH COOL, RUNNING WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION OR BURN DEVELOPS AND PERSISTS, GET MEDICAL ASSISTANCE. INHALED: REMOVE TO FRESH AIR. IMMEDIAT ELY CALL FOR MEDICAL ADVICE IF BREATHING IS DIFFICULT OR IRRITATION IS SEVERE OR

CONTINUES. SWALLOWED: RINSE MOUTH WITH

LARGE AMOUNTS OF WATER. DRINK WATER, MILK OTHER FLUIDS TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL AID.

Flash Point:NONE Extinguishing Media:AS NEEDED FOR SURROUNDING FIRE. Fire Fighting Procedures:FOR ANY CHEMICAL FIRE WEAR SELF CONTAINED BREATHING APPARATUS, AND PROTECTIVE CLOTHING TO PREVENT CONTACT. Unusual Fire/Explosion Hazard:NONE

\_\_\_\_\_

Spill Release Procedures:SMALL: WEAR GLASSES/RUBBER GLOVES AND RECOVER AS PRACTICAL. FLUSH SPILL AREA TO DRAIN WITH EXCESS WATER. CONTINUE WATER FLOW. "SEE OTHER INFORMATION"

Neutralizing Agent:NEUTRALIZE CONTAMINATED AREA WITH DILUTE SOLUTION OF A MILD ACID SUCH AS VINEGAR OR CITRIC ACID. FLUSH TO DRAIN.

Handling and Storage Precautions: HANDLING-AVOID UNNECESSARY CONTACT

WITH PRODUCT. WEAR ALL PROTECTIVE EQUIPMENT WHEN HANDLING PRODUCT. WASH AFTER USE. AVOID BREATHING MIST OF PRODUCT SOLUTION. PREVENT CONTACT WITH INCOMPATIBLE MATERI AL. STORAGE-KEEP CONTAINER TIGHTLY CLOSED. KEEP FROM FREEZING; MAY RUPTURE CANS OR DEGRADE PRODUCT. Other Precautions:HAZARD IDENTIFICATION: HEALTH=2, FIRE=0, INSTABILITY=0, OTHYER=X. HAZARD SIGNAL (SHORT TERM CONTACT OR INHALATION ONLY): (0=INSIGNIFICANT; 1=SLIGHT, 2=MODERATE, 3=HIGH, 4=EXTREME).

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR WHERE CONDITIONS MAY CAUSE EXPOSURE LIMITS TO BE EXCEEDED FROM MISTS OF SOLUTIONS.
Ventilation:GENERAL OR LOCAL TO AVOID EXPOSURE TO IRRITATING MISTS.
Protective Gloves:ALKALI RESISTANT, IMPERMEABLE GLOVES.
Eye Protection:GLASSES, GOGGLES, AND/OR FACE SHIELD TO PREVENT EXPOSURE
Other Protective Equipment:FULL BODY COVERING WITH RUBBER APRON AND SHOES AS NEEDED TO P
REVENT CONTACT. EYE WASH STATIONS IN THE WORK AREA.
Supplemental Safety and Health
PRODUCT NAME: C&H SPRAYDET EL SPRAY CABINET CLEANER. PRODUCT

DESCRIPTION: CLEAR LIGHT AMBER, MILD ODOR. CHEMICAL FAMILY: ALKALINE DETERGENT.

HCC:B3 Boiling Pt:>100.C, 212.F Vapor Pres:NE Vapor Density:NE Spec Gravity:1.24 pH: