

SDB CONSULTANTS LTD -- VV-P-236A -- 9150-00-250-0926

=====  
Product Identification  
=====

Product ID:VV-P-236A  
MSDS Date:08/01/1996  
FSC:9150  
NIIN:00-250-0926  
Status Code:A  
MSDS Number: CLDJN  
=== Responsible Party ===  
Company Name:SDB CONSULTANTS LTD  
Address:401 WHITNEY AVE SUITE 206  
City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Info Phone Num:504-368-7900  
Emergency Phone Num:504-366-9105  
CAGE:0PGK2

=====  
Contractor Identification ====  
Company Name:SDB CONSULTANTS LTD  
Address:401 WHITNEY AVE SUITE 120  
Box:City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Phone:504-366-9105  
CAGE:0PGK2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLATUM (MSDS GAVE 80009-03-8 AS CAS#, INVALID #)  
CAS:8009-03-8  
RTECS #:SE6780000  
OSHA PEL:5 MG/M3 (OIL MIST)

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER  
Health Haz

ards Acute and Chronic:NONE

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER

Effects of Overexposure:NONE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY WITH COLD WATER, CALL A PHYSICIAN.  
SKIN: FOR MOLTEN PETROLEUM, FLUSH IMMEDIATELY WITH COLD WATER. CALL  
A PHYSICIAN. FOR SOLIDIFIED PETROLATUM REMOVE EXCESS WITH PAPER  
TOWELS, WASH WITH SOAP AND  
WATER. INHALATION: NO DATA.  
INGESTION: CALL A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>204.4C, 400.F  
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE (C02), FOAM, WATERFOG  
OR SAND/EARTH.  
Fire Fighting Procedures:WATER SPRAY IS AN UNSUITABLE EXTINGUISHING  
AGENT. FIRE FIGHTERS SHOULD USE SELF-CONTAINED BREATHING APPARATUS  
TO PROTECT AGAINST SMOKE INHALATION.  
Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF LEAK AND DIKE UP LARGE SPILLS. AFTER  
COOLING AND SOLIDIFICATION, SCRAP AND/OR SHOVEL UP MATERIAL.  
FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME, HEAT (200F MAX)  
AND STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE CONT  
ACT.  
Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NDA  
Protective Gloves:WEAR IMPERVIOUS GLVOES.  
Eye Protection:WEAR A FACE SHIELD OVER SAFETY GLASSES.  
Other Protective Equipment:WEAR OVERALLS.  
Work Hygienic Practices:READ ALL LABELS CAREFULLY BEFORE USING.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER

=====  
===== Physical/Chemical Properties =====

HCC:V6  
Melt/Freeze Pt:M.P/F.P Text:110

- 180F  
Vapor Pres:NDA  
Spec Gravity:NDA  
Evaporation Rate & Reference:NDA  
Solubility in Water:NIL  
Appearance and Odor:SEMI-SOLID, OIL LIKE, OPAQUE COLOR: YELLOW OR BROWN.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE.  
Stability Condition to Avoid:NONE.  
Hazardous Decomposition Products:NONE.

===== Toxicological Information =====

Toxicological Information:NONE SPECIFIED BY MANUFACTURER

===

===== Ecological Information =====

Ecological:NONE SPECIFIED BY MANUFACTURER

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:NONE SPECIFIED BY MANUFACTURER

===== Regulatory Information =====

SARA Title III Information:NON  
E SPECIFIED BY MANUFACTURER  
Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER  
State Regulatory Information:NONE SPECIFIED BY MANUFACTURER

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and  
d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.