

SIA ADHESIVES INC -- 3040000, PL 5001-A, TWO PART EPOXY -- 8040-01-302-2693

=====  
Product Identification  
=====

Product ID:3040000, PL 5001-A, TWO PART EPOXY

MSDS Date:01/10/2000

FSC:8040

NIIN:01-302-2693

Status Code:A

Kit Part:Y

MSDS Number: CLDYM

=== Responsible Party ===

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

City:AKRON

State:OH

ZIP:44311-1081

Country:US

Info Phone Num:330-374-

2786 / 330-374-2900

Emergency Phone Num:(800)424-9300

Preparer's Name:MICHAEL T. EBERHART

Chemtrec Ind/Phone:(800)424-9300

CAGE:1HS43

==== Contractor Identification ====

Company Name:GRACO SUPPLY CO

Address:1001 MILLER AVE

Box:50505

City:FORT WORTH

State:TX

ZIP:76105

Country:US

Phone:817-535-3200

Contract Num:SP0560-01-M-C263

CAGE:52004

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

=====

== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN SYSTEM

CAS:25085-99-8

= Wt:20.

Ingred Name:AMORPHOUS SILICA

CAS:112945-52-5

RTECS #:VV7310000

&lt; Wt:5.

===== Hazards Identification =====

Health Hazards Acute and Chronic:EYES: MINOR TRANSIENT IRRITATION.  
SKIN: MINOR IRRITATION, SOME PEOPLE MAY DEVELOP ALLERGIC REACTION  
AND SENSITIZATION. INHALATION: NONE LIKELY UNLESS HEATED TO HIGH  
TEMPERATURE. CHRONIC OVEREXPOS  
URE: SOME PEOPLE DEVELOP SKIN RASH,  
ALLERGIC REACTIONS AND//OR SKIN SENSITIZATION.  
Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION, ALLERGIC  
REACTION AND SENSITIZATION. INHALATION: NONE LIKELY UNLESS HEATED  
TO HIGH TEMPERATURE. CHRONIC OVEREXPOSURE: SKIN RASH, ALLERGIC  
REACTIONS AND//OR SKIN SEN SITIZATION.  
Medical Cond Aggravated by Exposure:SKIN RASHES.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER; RE  
MOVE AND WASH CONTAMINATED  
CLOTHING. SEE A PHYSICIAN IF IRRITATION DEVELOPS. EYE: FLUSH WITH  
WATER SEE A PHYSICIAN IF IRRITATION DEVELOPS. INGESTION: DO NOT  
INDUCE VOMITING. CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH  
AIR. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:=248.9C, 480.F  
Lower Limits:0.00  
Upper Limits:0.00  
Extinguishing Media:WATER, CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fight

ing Procedures:DO NOT ENTER CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:TOXIC FUMES POSSIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID SKIN AND EYE CONTACT, ABSORB WITH INERT ABSORBANT, SCRAPE UP AND PLACE IN CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precauti

ons:AVOID PROLONGED SKIN AND EYE CONTACT.

FOR INDUSTRIAL USE ONLY. KEEP OUT OF THE REACH OF CHILDREN. STORE IN A COOL DRY PLACE AWAY FROM SOURCES OF HEAT.

Other Precautions:IN ADDITION TO ANY LISTED PRECAUTIONS, YOU SHOULD CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO INSURE THAT SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Pr

otection:NOT NORMALLY REQUIRED.

Ventilation:LOCAL EXHAUST MAY BE NEEDED IF MATERIAL IS HEATED.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:CLEAN LONG SLEEVES LONG LEG CLOTHING.

Work Hygienic Practices:AVOID PROLONGED SKIN AND EYE CONTACT. KEEP OUT OF REACH OF CHILDREN.

Supplemental Safety and Health

THIS ENTRY, SERIAL NUMBER CLDYM, DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME NSN, SERIAL NUMBER CLDYR, FOR PART B DATA.

===== Physical/Chemical Properties =====

HCC:V5

Boiling Pt:B.P. Text:NONE

Vapor Density:NON VOL

Spec Gravity:3.84874 (32.06 LBS/GAL)

Evaporation Rate & Reference:N-BUTYL ACETATE

Appearance and Odor:GRAY PAST, EPOXY ODOR.

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACID, BASE.

Stability Condition to Avoid:AMINE COMPOUNDS IN UNCONTROLLED CONDITIONS.

Hazardous Decomposition Produc

ts:CARBON DIOXIDE, CARBON MONOXIDE, AND OTHERS POSSIBLE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Toxicological Information =====

Toxicological Information:6 MG/M3 IS INDUSTRY STANDARD FOR TOTAL DUST SAMPLING.

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS AS DEFINED BY GOVERNMENT REGULATIONS AND, THEREFORE MAY BE SUBJECT TO STORAGE, TRANSPORTATION AND DISPOSAL REQUIREMENTS. DISCARD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:SECTION 313: THIS PRODUCT CONTAINS NO TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372.

Federal Regulatory Information:ALL INGREDIENTS IN THIS PRODUCT ARE LISTED IN THE T.S.C.A. INVENTORY.

State Regulatory Information:CALIFORNIA PROP 65 (CARCINOGEN): WARNING: THIS PRODUCT CONTAINS NO CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. PRODUCT MAY CONTAIN TRACE AMOUNTS OF CALIFORNIA PROPOSITION 65 LISTED CHEMICALS. CALIFORNIA PROP 65 (TERATOGEN): WARNING: THIS PRODUCT CONTAINS NO CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. CALIFORNIA PROP 65 (BOTH CARCINOGEN AND TERATOGEN): WARNING: THIS

PRODUCT CONTAINS NO CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.