

DYNAMOLD, INC. -- MR 502K, CATALYST (SEE SUPPL) -- 6850-01-163-0276

=====
Product Identification
=====

Product ID:MR 502K, CATALYST (SEE SUPPL)

MSDS Date:05/01/2000

FSC:6850

NIIN:01-163-0276

Kit Part:Y

MSDS Number: CLFBN

=== Responsible Party ===

Company Name:DYNAMOLD, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Info Phone Num:817-335-0862

Emergency Phone

Num:800-255-3924 CHEM-TEL

Resp. Party Other MSDS Num.:BASE

Preparer's Name:NOT PROVIDED

CAGE:30256

=== Contractor Identification ===

Company Name:DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Phone:817-335-0862

Contract Num:SP0450-00-M-SF76

CAGE:30256

Company Name:DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Phone:817-335-0862

Contract Num:SP0450-01-M-ZD39

CAGE:30256

=====

==== Composition/Information on Ingredients =====

Ingred Name:DIBUTYLTIN DILAURATE
CAS:77-58-7
RTECS #:WH7000000
< Wt:.5
Other REC Limits:NOT PROVIDED
OSHA PEL:NOT PROVIDED
ACGIH TLV:NOT PROVIDED

Ingred Name:TIN CARBOXYLATE
CAS:301-10-0
< Wt:.5
Other REC Limits:NOT PROVIDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

==== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of C
arcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE OR SKIN CONTACT: SKIN CONTACT IS
NOT KNOWN TO CAUSE IRRITATION, EYE CONTACT MAY CAUSE IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYE CONTACT: MAY CAUSE IRRITATION.
Medical Cond Aggravated by Exposure:NOT PROVIDED

==== First Aid Measures =====

First Aid:INHALATION: IF OVERCOME BY EXPOSURE, REMOVE VICTIM TO FRESH
AIR IMMEDIATELY. GIVE OXYGEN OR
ARTIFICIAL RESPIRATION IF NEEDED.
OBTAIN EMERGENCY MEDICAL AID. PROMPT MEDICAL AID IS ESSENTIAL. EYE
CONTACT : IMMEDIATELY RINSE WITH CLEAN WATER FOR 15-20 MINUTES.
RETRACT EYELIDS OFTEN. IF IRRITATION OCCURS OBTAIN EMERGENCY
MEDICAL AID. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AS NEEDED.
WASH SKIN THOROU GHLY WITH MILD SOAP AND WATER. IF STICKY, USE
WATERLESS CLEANER FIRST. INGESTION: IF LARGE QUANTITY SWALLOWED,
GIVE LUKE WARM WATER (PINT) IF VICTIM IS COMPLETEL

Y

CONSCIOUS/ALERT. DO NOT INDUCE VOMITING. OBTAIN EMERGENCY MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:=129.4C, 265.F

APPROXIMATELY

Lower Limits:NOT PROVIDED

Upper Limits:NOT PROVIDED

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY. USE WATER SPRAY/FOG FOR COOLING. DRY CHEMICAL CARBON DIOXIDE IS PERMISSIBLE.

Fire Fighting Procedures:DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTION. FIGHT

FROM SAFE DISTANCE/PROTECTED LOCATION. MAY BUILD UP PRESSURE AND RUPTURE CLOSED CONTAINERS, SPREADING FIRE, INCREASING RISK OF BURNS AND INJURIES. NOTIFY AUTHORITIES IF LIQUID ENTERS SEWER/PUBLIC WATERS.

Unusual Fire/Explosion Hazard:NONE, AVOID EXTREME HEAT OR FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:UTILIZE PERSONAL PROTECTIVE EQUIPMENT. LIMIT ACCESS TO QUALIFIED PERSONNEL. SOAK UP SPILL WITH INERT SOLID AND PLACE

IN A LABELED, SEALED CONTAINER. PREVENT FLOW TO SEWERS. NOTIFY FIRE/ENVIRONMENTAL AUTHORITIES. COVER SLIPPERY SURFACES WITH GRANULAR SOLID. CONTAIN SPILL TO PREVENT ESCAPE INTO THE ENVIRONMENT.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA. STORE ONLY IN CLOSED CONTAINERS AWAY FROM IGNITION SOURCES. PRACTICE CAUTION, AVOID SKIN AND EYE CONTACT.

Other Precautions:

WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.

Ventilation:GENERAL .

Protective Gloves:NONE SHOULD BE NEEDED.

Eye Protection:CHEMICAL SPLASH GOGGLES (ANSI Z87.1 1979).

Other Protective Equipment:NONE SHOULD BE NEEDED.

Work Hygienic Practices:NOT PROVIDED

Supplemental Safety and Health

MAGNETIC RUBBER INSPECTION KIT: QUICK CURE FOR NONDESTRUCTIVE INSPECTION

N TECHNIQUES; KIT CONSISTS OF 1 CAN OF MAGNETIC RUBBER MATERIAL, BASE, (MSDS SERIAL NUMBER: CLFBM) (1 GALLON), 1 BOTTLE OF CATAL YST (MSDS SERIAL NUMBER: CLFBN) (2 FL OZ) AND 1 BOTTLE OF CURE STABILIZER (1 FL OZ).

===== Physical/Chemical Properties =====

HCC:V5

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>148.9C, 300.F

B.P. Text:APPROXIMATELY

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres:1 @ 20C APPROXIMATELY

Vap

or Density:NEG.

Spec Gravity:1.0

Viscosity:NOT PROVIDED

Evaporation Rate & Reference: